

#### FOUR SEASON SCREENWASH

Page: 1

Compilation date: 21/07/2010

Revision date: 27/3/2019

Revision No: 4

### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: FOUR SEASON SCREENWASH

**CAS number:** BLEND **Product code:** BS170

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Screenwash mixture containing solvent. Used undiluted, it prevents freezing completely

to a max of -8. Contains a water softener to prevent the formation of lime scale.

## 1.3. Details of the supplier of the safety data sheet

Company name: Multex Chemicals Ltd.

Multex House Cannon Street

HULL

East Yorkshire

HU2 OAB

**Tel:** 01482 320432 **Fax:** 01482 321777

Email: info@multexchemicals.co.uk

## 1.4. Emergency telephone number

Emergency tel: 01482 320432

(office hours only)

# **Section 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Classification under CLP: This product has no classification under CLP.

## 2.2. Label elements

### Label elements:

Precautionary statements: P264: Wash splashes to skin thoroughly after handling.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P301: IF SWALLOWED:

P315: Get immediate medical advice/attention.

P102: Keep out of reach of children.

#### FOUR SEASON SCREENWASH

Page: 2

#### 2.3. Other hazards

Other hazards: Not classified as hazardous. Product does not sustain combustion- see section 9.

\*label elements-section 2.2 are precautionary statements only\*

PBT: This product is not identified as a PBT/vPvB substance.

### Section 3: Composition/information on ingredients

#### 3.2. Mixtures

### **Hazardous ingredients:**

ETHANOL - REACH registered number(s): 01-2119457610-43-XXXX

| EINECS    | CAS  | PBT / WEL | CLP Classification | Percent |
|-----------|--|-----------|--------------------|---------|
| 200-578-6 | 0-578-6 64-17-5 Substance with a Community workplace exposure limit. |           | Flam. Liq. 2: H225 | 10-30%  |

### METHANOL - REACH registered number(s): 01-2119433307-44-XXXX

| 200-659-6 | 67-56-1 | - | Flam. Liq. 2: H225; Acute Tox. 3: H331; | <1% |
|-----------|---------|---|---|-----|
|           |         |   | Acute Tox. 3: H311; Acute Tox. 3: H301; |     |
|           |         |   | STOT SE 1: H370                         |     |

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water. Get immediate medical attention

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If recovery is

not rapid and complete, seek medical advice.

## 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat. The casualty may appear intoxicated. **Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

# 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Show this safety data sheet to the doctor in attendance.

# **Section 5: Fire-fighting measures**

# 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

#### FOUR SEASON SCREENWASH

Page: 3

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

## Section 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-

side up to prevent the escape of liquid.

### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: For small spillages, Wash the spillage site with large amounts of water. For large

spillages Absorb into dry earth or sand. Transfer to a closable, labelled salvage

container for disposal by an appropriate method.

### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

### Section 7: Handling and storage

# 7.1. Precautions for safe handling

Handling requirements: Avoid the formation or spread of mists in the air. Ensure there is sufficient ventilation of

the area. Avoid direct contact with the substance.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

# 7.3. Specific end use(s)

Specific end use(s): No data available.

# Section 8: Exposure controls/personal protection

### 8.1. Control parameters

### **Hazardous ingredients:**

#### FOUR SEASON SCREENWASH

Page: 4

#### **ETHANOL**

## Workplace exposure limits:

## Respirable dust

| State | 8 hour TWA | 15 min. STEL | 8 hour TWA | 15 min. STEL |
|-------|------------|--------------|------------|--------------|
| UK    | 1920 mg/m3 | •            | -          | -            |

### **METHANOL**

| UK | 266 mg/m3 | 333 mg/m3 | - | - 1 |
|----|-----------|-----------|---|-----|

### **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

## 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: If there is a risk of splashes Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

## Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Liquid Colour: Blue

Odour: Pleasant

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Miscible in all proportions

Viscosity: Non-viscous

Boiling point/range°C: 80 -100 Flash point°C: 45

Relative density: about 0.97 pH: Neutral

### 9.2. Other information

Other information: This product does not sustain combustion (Sustained combustibility test L.2, Part

111, section 32 of the UN Recommendations on the Transport of Dangerous Goods,

Manual of Tests and Criteria) It is therefore excluded from the flammable classification.

## Section 10: Stability and reactivity

### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

#### FOUR SEASON SCREENWASH

Page: 5

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

Conditions to avoid: Heat. Direct sunlight.

## 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

## **Section 11: Toxicological information**

## 11.1. Information on toxicological effects

### Hazardous ingredients:

#### **ETHANOL**

| IVN | RAT | LD50 | 1440 | mg/kg |
|-----|-----|------|------|-------|
| ORL | MUS | LD50 | 3450 | mg/kg |
| ORL | RAT | LD50 | 7060 | mg/kg |

## **METHANOL**

| IVN | RAT | LD50 | 2131 | mg/kg |
|-----|-----|------|------|-------|
| ORL | MUS | LD50 | 7300 | mg/kg |
| ORL | RAT | LD50 | 5628 | mg/kg |

Toxicity values: No data available.

# Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

Ingestion: There may be irritation of the throat. The casualty may appear intoxicated.Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

# Section 12: Ecological information

# 12.1. Toxicity

#### FOUR SEASON SCREENWASH

Page: 6

## **Hazardous ingredients:**

#### **METHANOL**

| ALGAE                          | 48H EC50 | 22000  | mg/l |
|--------------------------------|----------|--------|------|
| BLUEGILL (Lepomis macrochirus) | 96H LC50 | 15400  | mg/l |
| Daphnia magna                  | 48H EC50 | >10000 | mg/l |

### 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

## 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

### 12.4. Mobility in soil

Mobility: Readily absorbed into soil. Soluble in water.

### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

Disposal operations: Dispose of waste and residues in accordance with local authority requirements.

Disposal of packaging: Clean with water. Dispose of as normal industrial waste. Packaging is recyclable.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

## **Section 14: Transport information**

Transport class: This product does not require a classification for transport.

## **Section 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

## 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

# **Section 16: Other information**

### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

### FOUR SEASON SCREENWASH

Page: 7

Phrases used in s.2 and s.3: H225: Highly flammable liquid and vapour.

H301: Toxic if swallowed.

H311: Toxic in contact with skin.

H331: Toxic if inhaled.

H370: Causes damage to organs.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.