

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 as amended

Issuing Date 2007-08	22Revision Date2018-11-06Version
1. IDENTIFICATION	OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1 Product Identifier	
Product Name	Toner for Phaser 6125, Phaser 6128 MFP, Phaser 6130, Phaser 6140, Phaser
Part no.	6700, WorkCentre 6505, Phaser 6500 106R01278, 106R01279, 106R01280, 106R01281, 106R01282, 106R01283, 106R01284, 106R01285, 106R01286, 106R01331, 106R01332, 106R01333, 106R01334, 106R01335, 106R01336, 106R01337, 106R01338, 106R01452, 106R01453, 106R01454, 106R01455, 106R01456, 106R01457, 106R01458, 106R01459, 106R01477, 106R01478, 106R01479, 106R01480, 106R01481, 106R01482, 106R01483, 106R01484, 106R01591, 106R01592, 106R01593, 106R01594, 106R01595, 106R01596, 106R01597, 106R01598, 106R01599, 106R01600, 106R01601, 106R01602, 106R01603, 106R01604, 093K01534, 093K01535, 093K01536, 093K01537, 093K01620, 093K01621, 093K01623, 093K01624
Colour	Black, Cyan, Magenta, Yellow
1.2 Relevant identifie	d uses of the substance or mixture and uses advised against
Recommended Use	Xerographic printing
1.3 Details of the sup	plier of the safety data sheet
Supplier	Xerox Ltd. Xerox Environment, Health, Safety & Sustainability Monroe House Works Road Letchworth
	Herts. SG61LN UK
For further informatio	Herts. SG61LN UK n, please contact
Contact person Phone	Herts. SG61LN UK
Contact person Phone Fax	Herts. SG61LN UK <u>n, please contact</u> Manager, Environment, Health, Safety & Sustainability
<u>For further informatio</u> Contact person Phone Fax E-mail address For the most current o	Herts. SG61LN UK n, please contact Manager, Environment, Health, Safety & Sustainability ++44 (0)1707 353434 - ehs-europe@xerox.com
Contact person Phone Fax E-mail address For the most current o	Herts. SG61LN UK n, please contact Manager, Environment, Health, Safety & Sustainability ++44 (0)1707 353434 - ehs-europe@xerox.com Mocument https://safetysheets.business.xerox.com
Contact person Phone Fax E-mail address	Herts. SG61LN UK n, please contact Manager, Environment, Health, Safety & Sustainability ++44 (0)1707 353434 - ehs-europe@xerox.com Mocument https://safetysheets.business.xerox.com

## 2.2 Label elements



# Toner - Black, Cyan, Magenta, Yellow

Issuing Date 2007-08-22

Revision Date 2018-11-06

Version 2

None

#### 2.3 Other hazards

Not a PBT according to REACH Annex XIII May form explosible dust-air mixture if dispersed

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2 Mixtures

Chemical Name	Weight %	CAS No.	EC-No	Classification (Reg. 1272/2008)	Hazard Statements	REACH Registration Number
Polymer	70-80	292629-36-8	Not listed			
Paraffin wax	1-10	8002-74-2	232-315-6			
Carbon black	0-10	1333-86-4	215-609-9			01-2119384822-32-0065
Yellow pigment	0-10	6358-31-2	228-768-4			
Silica, amorphous	<10	7631-86-9	231-545-4			
Cyan Pigment	0-10	147-14-8	205-685-1			01-2119458771-32-0044
Magenta pigment	0-10	980-26-7	213-561-3			01-2119456804-33-0008
Titanium dioxide	<1	13463-67-7	236-675-5			

#### Note

"--" indicates no classification or hazard statements apply.

Where no REACH registration number is listed, it is considered confidential to the Only Representative.

Components marked as "Not Listed" are exempt from registration.

## 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

General advice	For external use only. When symptoms persist or in all cases of doubt seek medical advice. Show this safety data sheet to the doctor in attendance.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes
Skin contact	Wash skin with soap and water
Inhalation	Move to fresh air
Ingestion	Rinse mouth with water and afterwards drink plenty of water or milk

#### 4.2 Most important symptoms and effects, both acute and delayed

Acute toxicity	
Eyes	No known effect
Skin	No known effect
Inhalation	No known effect
Ingestion	No known effect
Chronic effects	
Chronic toxicity	No known effects under normal use conditions
Main symptoms	Overexposure may cause:



## Toner - Black, Cyan, Magenta, Yellow

Issuing Date 2007-08-22

Revision Date 2018-11-06

Version 2

mild respiratory irritation similar to nuisance dust.

#### 4.3 Indication of immediate medical attention and special treatment needed

Protection of first-aiders	No special protective equipment required
Notes to physician	Treat symptomatically

## 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

Suitable extinguishing media Use water spray or fog; do not use straight streams, Foam

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products Hazardous decomposition products due to incomplete combustion, Carbon oxides, Nitrogen oxides (NOx)

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

#### 5.3 Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit.

#### Other information

Flammability	Not flammable	
Flash point	Not applicable	

## 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing dust

#### 6.2 Environmental precautions

No special environmental precautions required

#### 6.3 Methods and material for containment and cleaning up

Methods for containment	Prevent dust cloud
Methods for cleaning up	Use a vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses the
	toner making it difficult to remove

## 6.4 Reference to other sections



SDS #: A-1005 Toner - Black, Cyan, Magenta, Yellow

Issuing Date 2007-08-22

Revision Date 2018-11-06

Version 2

The environmental impact of this product has not been fully investigated However, this preparation is not expected to present significant adverse environmental effects.

#### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice, Avoid dust accumulation in enclosed space, Prevent dust cloud

Hygiene measures None under normal use conditions

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

#### 7.3 Specific end uses

Xerographic printing

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Xerox Exposure Limit	2.5 mg/m <sup>3</sup> (total dust)
Xerox Exposure Limit	0.4 mg/m <sup>3</sup> (respirable dust)

8.2 Exposure controls

Engineering measures None under normal use conditions

Personal protective equipment

Hand protection No special protective equipment required
Skin and body protection No special protective equipment required
Respiratory protection No special protective equipment required
Thermal hazards None under normal processing

Environmental Exposure Controls Keep out of drains, sewers, ditches and waterways

## 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Physical state Colour	Powder Solid Black Cyan Magenta Yellow	Odour Odour threshold pH	Faint Not applicable Not applicable
Flash point	Not applicable		
Boiling point/boiling range	Not applicable		



# Toner - Black, Cyan, Magenta, Yellow

Issuing Date 2007-08-22	Revision Date 2018-11-06	Version 2
Softening point	49 - 60 °C / 120 - 140 °F	
Evaporation rate	Not applicable	
Flammability	Not flammable	
Flammability Limits in Air	Not applicable	
Explosive Limits	No data available	
Vapour pressure	Not applicable	
Vapour density	Not applicable	
Specific gravity	~ 1	
Water solubility	Negligible	
Partition coefficient	Not applicable	
Autoignition temperature	Not applicable	
Decomposition temperature	Not determined	
Viscosity	Not applicable	
Explosive properties	Fine dust dispersed in air, in sufficient concentrations, and in the presence of an source is a potential dust explosion hazard	ignition
Oxidising properties	Not applicable	
0.2 Other information		

#### 9.2 Other information

None

### **10. STABILITY AND REACTIVITY**

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use

#### 10.2 Chemical stability

Stable under normal conditions

#### 10.3 Possibility of hazardous reactions

Hazardous reactions	None under normal processing
Hazardous polymerisation	Hazardous polymerisation does not occur

#### 10.4 Conditions to avoid

Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

## 10.5 Incompatible Materials

None

#### 10.6 Hazardous decomposition products

None under normal use



# Toner - Black, Cyan, Magenta, Yellow

Issuing Date 2007-08-22

Revision Date 2018-11-06

Version 2

## **11. TOXICOLOGICAL INFORMATION**

The toxicity data noted below is based on the test results of similar reprographic materials.

## 11.1 Information on toxicological effects

#### Acute toxicity

Product Information Irritation Oral LD50 Dermal LD50 LC50 Inhalation	No skin irritation, No eye irritation > 5 g/kg (rat) > 5 g/kg (rabbit) > 5 mg/L (rat, 4 hr)
Chronic toxicity Product Information Chronic effects Carcinogenicity Other information	No known effects under normal use conditions See "Other Information" in this section. The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of carbon black in this mixture does not present a health hazard. The IARC classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xeroxhas performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.
	The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO2 particles of respirable size. The Titanium Dioxide Industry REACH Consortium have concluded that these effects were species-specific, attributable to lung overload and not specific to TiO2, i.e. similar effects would also be seen for other low solubility dusts. Toxicological and epidemiological studies do not suggest a carcinogenic effects in humans. In addition, the titanium dioxide in this mixture is encapsulated in a matrix or bound to the surface of the toner.
Other toxic effects Product Information Sensitisation Mutagenic effects Reproductive toxicity	No sensitisation responses were observed Not mutagenic in AMES Test This product does not contain any known or suspected reproductive hazards
Target organ effects	None known
Other adverse effects Aspiration Hazard	None known Not applicable

## 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity



# Toner - Black, Cyan, Magenta, Yellow

**Issuing Date** 2007-08-22

Revision Date 2018-11-06

Version 2

On available data, the mixture / preparation is not harmful to aquatic life

#### 12.2 Persistence and degradability

Not readily biodegradable

#### 12.3 Bioaccumulative potential

Bioaccumulation is unlikely

#### 12.4 Mobility in soil

Insoluble in water

#### 12.5 Results of PBT and vPvB assessment

Not a PBT according to REACH Annex XIII

### 12.6 Other adverse effects

Presents little or no hazard to the environment

13. DISPOSAL CONSIDERATIONS		
13.1 Waste treatment methods		
Waste Disposal Method	Can be landfilled or incinerated, when in compliance with local regulations If incineration is to be carried out, care must be exercised to prevent dust clouds forming.	
EWC Waste Disposal No.	08 03 18	
Other information	Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.	

## **14. TRANSPORT INFORMATION**

### 14.1 UN/ID No

Not regulated

## 14.2 Proper shipping name

Not regulated

#### 14.3 Transport hazard class(es)

Not classified

### 14.4 Packing Group

Not applicable



# Toner - Black, Cyan, Magenta, Yellow

Issuing Date 2007-08-22

Revision Date 2018-11-06

Version 2

## 14.5 Environmental hazards

Presents little or no hazard to the environment

#### 14.6 Special precautions for users

No special precautions are needed in handling this material

#### 14.7 Transport in bulk according to MARPOL 73/78 and the IBC Code

Not applicable

### **15. REGULATORY INFORMATION**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

According to present data no classification and labelling is required according to Regulation (EC) No 1272/2008

#### 15.2 Chemical Safety Assessment

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

# 16. OTHER INFORMATION

Issuing Date	2007-08-22
Revision Date	2018-11-06
Revision Note	Address for some geographies updated, Update to format

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008 as amended.

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.