according to Regulation (EC) No. 1907/2006, as amended

Approval/Revision date: 11.09.2019

Print Date: 01.10.2019 000000035296/Version: 4.6

Page: 1/14



1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier: KODAK COLOR INK CARTRIDGE / 10C, Cyan Ink

Product code: 8198178 - Cyan Ink

Synonyms: None.

1.2. Relevant identified uses of the substance or mixture and uses advised against:

1.2.1. Identified uses: ink or inkjet chemical

1.3. Details of the supplier of the safety data sheet: KODAK LIMITED, Building 8, Croxley Green

Business Park, Hatters Lane, Watford, WD18 8PX, Great Britain

For further information about this product, telephone 0870-2430270 or email kes@kodak.com.

1.4. Emergency telephone number:

Available during office hours only. IN EMERGENCY, telephone: 844 892 0111.

2. Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP):

Hazard class / Hazard category	Hazard statements	Route of exposure
Eye Irrit. 2	H319	
Repr. 1B	H361	
STOT RE 2	H373	Oral

2.2. Label elements:

Labelling according to 1272/2008/EC [CLP/GHS]:

Contains: glycerol, 2-methoxypropanol, Ethoxylated tetramethyldecynediol, ethanediol

Symbol(s):



Signal word: Danger

according to Regulation (EC) No. 1907/2006, as amended

Approval/Revision date: 11.09.2019

Print Date: 01.10.2019 000000035296/Version: 4.6

Page: 2/14

Hazard statements:

Causes serious eye irritation.

May damage fertility or the unborn child.

May cause damage to organs through prolonged or repeated exposure if swallowed.

Kidney

Contains: 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

Precautionary statements:

Prevention

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wash hands thoroughly after handling.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

IF exposed or concerned: Get medical advice/ attention.

Storage

Store locked up.

Disposal

Dispose of contents/container in accordance with local regulation.

2.3. Other hazards

None known.

3. Composition/information on ingredients

Weight percent	Component	CAS-No. EC No. REACH Reg. No.	Classification according to 1272/2008/EC	Reason for disclosure
5 - 10	glycerol			
		56-81-5 200-289-5 not applicable	not classified	Substance with a Community workplace exposure limit
1 - < 10	ethanediol			
		107-21-1 203-473-3 not applicable	Acute Tox. 4 H302	hazardous
1 - 5	29H,31H-phtha	locyaninato(2-)-N29,N30),N31,N32 copper	
		147-14-8	not classified	Substance with a Community workplace

according to Regulation (EC) No. 1907/2006, as amended

Approval/Revision date: 11.09.2019

Print Date: 01.10.2019 000000035296/Version: 4.6

Page: 3/14

0.1 - < 1	2-methoxypropa	205-685-1 not applicable nol		exposure limit
	, , , ,	1589-47-5 216-455-5 not applicable	Flam. Liq. 3 H226 Skin Irrit. 2 H315 Eye Dam. 1 H318 Repr. 1B H360D STOT SE 3 H335	hazardous
0.1 - < 1	Ethoxylated tetramethyldecynediol			
		9014-85-1 not applicable not applicable	Eye Dam. 1 H318	hazardous
0.01 - < 0.05				
		2682-20-4 220-239-6 not applicable	Acute Tox. 3 H301 Acute Tox. 3 H311 Acute Tox. 2 H330 Skin Corr. 1B H314 Eye Dam. 1 H318 Skin Sens. 1A H317 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	hazardous

4. First aid measures

4.1. Description of first aid measures

- 4.1.1. Inhalation: If symptomatic, move to fresh air. Get medical attention if symptoms persist.
- **4.1.2. Skin:** Wash off immediately with soap and plenty of water. Get medical attention if irritation develops and persists. Wash contaminated clothing before re-use.
- **4.1.3. Eyes:** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If easy to do, remove contact lens, if worn. If eye irritation persists: Get medical advice/ attention.
- **4.1.4. Ingestion:** If swallowed, only induce vomiting as directed by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention.
- **4.2. Most important symptoms and effects, both acute and delayed:** Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain. Eye Irritation: Signs/symptoms may include localized redness, swelling, lachrymation, itching, dryness, and pain. Kidney/Bladder Effects: Signs/symptoms may include changes in urine production, abdominal or lower back pain, increased protein in urine, increased blood urea nitrogen (BUN), blood in urine, and painful urination.

according to Regulation (EC) No. 1907/2006, as amended

Approval/Revision date: 11.09.2019

Print Date: 01.10.2019 000000035296/Version: 4.6

Page: 4/14

4.3. Indication of any immediate medical attention and special treatment needed: No information available.

5. Firefighting measures

- 5.1. Extinguishing Media: Water spray, Carbon dioxide (CO2), Dry chemical, Foam.
- 5.2. Special hazards arising from the substance or mixture
 - 5.2.1. Hazardous Combustion Products: Carbon oxides
 - **5.2.2. Unusual Fire and Explosion Hazards:** None.
- **5.3.** Advice for firefighters: Wear self-contained breathing apparatus and protective suit. Fire or excessive heat may produce hazardous decomposition products.

6. Accidental release measures

- **6.1. Personal precautions, protective equipment and emergency procedures:** Refer to protective measures listed in sections 7 and 8.
- **6.2. Environmental precautions:** Prevent runoff from entering drains, sewers, or streams.
- **6.3. Methods and materials for containment and cleaning up:** Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination.
- **6.4. Reference to other sections:** See Section 8 for recommendations on the use of personal protective equipment.

7. Handling and storage

7.1. Precautions for safe handling

- **7.1.1. Personal precautions:** Avoid contact with eyes, skin, and clothing. Avoid breathing mist or vapour. Use only with adequate ventilation. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.
- **7.1.2. Prevention of Fire and Explosion:** Keep from contact with oxidizing materials.
- **7.1.3. Ventilation:** Match ventilation rates to conditions of use so as not to exceed any applicable exposure limits (see Section 8).
- **7.2. Conditions for safe storage, including any incompatibilities:** Keep in a dry, cool and well-ventilated place. Cool conditions (5 30°C). Keep container tightly closed. Keep away from food, drink and animal feeding stuffs. Keep away from incompatible substances (see Incompatibility section.)
- **7.3. Specific end use(s):** No information available.

according to Regulation (EC) No. 1907/2006, as amended

Approval/Revision date: 11.09.2019

Print Date: 01.10.2019 000000035296/Version: 4.6

Page: 5/14

8. Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure controls

Chemical name	Regulatory List	Value Type	Value
glycerol	EH40	Time weighted average	10 mg/m3 Form of exposure (mist)
	EH40	Short term exposure limit	30 mg/m3 Form of exposure (mist) (calculated)
ethanediol	EH40	Time weighted average	10 mg/m3 Form of exposure (particulates)
	EH40	Time weighted average	20 ppm52 mg/m3 Form of exposure (vapour)
	EH40	Short term exposure limit	30 mg/m3 Form of exposure (particulate) (calculated)
	EH40	Short term exposure limit	40 ppm104 mg/m3 Form of exposure (vapour)
		Time weighted average	20 ppm52 mg/m3
		Short term exposure limit	40 ppm104 mg/m3
ethanediol	HSA	Time weighted average	10 mg/m3 Form of exposure (particulate)
	HSA	Time weighted average	20 ppm52 mg/m3 Form of exposure (vapour)
	HSA	Short term exposure limit	40 ppm104 mg/m3 Form of exposure (vapour)
	HSA	Short term exposure limit	30 mg/m3 Form of exposure (particulate) (calculated)
		Time weighted average	20 ppm52 mg/m3
		Short term exposure limit	40 ppm104 mg/m3

8.2. Exposure controls

8.2.1. Appropriate engineering controls: Use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. Controls should be sufficient so that applicable occupational exposure limits are not exceeded.

according to Regulation (EC) No. 1907/2006, as amended

Approval/Revision date: 11.09.2019

Print Date: 01.10.2019 000000035296/Version: 4.6

Page: 6/14

8.2.2. Individual protection measures, such as personal protective equipment

Eye protection: Wear safety glasses with side shields (or goggles).

Hand protection: Using the information provided in Section 2, seek the advice of the glove supplier as to the most suitable glove material. Avoid skin contact when mixing or handling the substance/preparation or a mixture by wearing impervious gloves and protective clothing appropriate to the risk of exposure.

Use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact:

Material	Thickness	Breakthrough time	
Nitrile rubber	>= 0.38 mm	> 480 min	
Neoprene	>= 0.65 mm	> 240 min	
butyl-rubber	>= 0.36 mm	> 480 min	

Avoid natural rubber gloves.

The protective gloves to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN 374. This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.

Respiratory protection: If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. If respirators are used, a program should be instituted to assure compliance with applicable federal, state, commonwealth, provincial, or local laws and regulations.

General health and safety measures: Safety shower, eye wash, washing facilities as appropriate to condition of use.

8.2.3. Environmental exposure controls: No information available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: liquid

Colour: cyan

Odour: No data available

Odour Threshold: No data available - testing not performed

pH: No data available - testing not performed

according to Regulation (EC) No. 1907/2006, as amended

Approval/Revision date: 11.09.2019

Print Date: 01.10.2019 000000035296/Version: 4.6

Page: 7/14

Melting point/freezing point: No data available - testing not performed

Initial boiling point and boiling range: > 35 °C (> 95.0 °F) (estimated)

Flash point: > 93.3 °C(> 199.9 °F) (estimated)

Evaporation rate: No data available - testing not performed

Flammability (Solid; gas): No data available - testing not performed

Upper explosion limit: No data available - testing not performed

Lower explosion limit: No data available - testing not performed

Vapour pressure: No data available - testing not performed

Vapour density: No data available - testing not performed

Specific gravity: No data available - testing not performed

Water solubility: No data available - testing not performed

Partition coefficient: n-octanol/water: No data available - testing not performed

Auto-ignition temperature: No data available - testing not performed

Decomposition temperature: No data available - testing not performed

Viscosity: No data available - testing not performed

Explosive properties: No data available - testing not performed

Oxidizing properties: No data available - testing not performed

10. Stability and reactivity

10.1. Reactivity: No data available

10.2. Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions: Hazardous polymerisation does not occur.

10.4. Conditions to avoid: No data available

10.5. Incompatible materials: Strong oxidizing agents.

10.6. Hazardous decomposition products: Carbon oxides

11. Toxicological information

according to Regulation (EC) No. 1907/2006, as amended

Approval/Revision date: 11.09.2019

Print Date: 01.10.2019 000000035296/Version: 4.6

Page: 8/14

Effects of Exposure

11.1. Toxicokinetics, metabolism and distribution

No data available

11.2. Acute toxicity

No data available

11.3. Corrositivity and irritation

Skin irritation: Mild skin irritation Eye irritation (Irritating to eyes.):

11.4. Sensitisation

No data available

11.5. CMR effects

11.5.1. Germ cell mutagenicity

No information available.

11.5.2. Carcinogenicity

No information available.

11.5.3. Reproductive toxicity

May damage the unborn child.

11.6. Specific target organ toxicity - single exposure

No information available.

11.7. Specific target organ toxicity - repeated exposure

Ingestion (Kidney): May cause damage to organs through prolonged or repeated exposure.

11.8. Aspiration hazard

No information available.

11.9. Information on likely routes of exposure

Inhalation: Expected to be a low hazard for recommended handling.

according to Regulation (EC) No. 1907/2006, as amended

Approval/Revision date: 11.09.2019

Print Date: 01.10.2019 000000035296/Version: 4.6

Page: 9/14

Eyes: Causes serious eye irritation.

Skin: Causes mild skin irritation.

Ingestion: May cause damage to organs through prolonged or repeated exposure if swallowed. May cause irritation of the gastrointestinal tract if swallowed.

Data for glycerol (CAS 56-81-5):

Acute Toxicity Data:

Oral LD50 (Rat): 12,600 mg/kg

Inhalation LC50 (Rat): > 570 mg/m3 / 1 hr

Dermal LD50 (Rabbit): > 10 g/kg

Skin irritation: slight Eye irritation: very slight

Data for ethanediol (CAS 107-21-1):

Acute Toxicity Data:

Oral LDLo (Humans): 1,600 mg/kg Oral LD50 (Rat): 4,700 mg/kg Inhalation (Rat): 2.5 mg/l / 6 hr Dermal LD50 (Rabbit): 10,607 mg/kg Dermal LD50 (Rat): 10,600 mg/kg Skin irritation: Mild skin irritation

Eye irritation: none

Sensitisation (human): none Sensitisation (Guinea pig): none

Data for 29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32 copper (CAS 147-14-8) (Hostaperm blue B2G):

Acute Toxicity Data:

Oral LD50 (Rat): > 3,200 mg/kg

Oral LD50 (male and female Rat): > 12,800 mg/kg No information available. Oral LD50 (male and female Mouse): > 24,600 mg/kg No information available.

Oral LD50 (Rat): > 10,000 mg/kg

Dermal LD50 (Guinea pig): > 5.000 No information available.

Skin irritation: slight

Sensitisation (Guinea pig): negative

Data for 2-methoxypropanol (CAS 1589-47-5):

Acute Toxicity Data:

Oral LD50 (Rat): 5,710 mg/kg Dermal LD50 (Rabbit): 5,660 mg/kg

Skin irritation: irritating Eye irritation: severe

Data for Ethoxylated tetramethyldecynediol (CAS 9014-85-1):

according to Regulation (EC) No. 1907/2006, as amended

Approval/Revision date: 11.09.2019

Print Date: 01.10.2019 000000035296/Version: 4.6

Page: 10/14

Acute Toxicity Data:

Oral LD50 (Rat): 6,300 mg/kg No information available.

Inhalation LC50 (Rat): > 20 mg/l / 1 hr

Dermal LD50 (Rabbit): > 2,000 mg/kg (Highest dose tested - no evidence of absorption at

this dose level.) see user defined free text

Skin irritation: Mild skin irritation

Eye irritation: severe

Reproductive Toxicity Data:

Feeding Study (male and female Rat): NOEL for reproductive toxicity; 1,000 mg/kg/day

Repeated dose toxicity:

Feeding study (28-day, Rat): NOEL; 6000 ppm Oral (90 days, Dog): NOEL; 200 mg/kg/day

Oral (90 days, Dog): NOEL; 400 mg/kg/day (minor target organ effects: liver)

Data for 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4):

Acute Toxicity Data:

Oral LD50 (Rat): 232 - 249 mg/kg (50% in water)
Oral LD50 (Rat): 120 mg/kg (50% in water)
Inhalation LC50 (Rat): 0.11 mg/l / 4 hr
Dermal LD50 (Rabbit): 200 mg/kg

Sensitisation: positive

12. Ecological information

The following properties are ESTIMATED from the components of the preparations.

This product has not been tested for environmental effects.

12.1. Toxicity

Toxicity to fish (LC50): 10 - 100 mg/l estimated

Toxicity to daphnia (LC50): 10 - 100 mg/l estimated

12.2. Persistence and degradability

Persistence and degradability: Readily biodegradable

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No information available.

according to Regulation (EC) No. 1907/2006, as amended

Approval/Revision date: 11.09.2019

Print Date: 01.10.2019 000000035296/Version: 4.6

Page: 11/14

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available.

13. Disposal considerations

13.1. Waste treatment methods

Dispose according to the local regulations or guidelines that apply to the category of waste. Ensure the use of properly authorised waste management companies.

Waste material: Waste material is currently classified as hazardous waste under Directive 2008/98/EC, as amended. European Waste Catalogue EWC: 08 03 13 Waste ink other than those mentioned in 08 03 12

Product containers: If thoroughly cleaned, preferably by rinsing at least three times with small quantities of water, waste product packaging may be consigned for recovery or disposal as non hazardous waste. The European Waste Catalogue Code is 15 01 02 plastic packaging.

The product does not need to be labelled in accordance with EC directives or respective national laws. Dispose of contents/container in accordance with local regulation.

14. Transport information

Not regulated for all modes of transportation.

For more transportation information, go to: www.kodak.com/go/ship.

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

1907/2006/EC Article 59(1) - Candidate List of Substances Subject to Authorisation

This mixture contains no ingredient which is subject to an authorisation according to Regulation (EC) No. 1907/2006 (REACH).

1907/2006/EC - Annex XIV - Substances Subject to Authorization

This mixture does not contain substances which are subject to an authorization according to Regulation (EC) No. 1907/2006 (REACH).

1907/2006/EC - Potential Substances of Very High Concern

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

according to Regulation (EC) No. 1907/2006, as amended

Approval/Revision date: 11.09.2019

Print Date: 01.10.2019 000000035296/Version: 4.6

Page: 12/14

1907/2006/EC - Annex XVII - Restrictions on Certain Dangerous Substances

This mixture contains ingredients which are subject to restrictions according to Regulation (EC) No. 1907/2006 (REACH): 2-methoxypropanol (216-455-5)

Detergents Regulation (648/2004) - Derogations and Banned or Restricted Detergent Surfactants

This mixture does not contain substances listed in Detergents Regulation (648/2004) - Derogations and Banned or Restricted Detergent Surfactants

Notification status

Regulatory List	Notification status
TSCA	Not all listed
DSL	Not all listed
NDSL	Listed
EINECS	Not all listed
ELINCS	None listed
NLP	Listed
AICS	Not all listed
IECS	Not all listed
ENCS	Not all listed
ECI	Not all listed
NZIoC	Not all listed
PICCS	Not all listed
TCSI	Not all listed
TSCA 12(b)	Listed

[&]quot;Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

15.2. Chemical safety assessment

Chemical safety assessment has not been performed.

16. Other information

16.1. Indication of changes

Corrected/updated:

classification(s)

label information

European Waste Catalogue

Multiple changes due to format update

Minor changes may be present due to component or regulatory data updates

according to Regulation (EC) No. 1907/2006, as amended

Approval/Revision date: 11.09.2019

Print Date: 01.10.2019 000000035296/Version: 4.6

Page: 13/14

Review Safety Data Sheet before using product.

16.2. Key or legend to abbreviations and acronyms used in the safety data sheet

ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS = Australian Inventory of Chemical Substances; CAS = Chemical Abstracts Service; CLP = Classification, Labelling, and Packaging; DSL = Canada Domestic Substances List; EC = European Commission; EC50 = Effective Concentration 50%; ECI = Korea Existing Chemicals list; EH40 = EH40/2005 Workplace Exposure Limits; EINECS = European Inventory of Existing Commercial chemical Substances; ELINCS = European List of Notified Chemical Substances; ENCS = Japan Existing and New Chemical Substances; GHS = Globally Harmonized System of Classification and Labelling of Chemicals; HSA = Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents): IARC = International Agency for Research on Cancer; IATA = International Air Transport Association; IC50 = Inhibitory Concentration 50%; IECS = China Inventory of Existing Chemical Substances; IMDG = International Maritime Dangerous Goods: LC50 = Lethal Concentration 50%; LD50 = Lethal Dose 50%; mg/Kg = milligrams per Kilogram; mg/L = milligrams per Liter; mg/m3 = milligrams per Cubic Meter; NDSL = Canada Non-Domestic Substances List; NLP = Europe No Longer Polymers; NZIoC = New Zealand Inventory of Chemicals; PBT = Persistent, Bioaccumulative and Toxic substances; PICCS = Philippines Inventory of Chemicals and Chemical Substances; ppm = parts per million; REACH= Registration, Evaluation and Authorization of Chemicals; RID = European Agreement concerning the International Carriage of Dangerous Goods by Rail; TSCA = Toxic Substances Control Act; vPvB = very Persistent, very Bioaccumulative substances

16.3. Key literature references and sources for data

Available upon request.

16.4. Methods used for classification of mixture according to Regulation (EC) No 1272/2008

The determination of classifications is derived via expert judgment and/or weight of evidence.

16.5. Relevant R- and H-phrases

H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H360D	May damage the unborn child.
H361	Suspected of damaging fertility or the unborn child.

according to Regulation (EC) No. 1907/2006, as amended

Approval/Revision date: 11.09.2019

Print Date: 01.10.2019 000000035296/Version: 4.6

Page: 14/14

H373 May cause damage to organs through prolonged or repeated exposure if swallowed.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

16.6. Training advice

Review Safety Data Sheet before using product.

16.7. Further information

This Safety Data Sheet has been compiled and is solely intended for this product. The information is based upon the present state of our knowledge.