

# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information \*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

1.1. Product identifier

Trade name or designation

C4813Series

of the mixture

Registration number -

Synonyms None.

Issue date 28-Jan-2020

Version number 04

Revision date 20-Jan-2021 Supersedes date 18-Dec-2020

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesInkjet printingUses advised againstNone known.

1.3. Details of the supplier of the safety data sheet

HP Inc UK Ltd, Regulatory Enquiries, Earley West

300 Thames Valley Park Drive, Reading, RG6 1PT

**Telephone** +44 20 7660 0596 (Consumer)

+44 20 7660 0403 (Commercial)

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

1.4 Emergency telephone

number

0207771 5307

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification as hazardous according to Regulation (EC) 1272/2008.

### 2.2. Label elements

## Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.
Signal word None.

**Hazard statements** The mixture does not meet the criteria for classification.

**Precautionary statements** 

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Supplemental label information None

2.3. Other hazards Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and

ingestion are not expected to be significant routes of exposure for this product under normal use

conditions. Complete toxicity data are not available for this specific formulation.

Material name: C4813Series SDS UK

9196 Version #: 04 Revision date: 20-Jan-2021 Issue date: 28-Jan-2020

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **General information**

| Chemical name   | %                      | CAS-No. / EC No.       | REACH Registration No. | Index No. | Notes |
|---|------------------------|------------------------|------------------------|-----------|-------|
| Water   | 65-85                  | 7732-18-5<br>231-791-2 | -                      | -         |       |
| Classification:   | -                      |                        |                        |           |       |
| succinic acid   | < 7.5                  | 110-15-6<br>203-740-4  | 01-2119896114-34-XXXX  | -         |       |
| Classification:   | Eye Dam. 1;H318        |                        |                        |           |       |
| Disodium 3,3'-[carbonylbis[imino( -phenylene)azo]]bis[ber te] |                        | 10114-86-0<br>-        | -                      | -         |       |
| Classification:   | Aquatic Chronic 3;H412 | 2                      |                        |           |       |
| Composition comments  | This ink supply co     | ntains an aqueous in   | k formulation.         |           |       |

# SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid measures

**Inhalation** Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

**Ingestion** If ingestion of a large amount does occur, seek medical attention.

4.2. Most important symptoms and effects, both acute and

delaved

Not available

4.3. Indication of any immediate medical attention and special treatment needed

Not available.

## **SECTION 5: Firefighting measures**

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

media

CO2, water, dry chemical, or foam

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising

Not available.

from the substance or mixture

5.3. Advice for firefighters

Special protective

Not available.

equipment for firefighters Special fire fighting

procedures

Not available.

Specific methods None established.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders Not available.

**6.2. Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Not available.

6.4. Reference to other

sections

Material name: C4813Series SDS UK

9196 Version #: 04 Revision date: 20-Jan-2021 Issue date: 28-Jan-2020

**SECTION 7: Handling and storage** 

7.1. Precautions for safe

handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any

incompatibilities

Keep out of the reach of children. Keep away from excessive heat or cold.

7.3. Specific end use(s) Not available.

## **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Occupational exposure limits No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

**Recommended monitoring** 

procedures

Not available.

Derived no effect levels (DNELs)

| Components                   | Type      | Route      | Value    | Form                |  |
|------------------------------|-----------|------------|----------|---------------------|--|
| succinic acid (CAS 110-15-6) | Consumers | Dermal     | 67 mg/kg | Systemic short term |  |
|                              |           | Dermal     | 43 mg/kg | Systemic long term  |  |
|                              |           | Inhalation | 10 mg/m3 | Local long term     |  |
|                              |           | Inhalation | 10 mg/m3 | Local short term    |  |
|                              |           | Inhalation | 10 mg/m3 | Systemic long term  |  |
|                              |           | Inhalation | 10 mg/m3 | Systemic short term |  |
|                              |           | Oral       | 67 mg/kg | Systemic short term |  |
|                              | Workers   | Dermal     | 71 mg/kg | Systemic long term  |  |
|                              |           | Dermal     | 67 mg/kg | Systemic short term |  |
|                              |           | Inhalation | 10 mg/m3 | Local long term     |  |
|                              |           | Inhalation | 10 mg/m3 | Local short term    |  |
|                              |           | Inhalation | 10 mg/m3 | Systemic long term  |  |
|                              |           | Inhalation | 10 mg/m3 | Systemic short term |  |

### Predicted no effect concentrations (PNECs)

| Components                   | Type           | Route        | Value        | Form                   |
|------------------------------|----------------|--------------|--------------|------------------------|
| succinic acid (CAS 110-15-6) | Not applicable | Freshwater   | 0.1 mg/l     |                        |
|                              |                | Intermittent | 1 mg/l       | Releases               |
|                              |                | Marine water | 0.01 mg/l    |                        |
|                              |                | Sediment     | 0.079 mg/kg  | Freshwater             |
|                              |                | Sediment     | 0.0079 mg/kg | Marine water           |
|                              |                | Soil         | 0.0177 mg/kg |                        |
|                              |                | STP          | 3 mg/l       | Sewage Treatment Plant |

Exposure guidelines Exposure limits have not been established for this product.

8.2. Exposure controls

Appropriate engineering

Use in a well ventilated area.

controls

Individual protection measures, such as personal protective equipment

**General information** Use personal protective equipment to minimize exposure to skin and eye.

Eye/face protection Not available.

Skin protection

- Hand protection Not available.
 - Other Not available.
 Respiratory protection Not available.
 Thermal hazards Not available.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure** 

controls

Not available.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state Liquid.

Material name: C4813Series sps.uk

9196 Version #: 04 Revision date: 20-Jan-2021 Issue date: 28-Jan-2020

**Form** Not available. Color Yellow

Odor Not available. **Odor threshold** Not available. 3.8 - 4.2 Not available. Melting point/freezing point

Initial boiling point and boiling range

Flash point 200.0 °F (93.3 °C) Pensky-Martens Closed Cup

Not determined

**Evaporation rate** Not determined Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits Not determined Flammability limit - lower

(%)

Flammability limit - upper

Not available

(%)

Not available. Vapor pressure Not available. Vapor density

Solubility(ies)

Solubility (water) Soluble in water Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. >= 2 cp**Viscosity** Not available. **Explosive properties** Not determined Oxidizing properties

9.2. Other information

VOC < 183 g/l

## **SECTION 10: Stability and reactivity**

10.1. Reactivity Not available.

10.2. Chemical stability Stable under recommended storage conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Not available

10.5. Incompatible materials Incompatible with strong bases and oxidizing agents.

10.6. Hazardous Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons. decomposition products

### **SECTION 11: Toxicological information**

Not available. **General information** 

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Contact with skin may result in mild irritation. Eye contact Contact with eyes may result in mild irritation.

Ingestion Health injuries are not known or expected under normal use.

Not available. **Symptoms** 

## 11.1. Information on toxicological effects

Based on available data, the classification criteria are not met. **Acute toxicity** Skin corrosion/irritation Based on available data, the classification criteria are not met.

Non irritant in rabbit (OECD 404)

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Not classified as an irritant according to, OECD 405.

Respiratory sensitization Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Skin sensitization

Material name: C4813Series SDS UK

Based on available data, the classification criteria are not met. Germ cell mutagenicity

Based on available data, the classification criteria are not met. Carcinogenicity

Reproductive toxicity Based on available data, the classification criteria are not met.

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

Mixture versus substance

information

Not available.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

## **SECTION 12: Ecological information**

12.1. Toxicity

**Aquatic toxicity** Static acute toxicity (trout), survival (100 mg/L) = 100%

Static acute toxicity (trout), survival (10 mg/L) = 100%

LC50/96h/rainbow trout => 100 mg/l EC50/48h/daphnia =>100mg/l, OECD 202 EC50/48h/green algae => 100 mg/l, OECD 201

Components **Species Test Results** 

succinic acid (CAS 110-15-6)

Aquatic

LC50 Fish Fish 101, 96 Hours

12.2. Persistence and

degradability

12.3. Bioaccumulative potential Not available.

Partition coefficient n-octanol/water (log Kow)

> -0.59 succinic acid

Not available.

Not available. **Bioconcentration factor (BCF)** Not available. 12.4. Mobility in soil

12.5. Results of PBT and vPvB

assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects Not available.

### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Residual waste Not available Not available. Contaminated packaging Not available. EU waste code

Disposal methods/information Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

### **SECTION 14: Transport information**

DOT

**UN** number Not available. **UN proper shipping name** 

Transport hazard class(es)

Not Regulated

Class

Not available.

Subsidiary risk

Packing group

Not available.

**Environmental hazards** 

Marine pollutant No

Special precautions for user Not available.

Material name: C4813Series SDS UK

#### **IATA**

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

**IMDG** 

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

Transport hazard class(es)

Marine pollutant No

EmS Not available. Special precautions for user Not available.

**ADR** 

**UN number** Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Hazard No. (ADR) Not available.

Tunnel restriction code Not available.

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU regulations**

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

#### **Authorizations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

## Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Material name: C4813Series sps uk

#### Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

#### Other EU regulations

#### Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Other information

This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.

Classification according to Regulation (EC) No 1272/2008 as amended.

Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further

rectifications and amendments).

**National regulations** 

15.2. Chemical safety

Not available.

See attached SUMI or GEIS document, if applicable.

#### **SECTION 16: Other information**

References

assessment

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP). The classification for health and environmental hazards is derived by a combination of calculation

Information on evaluation method leading to the classification of mixture

Full text of any H-statements not written out in full under

Sections 2 to 15

H318 Causes serious eye damage.

methods and test data, if available.

H412 Harmful to aquatic life with long lasting effects.

**Revision information Training information** 

Disclaimer

None

Follow training instructions when handling this material.

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Material name: C4813Series SDS UK

### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: C4813Series sps uk

## Safe Use of Mixture Information (SUMI)

#### Water Based Ink: WB01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

| Operational conditions   |  |
|--------------------------|--|
| Maximum duration         | Up to 8 hours per day  |
| Frequency of exposure    | < 240 days per year  |
| Process conditions       | Covers use at ambient temperatures.  |
|                          | Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides    |
|                          | guidelines to ensure acceptable air quality in the workspace.  |
|                          | Avoid direct contact.  |
|                          | Regular cleaning of equipment and work area.   |
|                          | Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions |
|                          | followed.  |
| Risk management measures |  |
| Conditions and measures  | Wear safety glasses with side shields (or goggles), if splashing is possible.  |

related to Personal Protection Equipment, hygiene and health evaluation

Wear appropriate chemical resistent gloves: see section 8 of the SDS.

Wear appropriate chemical resistent clothing.

In case of inadequate ventilation wear respiratory protection.

Eye wash fountain and emergency showers are recommended.

Avoid breathing mist/vapours.

Avoid contact with skin, eyes and clothing.

Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.









#### Good practice advice

Use personal protective equipment as required.

Wash hands before breaks and after work.

Keep good industrial hygiene and safety practice.

Use only with adequate ventilation.

Do no eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Store at room temperature.





### **Environmental measures**

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

### Use descriptors

IS-Use at industrial sites

PW-Widespread use by professional workers

SU7-Printing and reproduction media

PC18-Inks and Toners

PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities

ERC5-Use at industrial site leading to inclusion into/onto article

ERC8c-Widespread use leading to inclusion into/onto article (indoor)

#### Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

Most of the water based inks are "not classified".

The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.