

# SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***				
1.1. Product identifier					
Trade name or designation of the mixture	C4943Series				
Registration number	-				
Synonyms	None.				
Issue date	24-Jun-2013				
Version number	10				
Revision date	02-Feb-2021				
Supersedes date	18-Dec-2020				
1.2. Relevant identified uses of	the substance or mixture and uses advised against				
Identified uses	Inkjet printing				
Uses advised against	None known.				
1.3. Details of the supplier of th	e safety data sheet				
	HP Inc UK Ltd, Regulatory Enquiries, Earley West				
	300 Thames Valley Park Drive, Reading, RG6 1PT				
Telephone	+44 20 7660 0596 (Consumer)				
	+44 20 7660 0403 (Commercial)				
HP Inc. health effects line					
(Toll-free within the US)	1-800-457-4209				
(Direct)	1-760-710-0048				
HP Inc. Customer Care					
Line					
(Toll-free within the US)	1-800-474-6836				
(Direct)	1-208-323-2551				
Email:	hpcustomer.inquiries@hp.com				
1.4 Emergency telephone number	0207771 5307				

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification as hazardous according to Regulation (EC) 1272/2008.

2-pyrrolidone: Specific Concentration Limits, Reproductive toxicity Category 1B, fertility or the unborn child 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

#### 2.2. Label elements

### Label according to Regulation (EC) No. 1272/2008 as amended

None.				
None.				
he mixture does not meet the criteria for classification.				
Not available.				
Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.				

Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation.

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **General information**

Chemical name	%	CAS-No. / EC No.	<b>REACH Registration No.</b>	Index No.	Notes
Water	75-90	7732-18-5 231-791-2	-	-	
Classification:	-				
2-pyrrolidone	<3	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;H319, Repr.	1B;H360			
1,2-Benzisothiazolin-3-o	ne <0.05	2634-33-5 220-120-9	01-2120761540-60-XXXX	613-088-00-6	
Classification:	Acute Tox. 4;H302, Ski Acute 1;H400	in Irrit. 2;H315, Skin S	Sens. 1;H317, Eye Dam. 1;H	318, Aquatic	
Composition comments	This ink supply co	ontains an aqueous ir	nk formulation.		
	related to develop	mental toxicity in ani	imit 3%. Mixture classification mals. No adverse effects on mal study. See Section 11.		

#### **SECTION 4: First aid measures**

General information	Not available.
4.1. Description of first aid meas	sures
Inhalation	Remove to fresh air. If symptoms persist, get medical attention.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
Ingestion	If ingestion of a large amount does occur, seek medical attention.
4.2. Most important symptoms and effects, both acute and delayed	Not available.
4.3. Indication of any immediate medical attention and special treatment needed	Not available.

### **SECTION 5: Firefighting measures**

General fire hazards	Not available.
5.1. Extinguishing media	
Suitable extinguishing media	Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Not available.
Special fire fighting procedures	Not available.
Specific methods	None established.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency<br/>personnelWear appropriate personal protective equipment.For emergency respondersNot available.

6.2. Environmental precautions	Do not let product enter drains. Do	o not flush into su	urface water or sanit	ary sewer system.		
6.3. Methods and material for containment and cleaning up	Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.					
6.4. Reference to other sections	Not available.	Not available.				
SECTION 7: Handling and	storage					
7.1. Precautions for safe handling	Avoid contact with skin, eyes and	clothing.				
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep away from excessive heat or cold.					
7.3. Specific end use(s)	Not available.					
SECTION 8: Exposure cor	ntrols/personal protection					
8.1. Control parameters						
Occupational exposure limits	No exposure limits noted for ingre	dient(s).				
Biological limit values	No biological exposure limits note	d for the ingredie	nt(s).			
Recommended monitoring procedures	Not available.					
Derived no effect levels (DNELs)						
Components	Туре	Route	Value	Form		
2-pyrrolidone (CAS 616-45-5)	Consumers Workers	Dermal Inhalation Oral Dermal Inhalation	0.67 mg/kg bw/d 1.985 mg/m3 0.67 mg/kg bw/d 4.2 mg/kg bw/d 29.62 mg/m3	Systemic long term Systemic long term Systemic long term Systemic long term Systemic long term		
Dradiated no offect concentratio		malation	20.02 mg/mo	e yetenne leng tenn		
Predicted no effect concentratio Components	Type	Route	Value	Form		
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l			
		Intermittent Marine water Sediment	0.5 mg/l 0.05 mg/l 0.4205 mg/kg	Releases Freshwater		
		Soil STP	0.0612 mg/kg 10 mg/l	Sewage Treatment Plant		
Exposure guidelines	Exposure limits have not been est	ablished for this	product.			
8.2. Exposure controls						
Appropriate engineering controls	Use in a well ventilated area. Provide adequate ventilation.					
Individual protection measures, General information	such as personal protective equi Use personal protective equipmer	-	posure to skin and e	ye.		
Eye/face protection	Not required under intended use.					
Skin protection						
- Hand protection	Not available.					
- Other	Protected gloves not required und	er intended use.				
Respiratory protection	For use other than intended use (s be required.	such as in the ev	ent of a large spill),	goggles and respirators may		
Thermal hazards	Not available.					
Hygiene measures	Handle in accordance with good in	ndustrial hygiene	and safety practice			
Environmental exposure controls	Not available.					

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Not available.
Color	Yellow
Odor	Not available.

Not available. 7.8 - 8.4 Not available. Not determined
Not available.
Not determined
> 200.0 °F (> 93.3 °C) Pensky-Martens Closed Cup
Not determined
Not available.
sive limits
Not determined
Not available.
Not determined
Not available.
Soluble in water
Not available.
Not available.
Not available.
>= 2 cp
Not available.
Not determined
< 40 g/l

### **SECTION 10: Stability and reactivity**

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

# SECTION 11: Toxicological information

Ŭ					
General information	Not available.				
Information on likely routes of	fexposure				
Inhalation	Not available.				
Skin contact	Not available.				
Eye contact	Not available.				
Ingestion	Not available.				
Symptoms	Not available.				
11.1. Information on toxicolog	ical effects				
Acute toxicity	Based on available data, the classification criteria are not met.				
Components	Species Test Results				
2-pyrrolidone (CAS 616-45-5)					
<u>Acute</u>					
Oral					
LD50	Rat	> 5000 mg/kg			
Skin corrosion/irritation	Based on available data, the cl	assification criteria are not met.			
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met. Not classified as an irritant according to, OECD 405.				
Respiratory sensitization	Based on available data, the classification criteria are not met.				
Material name: C/0/3Series			000.111/		

Material name: C4943Series

Skin sensitization	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Mixture versus substance information	Not available.
Other information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.

# **SECTION 12: Ecological information**

12.1.	Тох	icity	
-------	-----	-------	--

Product		Species	Test Results
C4943Series			
Aquatic			
Acute			
Fish	LC50	Fathead minnow (Pimephales promelas)	) > 750 mg/l, 96 hours
Components		Species	Test Results
2-pyrrolidone (CAS 616-45-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
12.2. Persistence and degradability	Not available.		
12.3. Bioaccumulative potential	Not available.		
Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone		-0.85	
Bioconcentration factor (BCF)	Not available.		
12.4. Mobility in soil	Not available.		
12.5. Results of PBT and vPvB assessment	Not a PBT or v	/PvB substance or mixture.	
12.6. Other adverse effects	Not available.		

# **SECTION 13: Disposal considerations**

13.1. Waste treatment methods		
Residual waste	Not available.	
Contaminated packaging	Not available.	
EU waste code	Not available.	
Disposal methods/information	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.	
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.	

# **SECTION 14: Transport information**

DOT	
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	
Marine pollutant	No

Special precautions for user	Not available.
UN number	Not available.
UN proper shipping name	Not available. Not Regulated
Transport hazard class(es)	Not regulated
Class	Not available.
Subsidiary risk	
Packing group	- Not available.
Environmental hazards	No
Special precautions for user	
IMDG	
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	Not Rogalatoa
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Transport hazard class(es)	
Marine pollutant	Νο
EmS	Not available.
Special precautions for user	
ADR	
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	·····
Class	Not available.
Subsidiary risk	-
Hazard No. (ADR)	Not available.
Tunnel restriction code	Not available.
Packing group	Not available.
Environmental hazards	No
Special precautions for user	Not available.
Further information	Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.
	Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU regulations

1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended
850/2004 On persistent organic pollutants, Annex I as amended
649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended
649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended
649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended
649/2012 concerning the export and import of dangerous chemicals, Annex V as amended
166/2006 Annex II Pollutant Release and Transfer Registry, as amended
1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA
1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Regulation (EC) No. 1907/2	006, REACH Annex XVII Substances subject to restriction on marketing and use as amended
Not listed. Directive 2004/37/EC: on th work, as amended	e protection of workers from the risks related to exposure to carcinogens and mutagens at
Not listed.	
Other EU regulations	
Directive 2012/18/EU on ma Not listed.	ajor accident hazards involving dangerous substances, as amended
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Other information	This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended. Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations	Not available.
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.
SECTION 16: Other inform	mation
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).
	Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.
	Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements not written out in full under	
Sections 2 to 15	<ul> <li>H302 Harmful if swallowed.</li> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H318 Causes serious eye damage.</li> <li>H319 Causes serious eye irritation.</li> <li>H360 May damage fertility or the unborn child.</li> <li>H400 Very toxic to aquatic life.</li> </ul>
<b>Revision information</b>	None.
Training information	Follow training instructions when handling this material.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

#### **Explanation of abbreviations**

ACGIH	American Conference of Covernmental Industrial Hygionista
	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds

## Safe Use of Mixture Information (SUMI)

# Water Based Ink: WB01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3), where uppicable, completes an extended product 3D3.
Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.
related to Personal Protection	
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.
Equipment, hygiene and	Wear appropriate chemical resistent clothing.
health evaluation	In case of inadequate ventilation wear respiratory protection.
	Eye wash fountain and emergency showers are recommended.
	Avoid breathing mist/vapours.
	Avoid contact with skin, eyes and clothing.
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.
Good practice advice	
Use personal protective equipme	ent as required.
Wash hands before breaks and a	after work.
Keep good industrial hygiene and	d safety practice.
Use only with adequate ventilati	
Do no eat, drink or smoke when	
Wash contaminated clothing be	
Store at room temperature.	
Environmental measures	
	is into source/unitor supplies
Do not allow this material to dra	
-	ding to Local, State, Federal and Provincial Environmental Regulations.
	ith appropriately licenced waste contractor.
Use descriptors	
IS-Use at industrial sites	
PW-Widespread use by profession	onal workers
SU7-Printing and reproduction n	nedia
PC18-Inks and Toners	
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
condition PROC8a-Transfer of substance o	ation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment or mixture (charging and discharging) at non-dedicated facilities or mixture (charging and discharging) at dedicated facilities
ERC5-Use at industrial site leading	
	to inclusion into/onto article (indoor)
Additional information on prod	
	s on the label, the classification of the mixture is provided.
Most of the water based inks are	
	is based on the individuel ingredients and their concentration within the mixture.
	ne classification are stated in Section 3 of the SDS.
Relevant limit values of ingredier	nts on which the exposure assessment is based, are listed in section 8 of the SDS.
The product may contain sensitiz	zing ingredients that may cause allergic reaction to certain people.
Section 2 of the SDS states these	ingredients where applicable.
	WB01 English.pdf