

Revision Date: 03-Apr-2020 Issuing Date: 14-Sep-2007

Revision Number: 6

Safety data sheet number: PT462-07

Product Name: TN-550, TN-580, TN-3130, TN-3170, TN-3145, TN-3185, TN,-3135,

TN-3175 Toner

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name TN-550, TN-580, TN-3130, TN-3170, TN-3145, TN-3185, TN,-3135, TN-3175 Toner

Product Form Mixture

Safety data sheet number PT462-07

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses These products are black toner in a cartridge for Brother Industries, Ltd. laser printers,

multifunction devices and fax receivers. The cartridge should be used as supplied by Brother and for use in the products stated. Information provided on this SDS is only

consistent with the use specified by Brother.

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufacturer Brother Industries, Ltd.

15-1 Naeshiro-cho, Mizuho-ku, Nagoya 467-8561, Japan

Telephone (for information): +81-52-824-2735

<u>Importer</u> Brother International Europe Ltd.

Brother House, 1 Tame Street, Audenshaw, Manchester M34 5JE, UK

Telephone (for information): +44-161-330-6531

For further information, please contact

E-mail address sds.info@brother.co.jp

1.4. Emergency telephone number

Emergency Telephone CHEMTREC +1-703-527-3887 (International)

For France only:

Antipoison Center telephone number: ORFILA +33-1-45-425-959

Section 2: Hazard(s) identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

2.2. Label elements

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

EN / EGHS Page 1 / 10



Revision Date: 03-Apr-2020 Issuing Date: 14-Sep-2007

Revision Number: 6

Safety data sheet number: PT462-07

Product Name: TN-550, TN-580, TN-3130, TN-3170, TN-3145, TN-3185, TN,-3135,

TN-3175 Toner

2.3. Other hazards

This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Section 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	CAS No	EC No	EC Index No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Styrene-acrylate-copolymer	25767-47-9	-	-	80-90	Not classified	No data available
Carbon Black (bound)	1333-86-4	215-609-9	-	5-7	Not classified	No data available
Fatty acid ester	**	-	-	4-6	Not classified	No data available
PMMA	9011-14-7	-	-	0.5-1.5	Not classified	No data available
Silicon Dioxide (amorphous)	7631-86-9	231-545-4	-	<1	Not classified	No data available

^{**} CONFIDENTIAL

Full text of H- and EUH-phrases: see section 16

Section 4: First aid measures

4.1. Description of first aid measures

General advice If symptoms persist, call a physician.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Get immediate medical advice/attention.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact: Take off contaminated clothing. Wash off immediately with soap and plenty of water.

Ingestion Obtain immediate medical attention. Wash out mouth with water and give 100-200 ml of

water to drink.

EN / EGHS Page 2 / 10



Revision Date: 03-Apr-2020 Issuing Date: 14-Sep-2007

Revision Number: 6

Safety data sheet number: PT462-07

Product Name: TN-550, TN-580, TN-3130, TN-3170, TN-3145, TN-3185, TN,-3135,

TN-3175 Toner

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Inhalation (dust): For large quantities: May cause irritation to the respiratory system.

Increased difficulty in breathing. Sneezing. Coughing

Eye contact: May cause eye irritation

Ingestion: May cause stomach ache. Unlikely route of exposure

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Section 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical, CO₂, water spray or regular foam

Unsuitable extinguishing media Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

May form explosive dust clouds in air

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Do not use high-pressure water in order to prevent creating a dust cloud and spreading fire dust. Use appropriate respirator for carbon monoxide and carbon dioxide. Wear positive pressure self-contained breathing apparatus (SCBA) during the attack phase of firefighting operations and during cleanup in enclosed or poorly ventilated areas immediately after a fire. Personnel not having suitable respiratory protection must leave the area to prevent significant exposure to toxic combustion gases from any source.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Avoid generation of dust. Do not breathe dust. A suitable dust mask or dust respirator with

filter type A/P may be appropriate.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent substance entering sewers. Washings must be prevented from entering surface

water drains.

EN / EGHS Page 3 / 10



Revision Date: 03-Apr-2020 Issuing Date: 14-Sep-2007

Revision Number: 6

Safety data sheet number: PT462-07

Product Name: TN-550, TN-580, TN-3130, TN-3170, TN-3145, TN-3185, TN,-3135, TN-3175 Toner

6.3. Methods and material for containment and cleaning up

Methods for containmentSweep the spilt toner or remove it with a vacuum cleaner and transfer into a sealed

container carefully. Sweep slowly to minimize generation of dust during cleanup. If a vacuum cleaner is used, the motor must be rated as dust explosion proof. Potential for very fine particles to be taken into the vacuum only to be passed back into the environment due

to pore size in the bag or filter.

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

Section 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Keep out of the reach of children. Avoid generation of dust. Avoid inhalation of high

concentrations of dust. Avoid contact with eyes.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from oxidizing agents.

7.3. Specific end use(s)

Specific use(s)These products are black toner in a cartridge for Brother Industries, Ltd. laser printers,

multifunction devices and fax receivers. This cartridge should be used as supplied by

Brother and for use in the products stated.

Section 8: Exposure controls and personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	United Kingdom	France	Spain	Germany
Carbon Black (bound)	=	TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³	=
1333-86-4		STEL: 7 mg/m ³	-		
Silicon Dioxide	-	TWA: 6 mg/m ³	-	-	TWA: 4 mg/m ³
(amorphous)		TWA: 2.4 mg/m ³			
7631-86-9		STEL: 18 mg/m ³			
		STEL: 7.2 mg/m ³			

EN / EGHS Page 4 / 10



Revision Date: 03-Apr-2020 Issuing Date: 14-Sep-2007

Product Name: TN-550, TN-580, TN-3130, TN-3170, TN-3145, TN-3185, TN,-3135,

Revision Number: 6

TN-3175 Toner

Safety data sheet number: PT462-07

Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
Carbon Black (bound)	-	TWA: 3.5 mg/m ³	-	TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³
1333-86-4				STEL: 7 mg/m ³	
Silicon Dioxide	-	-	-	TWA: 5 mg/m ³	-
(amorphous)					
7631-86-9					
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Carbon Black (bound)	-	-	TWA: 4.0 mg/m ³	TWA: 3.5 mg/m ³	TWA: 3 mg/m ³
1333-86-4				STEL: 7 mg/m ³	STEL: 15 mg/m ³
Silicon Dioxide	TWA: 4 mg/m ³	TWA: 4 mg/m ³	=	TWA: 1.5 mg/m ³	TWA: 6 mg/m ³
(amorphous)				STEL: 1.5 mg/m ³	TWA: 2.4 mg/m ³
7631-86-9					STEL: 18 mg/m ³
					STEL: 7.2 mg/m ³

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration No information available.

(PNEC)

8.2. Exposure controls

Appropriate engineering controls Good general ventilation should be sufficient under normal use.

Personal protective equipment Not normally required. For use other than in normal operating procedures (such as in the

event of large spill), the following should be applied:

Eye/face protection Safety goggles.

Hand protection Protective gloves.

Skin and body protection Long sleeved clothing and long pants.

Respiratory protection Face Mask. In case of large spillages: Wear suitable respiratory protective equipment.

Environmental exposure controls Avoid release to the environment.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Solid Powder Physical state Color black Odor Odorless.

Odor threshold No information available

Remarks • Method Property Values

Not applicable Melting point / freezing point 110 °C Boiling point / boiling range Not applicable

EN / EGHS Page 5 / 10



None known

 $(H_2O=1)$

Revision Date: 03-Apr-2020 **Issuing Date:** 14-Sep-2007

Revision Number: 6

Safety data sheet number: PT462-07

Product Name: TN-550, TN-580, TN-3130, TN-3170, TN-3145, TN-3185, TN,-3135,

TN-3175 Toner

Flash point

Evaporation rate

Flammability (solid, gas)

Not applicable
Not applicable

Flammability Limit in Air

Upper flammability limit: No data available

Lower flammability limit: 40 g/m³

Vapor pressureNot applicableVapor densityNot applicable

Relative density 1.15

Water solubility Insoluble in water

Solubility(ies)No data availableNone knownPartition coefficientNo data availableNone knownAutoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone known

Kinematic viscosity

Dynamic viscosity

Not applicable

Not applicable

Explosive properties Explosive limits of toner particles

suspended in air approximately equal

to that of coal dust

Oxidizing properties No information available

9.2. Other information

No information available

Section 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Keep away from heat. Avoid friction, sparks, or other means of ignition

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

Carbon monoxide, Carbon dioxide (CO₂), Nitrogen oxides (NOx)

EN / EGHS Page 6 / 10



Revision Date: 03-Apr-2020 Issuing Date: 14-Sep-2007

Revision Number: 6

Safety data sheet number: PT462-07

Product Name: TN-550, TN-580, TN-3130, TN-3170, TN-3145, TN-3185, TN,-3135, TN-3175 Toner

Section 11: Toxicological information

11.1. Information on toxicological effects

Product Information

This assessment is based on information available on similar products

Inhalation Acute $LC_{50} > 5.0 \text{ mg/l}$ (OECD 403 method)

Eye contact No information available

Skin contact: No information available

Ingestion Acute LD₅₀ > 2000 mg/kg (OECD 423 method)

Skin corrosion/irritation Non-irritant (OECD 404 method)

Serious eye damage/eye irritation Slight irritant to the eye (OECD 405 method)

Respiratory or skin sensitization
It is not a skin sensitizer (OECD 429 method)

Germ cell mutagenicity AMES test: Negative (OECD 471 method)

Carcinogenicity Carbon Black: In 1996, the IARC re-evaluated carbon black as a Group 2B carcinogen

(possible human carcinogen). This classification is given to chemicals, for which there is inadequate human evidence, but sufficient animal evidence on which to base an opinion of carcinogenicity. The classification is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung. Studies performed in animal models other than rats did not show any association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association

between toner exposure and tumor development in rats.

Other ingredients of this product have not been classified as carcinogens according

to IARC monographs, NTP and OSHA

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Carbon Black (bound)	-	-	-	5600: 24 h Daphnia magna mg/L EC50

EN / EGHS Page 7 / 10



Revision Date: 03-Apr-2020 Issuing Date: 14-Sep-2007

Product Name: TN-550, TN-580, TN-3130, TN-3170, TN-3145, TN-3185, TN,-3135, Revision Number: 6 TN-3175 Toner

Safety data sheet number: PT462-07

Silicon Dioxide	440: 72 h	5000: 96 h Brachydanio	-	7600: 48 h Ceriodaphnia
(amorphous)	Pseudokirchneriella	rerio mg/L LC50 static		dubia mg/L EC50
	subcapitata mg/L EC50	_		_

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects

No information available.

Section 13: Disposal considerations

13.1. Waste treatment methods

Do not put toner or toner cartridges into a fire, this can cause fire to spread with the risk of causing burn injuries. Shred toner cartridges in a dust/explosion controlled environment. Finely dispersed particles may form explosive mixtures in the air. Dispose of in accordance with Federal, State, and local regulations.

Section 14: Transport information

<u>IMDG</u>

14.1UN/ID noNot regulated14.2Proper shipping nameNot regulated14.3Hazard ClassNot regulated14.4Packing groupNot regulated14.5Marine pollutantNot applicable14.6Special ProvisionsNone

14.7 Transport in bulk according to Not applicable

Annex II of MARPOL 73/78 and the

IBC Code

RID

14.1 UN/ID no Not regulated14.2 Proper shipping name Not regulated

EN / EGHS Page 8 / 10



Revision Date: 03-Apr-2020 Issuing Date: 14-Sep-2007

Revision Number: 6

Safety data sheet number: PT462-07

Product Name: TN-550, TN-580, TN-3130, TN-3170, TN-3145, TN-3185, TN,-3135,

TN-3175 Toner

44.2 Harand Olaca Natura welated

14.3Hazard ClassNot regulated14.4Packing groupNot regulated14.5Environmental hazardNot applicable14.6Special ProvisionsNone

ADR

14.1UN/ID noNot regulated14.2Proper shipping nameNot regulated14.3Hazard ClassNot regulated14.4Packing groupNot regulated14.5Environmental hazardNot applicable14.6Special ProvisionsNone

IATA

14.1 UN/ID no Not regulated
14.2 Proper shipping name Not regulated
14.3 Hazard Class Not regulated
14.4 Packing group Not regulated
14.5 Environmental hazard Not applicable

14.6 Special Provisions None

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

- * Contains no substances listed in REACH Regulation (EC) No.1907/2006 ANNEX XVII.
- * Contains no substance listed in REACH Regulation (EC) No.1907/2006 Candidate List for Authorization.
- * Contains no substances listed in REACH Regulation (EC) No.1907/2006 ANNEX XIV.

National Regulations

No information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Section 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

* Trade secret

Key literature references and sources for data

No information available



Revision Date: 03-Apr-2020 Issuing Date: 14-Sep-2007

Revision Number: 6

Safety data sheet number: PT462-07

Product Name: TN-550, TN-580, TN-3130, TN-3170, TN-3145, TN-3185, TN,-3135, TN-3175 Toner

Revision Date 03-Apr-2020

Issuing Date 14-Sep-2007

Revision Note No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information relates only to this product. It may not be valid, if used in combination with any other materials or in any other process, and it is based on our best knowledge as of the date of preparation (revision).

EN / EGHS Page 10 / 10