

Revision Date: 11-May-2020 Issuing Date: 09-Jan-2009

Revision Number: 6

Safety data sheet number: PT492-01

Product Name: TN-210BK, TN-230BK, TN-240BK, TN-270BK Toner

# Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Name TN-210BK, TN-230BK, TN-240BK, TN-270BK Toner

Product Form Mixture

Safety data sheet number PT492-01

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses These products are black toner in a cartridge for Brother Industries, Ltd. laser printers,

multifunction devices and fax receivers. This cartridge should be used as supplied by Brother and for use in the products stated. Information provided on this SDS is only

consistent with the use specified by Brother.

Uses advised against No information available

#### 1.3. Details of the supplier of the safety data sheet

<u>Manufacturer</u> Brother Industries, Ltd.

15-1 Naeshiro-cho, Mizuho-ku, Nagoya 467-8561, Japan

Telephone (for information): +81-52-824-2735

<u>Importer</u> Brother International Europe Ltd.

Brother House, 1 Tame Street, Audenshaw, Manchester M34 5JE, UK

Telephone (for information): +44-161-330-6531

#### For further information, please contact

E-mail address sds.info@brother.co.jp

#### 1.4. Emergency telephone number

Emergency Telephone CHEMTREC +1-703-527-3887 (International)

For France only:

Antipoison Center telephone number: ORFILA +33-1-45-425-959

# Section 2: Hazard(s) identification

## 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

## 2.2. Label elements

### Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]



Revision Date: 11-May-2020 Issuing Date: 09-Jan-2009

Revision Number: 6

Safety data sheet number: PT492-01

Product Name: TN-210BK, TN-230BK, TN-240BK, TN-270BK Toner

2.3. Other hazards

This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

# Section 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical name	CAS No	EC No	EC Index No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Styrene-acrylate-copolymer	25767-47-9	•	-	82-85	Not classified	No data available
Fatty acid ester	**	•	-	5-7	Not classified	No data available
Carbon Black (bound)	1333-86-4	215-609-9	-	5-7	Not classified	No data available
Silicon dioxide (amorphous)	112945-52-5	231-545-4	-	1-3	Not classified	No data available
PMMA	9011-14-7	-	-	1-3	Not classified	No data available
Styrene-acrylate Resin	**	-	-	0.1-2	Not classified	No data available
Silicon dioxide (amorphous)	844491-94-7	430-570-1	-	< 1	Not classified	No data available

<sup>\*\*</sup> CONFIDENTIAL

Full text of H- and EUH-phrases: see section 16

# Section 4: First aid measures

## 4.1. Description of first aid measures

**General advice** If symptoms persist, call a physician.

**Inhalation** IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Get immediate medical advice/attention.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact:** Take off contaminated clothing. Wash off immediately with soap and plenty of water.

EN / EGHS Page 2 / 9



Revision Date: 11-May-2020 Issuing Date: 09-Jan-2009

Revision Number: 6
Safety data sheet number: PT492-01

Salety data silect number. 1 1432-01

Product Name: TN-210BK, TN-230BK, TN-240BK, TN-270BK Toner

**Ingestion** Obtain immediate medical attention. Wash out mouth with water and give 100-200 ml of

water to drink.

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** Inhalation ( dust ): For large quantities: May cause irritation to the respiratory system.

Increased difficulty in breathing. Sneezing. Coughing

Eye contact: May cause eye irritation

Ingestion: May cause stomach ache. Unlikely route of exposure

4.3. Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

# Section 5: Firefighting measures

## 5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical, CO<sub>2</sub>, water spray or regular foam

Unsuitable extinguishing media Do not use water jet.

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

May form explosive dust clouds in air.

#### 5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Do not use high-pressure water in order to prevent creating a dust cloud and spreading fire dust. Use appropriate respirator for carbon monoxide and carbon dioxide. Wear positive pressure self-contained breathing apparatus (SCBA) during the attack phase of firefighting operations and during cleanup in enclosed or poorly ventilated areas immediately after a fire. Personnel not having suitable respiratory protection must leave the area to prevent significant exposure to toxic combustion gases from any source.

## Section 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Avoid generation of dust. Do not breathe dust. A suitable dust mask or dust respirator with

filter type A/P may be appropriate.

6.2. Environmental precautions

**Environmental precautions** Prevent substance entering sewers. Washings must be prevented from entering surface

water drains.

EN / EGHS Page 3 / 9



Revision Date: 11-May-2020 Issuing Date: 09-Jan-2009

Revision Number: 6

Safety data sheet number: PT492-01

Product Name: TN-210BK, TN-230BK, TN-240BK, TN-270BK Toner

#### 6.3. Methods and material for containment and cleaning up

Methods for containment

Sweep the spilt toner or remove it with a vacuum cleaner and transfer into a sealed

container carefully. Sweep slowly to minimize generation of dust during cleanup. If a vacuum cleaner is used, the motor must be rated as dust explosion proof. Potential for very fine particles to be taken into the vacuum only to be passed back into the environment due

to pore size in the bag or filter.

**Methods for cleaning up**Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

# Section 7: Handling and storage

### 7.1. Precautions for safe handling

Advice on safe handling Keep out of the reach of children. Avoid generation of dust. Avoid inhalation of high

concentrations of dust. Avoid contact with eyes.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep away from oxidizing agents.

7.3. Specific end use(s)

**Specific use(s)**These products are black toner in a cartridge for Brother Industries, Ltd. laser printers,

multifunction devices and fax receivers. This cartridge should be used as supplied by

Brother and for use in the products stated.

## Section 8: Exposure controls and personal protection

### 8.1. Control parameters

**Exposure Limits** 

Chemical name	European Union	United Kingdom	France	Spain	Germany
Carbon Black (bound)	=	TWA: 3.5 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>	-
1333-86-4		STEL: 7 mg/m <sup>3</sup>			
Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
Carbon Black (bound)	=	TWA: 3.5 mg/m <sup>3</sup>	=	TWA: 3.5 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>
1333-86-4				STEL: 7 mg/m <sup>3</sup>	
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Carbon Black (bound)	-	=	TWA: 4.0 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>
1333-86-4				STEL: 7 mg/m <sup>3</sup>	STEL: 15 mg/m <sup>3</sup>

EN / EGHS Page 4/9



Revision Date: 11-May-2020 Issuing Date: 09-Jan-2009

Revision Number: 6

Safety data sheet number: PT492-01

Product Name: TN-210BK, TN-230BK, TN-240BK, TN-270BK Toner

Silicon dioxide	TWA: 4 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>	-	-	-
(amorphous)	-	_			
112945-52-5					

**Derived No Effect Level (DNEL)**No information available.

Predicted No Effect Concentration

No information available.

(PNEC)

8.2. Exposure controls

**Appropriate engineering controls** Good general ventilation should be sufficient under normal use.

Personal protective equipment Not normally required. For use other than in normal operating procedures (such as in the

event of large spill), the following should be applied:

**Eye/face protection** Safety goggles.

**Hand protection** Protective gloves.

**Skin and body protection**Long sleeved clothing and long pants.

**Respiratory protection** Face Mask. In case of large spillages: Wear suitable respiratory protective equipment.

**Environmental exposure controls** Avoid release to the environment.

## Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state Solid Powder Color black Odor Odorless.

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

**pH** Not applicable None known

Melting point / freezing point 110 °C

Boiling point / boiling rangeNot applicableNone knownFlash pointNot applicableNone knownEvaporation rateNot applicableNone knownFlammability (solid, gas)Not applicableNone knownFlammability Limit in AirNone known

**Upper flammability limit:** No data available

**Lower flammability limit:** 50-60 g/m<sup>3</sup>

Vapor pressureNot applicableNone knownVapor densityNot applicableNone knownRelative density1.15(H2O=1)

Water solubility Insoluble in water

Solubility(ies) No data available None known



Revision Date: 11-May-2020 Issuing Date: 09-Jan-2009

Revision Number: 6 Safety data sheet number: PT492-01

Product Name: TN-210BK, TN-230BK, TN-240BK, TN-270BK Toner

Partition coefficient No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity Not applicable None known Not applicable **Dynamic viscosity** None known **Explosive properties** Explosive limits of toner particles

No information available suspended in air approximately equal

to that of coal dust **Oxidizing properties** No information available

9.2. Other information No information available

# Section 10: Stability and reactivity

### 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No information available.

#### 10.4. Conditions to avoid

Keep away from heat. Avoid friction, sparks, or other means of ignition

### 10.5. Incompatible materials

Strong oxidizing agents

## 10.6. Hazardous decomposition products

Carbon monoxide, Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NOx)

# Section 11: Toxicological information

## 11.1. Information on toxicological effects

#### **Product Information**

Inhalation Acute  $LC_{50} > 5.18$  mg/l (Method OECD#403)

Eye contact No information available



Revision Date: 11-May-2020 Issuing Date: 09-Jan-2009

Revision Number: 6
Safety data sheet number: PT492-01

•

Product Name: TN-210BK, TN-230BK, TN-240BK, TN-270BK Toner

**Skin contact:** No information available

Ingestion Acute LD<sub>50</sub> > 2000 mg/kg (OECD 420 method)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 8,083.30 mg/kg

**Skin corrosion/irritation** Non-irritant (OECD 404 method)

Serious eye damage/eye irritation Slight irritant to the eye (OECD 405 method)

Germ cell mutagenicity AMES test: Negative (OECD 471 method)

Carcinogenicity Carbon Black: In 1996, the IARC re-evaluated carbon black as a Group 2B carcinogen

(possible human carcinogen). This classification is given to chemicals, for which there is inadequate human evidence, but sufficient animal evidence on which to base an opinion of carcinogenicity. The classification is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung. Studies performed in animal models other than rats did not show any association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association

between toner exposure and tumor development in rats.

Other ingredients of this product have not been classified as carcinogens according to

IARC monographs, NTP and OSHA

# Section 12: Ecological information

### 12.1. Toxicity

#### Ecotoxicity .

Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish Toxicity to		Crustacea
			microorganisms	
Carbon Black (bound)	-	-	-	5600: 24 h Daphnia
				magna mg/L EC50

#### 12.2. Persistence and degradability

No information available.

## 12.3. Bioaccumulative potential

No information available.



Revision Date: 11-May-2020 Issuing Date: 09-Jan-2009

Revision Number: 6 Safety data sheet number: PT492-01

Product Name: TN-210BK, TN-230BK, TN-240BK, TN-270BK Toner

## 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

### 12.6. Other adverse effects

No information available.

# Section 13: Disposal considerations

# 13.1. Waste treatment methods

Do not put toner or toner cartridges into a fire, this can cause fire to spread with the risk of causing burn injuries. Shred toner cartridges in a dust/explosion controlled environment. Finely dispersed particles may form explosive mixtures in the air. Dispose of in accordance with Federal, State, and local regulations.

# Section 14: Transport information

<u>IMDG</u>				
14.1 UN/ID no	Not regulated			
14.2 Proper shipping name	Not regulated			
14.3 Hazard Class	Not regulated			
14.4 Packing group	Not regulated			
14.5 Marine pollutant	Not applicable			
14.6 Special Provisions	None			
<b>14.7 Transport in bulk according to</b> Not applicable				
Annex II of MARPOL 73/78 and the				

**IBC Code** 

14.1	UN/ID no	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazard	Not applicable

14.6 Special Provisions None

#### ADR

14.1	UN/ID no	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazard	Not applicable
440	0 1 - 1 D 1 - 1	. · · ·

14.6 Special Provisions None



Revision Date: 11-May-2020 Issuing Date: 09-Jan-2009

Revision Number: 6

Safety data sheet number: PT492-01

Product Name: TN-210BK, TN-230BK, TN-240BK, TN-270BK Toner

IATA

14.1 UN/ID no Not regulated
14.2 Proper shipping name Not regulated
14.3 Hazard Class Not regulated
14.4 Packing group Not regulated
14.5 Environmental hazard Not applicable

14.6 Special Provisions None

# Section 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU-Regulations**

- \* Contains no substances listed in REACH Regulation (EC) No.1907/2006 ANNEX XVII.
- \* Contains no substance listed in REACH Regulation (EC) No.1907/2006 Candidate List for Authorization.
- \* Contains no substances listed in REACH Regulation (EC) No.1907/2006 ANNEX XIV.

#### **National Regulations**

No information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## Section 16: Other information

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Legend

SVHC: Substances of Very High Concern for Authorization:

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

\*\* Trade secret

## Key literature references and sources for data

No information available

Revision Date 11-May-2020

Issuing Date 09-Jan-2009

Revision Note No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### **Disclaimer**

The information relates only to this product. It may not be valid, if used in combination with any other materials or in any other process, and it is based on our best knowledge as of the date of preparation (revision).