

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

	-
1.1. Product identifier	
Trade name or	CD971Series
designation of the mixture	
Registration number	-
Synonyms	None.
Issue date	08-Jun-2015
Version number	03
Revision date	11-Jun-2016
Supersedes date	27-Aug-2015
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
Company identification	HP Inc UK Limited
	Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03)
	Bracknell, United Kingdom RG12 1HN
	Telephone 44 (0) 879 013 0790
	HP Inc. health effects line
	(Toll-free within the US) 1-800-457-4209
	(Direct) 1-760-710-0048
	HP Inc. Customer Care Line
	(Toll-free within the US) 1-800-474-6836
	(Direct) 1-208-323-2551
	Email: hpcustomer.inquiries@hp.com
	Poison Information Center 0207771 5307

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

### 2.2. Label elements

### Label according to Regulation (EC) No. 1272/2008 as amended

Laber according to Regulation	
Contains:	1,5-pentanediol, 2-pyrrolidone, Carbon black, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.
2.3. Other hazards	Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

# SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

# **General information**

General information					
Chemical name	%	CAS-No. / EC No.	<b>REACH Registration No.</b>	Index No.	Notes
Water	70-80	7732-18-5 231-791-2	-	-	
Classification:	-				
1,5-pentanediol	<7.5	111-29-5 203-854-4	01-2119449341-44-XXXX	-	
Classification:	-				
2-pyrrolidone	<7.5	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;H319				
Carbon black	<5	1333-86-4 215-609-9	01-2119384822-32-XXXX	-	
Classification:	-				
Composition comments	This ink supply co	ontains an aqueous	ink formulation.		
	Carbon black is p	resent only in a bou	nd form in this preparation.		
SECTION 4: First aid r	neasures				
General information	Not available.				
4.1. Description of first aid					
Inhalation			t, get medical attention.		
Skin contact	attention.	eas thoroughly with	mild soap and water. If irritatio	n persists get me	edical
Eye contact			vith large amounts of clean, war removed. If irritation persists g		
Ingestion	If ingestion of a la	arge amount does o	ccur, seek medical attention.		
4.2. Most important symptoms and effects, both acute and delayed	Not available. h				
4.3. Indication of any immediate medical attention and special treatment needed	Not available. on				
SECTION 5: Firefightin	ng measures				
General fire hazards	Not available.				
5.1. Extinguishing media Suitable extinguishing media	CO2, water, dry c	hemical, or foam			
Unsuitable extinguishi media	ng None known.				
5.2. Special hazards arising from the substance or mixture	Not available.				
5.3. Advice for firefighters Special protective equipment for firefighters	Not available.				
Special fire fighting procedures	Not available.				
Specific methods	None established.				

# **SECTION 6: Accidental release measures**

6.1. Personal precautions, prot	tective equipment and emergency procedures		
For non-emergency personnel	Wear appropriate personal protective equipment.		
For emergency responders	Not available.		
6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.		
<b>6.3. Methods and material for</b> Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry <b>containment and cleaning up</b> or diatomaceous earth, commercial sorbents, or recover using pumps.			
6.4. Reference to other sections	Not available.		
SECTION 7: Handling and	d storage		
7.1. Precautions for safe handling	Avoid contact with skin, eyes and clothing.		
7.2. Conditions for safe storage, including any	Keep out of the reach of children. Keep away from excessive heat or cold.		

# SECTION 8: Exposure controls/personal protection

Not available.

Not available.

### 8.1. Control parameters

7.3. Specific end use(s)

incompatibilities

### **Occupational exposure limits**

UK. EH40 Workplace Exposure Limits (WELs)				
Components	Туре	Value		
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3		
,	TWA	3.5 mg/m3		
<b>Biological limit values</b>	No biological exposure limits noted	for the ingredient(s).		

## Recommended monitoring

### procedures

## Derived no-effect level (DNEL)

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	6 mg/kg bw/d	Systemic long term
		Dermal	167 mg/kg bw/d	Systemic acute short term
		Inhalation	17.1 mg/m3	Systemic long term
		Oral	5.2 mg/kg bw/d	Systemic long term
		Oral	33.3 mg/kg bw/d	Systemic acute short term
	Workers	Dermal	277 mg/kg bw/d	Systemic acute short term
		Dermal	10 mg/kg bw/d	Systemic long term
		Inhalation	57.8 mg/m3	Systemic long term
Carbon black (CAS 1333-86-4)	Consumers	Inhalation	1.75 mg/m3	Local long term
		Inhalation	0.06 mg/m3	Systemic long term
	Workers	Inhalation	2 mg/m3	Local long term
		Inhalation	1 mg/m3	Systemic long term
Predicted no effect concentration	is (PNECs)			
Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l	
		Intermittant	0.5 mg/l	Releases
		Marine water	0.05 mg/l	
		Sediment	0.4205 mg/kg	Freshwater
		Soil	0.0612 mg/kg	
		STP	10 mg/l	Sewage Treatment Plant
Carbon black (CAS 1333-86-4)	Not applicable	Freshwater	5 mg/l	-
		Marine water	5 mg/l	
Exposure guidelines E	xposure limits have not been esta	ablished for this	product.	

Appropriate engineering controls	Use in a well ventilated area.
Individual protection measure	es, such as personal protective equipment
General information	Use personal protective equipment to minimize exposure to skin and eye.
Eye/face protection	Not available.
Skin protection	
- Hand protection	Not available.
- Other	Not available.
<b>Respiratory protection</b>	Not available.
Thermal hazards	Not available.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Not available.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties		
Appearance		
Physical state	Not available.	
Color	Black.	
Odor	Not available.	
Odor threshold	Not available.	
рН	7 - 8	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not determined	
Flash point	> 200.0 °F (> 93.3 °C) Pensky-Martens Closed Cup	
Evaporation rate	Not determined	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or e	xplosive limits	
Flammability limit - lower (%)	Not determined	
Flammability limit - upper (%)	Not available.	
Vapor pressure	Not determined	
Solubility(ies)		
Solubility (water)	Soluble in water	
Solubility (other)	Not available.	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	>= 2 cp	
Explosive properties	Not available.	
Oxidizing properties	Not determined	
9.2. Other information		
Specific gravity	1 - 1.2	
VOC (Weight %)	< 146 g/L	

# **SECTION 10: Stability and reactivity**

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Material name: CD971Series

# SECTION 11: Toxicological information

SECTION 11: TOXICOLOGIC	cal informat	ion		
General information	Not available.	Not available.		
11.1. Information on toxicolo	gical effects			
Acute toxicity	Based on available data, the classification criteria are not met.			
Skin corrosion/irritation	Based on available data, the classification criteria are not met.			
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.			
Respiratory sensitization	Based on avai	lable data, the classification criteria are no	t met.	
Skin sensitization	Based on avai	lable data, the classification criteria are no	t met.	
Germ cell mutagenicity	Based on avai	lable data, the classification criteria are no	t met.	
Carcinogenicity	Based on avai	lable data, the classification criteria are no	t met.	
	2B) and by the organizations bound within a	is classified as a carcinogen by the IARC (p e State of California under Proposition 65. indicate that exposure to carbon black, pe a product matrix, specifically, rubber, ink, this preparation.	In their evaluations of carbon black, both r se, does not occur when it remains	
IARC Monographs. Overal	ll Evaluation of	Carcinogenicity		
Carbon black (CAS 1333-	-86-4)	2B Possibly carcinogenic	to humans.	
Reproductive toxicity	Based on avai	lable data, the classification criteria are no	t met.	
Specific target organ toxicity - single exposure	Based on avai	lable data, the classification criteria are no	t met.	
Specific target organ toxicity - repeated exposure	Based on avai	Based on available data, the classification criteria are not met.		
Aspiration hazard	Based on avai	lable data, the classification criteria are no	t met.	
Components	Species	т	est Results	
2-pyrrolidone (CAS 616-45-5)				
Acute				
Oral				
LD50	Guinea pig		500 mg/kg	
	Rat	6	500 mg/kg	
Carbon black (CAS 1333-86-4)				
Acute				
<i>Oral</i> LD50	Rat		8000 mg//cg	
		2	• 8000 mg/kg	
Mixture versus substance information	Not available.			
Other information		city data are not available for this specific on 2 for potential health effects and Sectio		
SECTION 12: Ecological	information			
Aquatic toxicity	Not expected	to be harmful to aquatic organisms.		
12.1. Toxicity				
Product		Species	Test Results	
CD971Series				
Aquatic				
Acute				
Fish	LC50	Fathead minnow (Pimephales promelas)	> 750 mg/l, 96 hours	
Components		Species	Test Results	
2-pyrrolidone (CAS 616-45-5)				
Aquatic				
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours	
12.2. Persistence and degradability	Not available.			

12.3. Bioaccumulative potential	Not available.
Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone	-0.85
<b>Bioconcentration factor (BCF)</b>	Not available.
12.4. Mobility in soil	Not available.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	Not available.
SECTION 13: Disposal co	nsiderations
13.1. Waste treatment method	ls

13.1. Waste treatment meth	003
Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

## **SECTION 14: Transport information**

### DOT

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

## IMDG

Not regulated as dangerous goods.

## ADR

Not regulated as dangerous goods.

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

# **SECTION 15: Regulatory information**

15.1. Safety, health and	l environmental regulations/	/legislation specific for t	he substance or mixture
--------------------------	------------------------------	-----------------------------	-------------------------

## EU regulations

**Further information** 

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed.
Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed.
Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.
Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended
Not listed. Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as
amended Not listed.
Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended Not listed.
Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.
Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry Not listed.
Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.

### Authorizations

## Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

### **Restrictions on use**

Restrictions on use			
Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended			
Not listed.			
Directive 92/85/EEC: on are breastfeeding	the safety and health of pregnant workers and workers who have recently given birth or		
Not regulated.			
Other EU regulations			
Directive 96/82/EC (Seve	eso II) on the control of major-accident hazards involving dangerous substances		
Not regulated.			
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.		
Other information	This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.		
	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).		
National regulations	Not available.		
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.		

# **SECTION 16: Other information**

References Information on evaluation method leading to the classification of mixture	Not available. Not available.	
Issue date	08-Jun-2015	
<b>Revision information</b>	None.	
Training information	Not available.	
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.	
Manufacturer information	HP Inc. 1501 Page Mill Road Palo Alto, CA 94304-1112 US Direct 1-650-857-5020	

### **Explanation of abbreviations**

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds
List of abbreviations	Not available.

# Safe Use of Mixture Information (SUMI)

# Water Based Ink: WB01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3, where upplicable, completes an extended product 3D3.	
Operational conditions		
Maximum duration	Up to 8 hours per day	
Frequency of exposure	< 240 days per year	
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions	
	followed.	
Risk management measures		
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.	
related to Personal Protection		
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.	
Equipment, hygiene and	Wear appropriate chemical resistent clothing.	
health evaluation	In case of inadequate ventilation wear respiratory protection.	
	Eye wash fountain and emergency showers are recommended.	
	Avoid breathing mist/vapours.	
	Avoid contact with skin, eyes and clothing.	
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.	
Good practice advice		
Use personal protective equipme	ent as required.	
Wash hands before breaks and a	after work.	
Keep good industrial hygiene and	d safety practice.	
Use only with adequate ventilati		
Do no eat, drink or smoke when		
Wash contaminated clothing be		
Store at room temperature.		
Environmental measures		
	in intercourse/unitercourselies	
Do not allow this material to dra		
-	ding to Local, State, Federal and Provincial Environmental Regulations.	
	ith appropriately licenced waste contractor.	
Use descriptors		
IS-Use at industrial sites		
PW-Widespread use by profession		
SU7-Printing and reproduction n	nedia	
PC18-Inks and Toners		
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.	
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions	
condition PROC8a-Transfer of substance o	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment r mixture (charging and discharging) at non-dedicated facilities r mixture (charging and discharging) at dedicated facilities	
ERC5-Use at industrial site leading to inclusion into/onto article		
ERCS-Widespread use leading to inclusion into/onto article (indoor)		
Additional information on prod		
In section 2 of the SDS as well as on the label, the classification of the mixture is provided.		
Most of the water based inks are "not classified". The classification of the mixture is based on the individual ingradiants and their concentration within the mixture		
The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.		
All ingredients contributing to the classification are stated in Section 3 of the SDS.		
Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.		
	zing ingredients that may cause allergic reaction to certain people.	
Section 2 of the SDS states these		
1	WB01 English.pdi	