



We. SEE

Smart TV




This is television, for all those who are excited, cheer, learn, fight, stream, play and admire. For the perfect balance between high-tech and slow-down. For a new perspective on what really drives you. For you. With the latest technology, the Ultra HD LED Streaming TV not only impresses with an immense colour spectrum and brilliant high-contrast images, but also with the incredible depth effect - for perfect colours and shapes from every angle. With a music output of up to 80 watts, the Ultra HD LED Streaming TV provides an incomparable sound experience. The new We. SEE is made for your individual feel-good programme and is always perfectly in tune with what you need: inspiration, innovation or concentration.



We. SEE

Smart TV



TV

Screen diagonal (cm/inch): 139/55, 127/50, 108/43, 81/32
Screen resolution (pixels): Ultra HD (3840 x 2160), Full HD (1920 x 1080)
EU energy efficiency class SDR / HDR: F/G, F/G, G/G, F/G
Power consumption max. (watts): 160, 135, 115, 70
Power consumption stand-by (watts): 0,4, 0,4, 0,3, 0,3
Energy consumption SDR / HDR (kWh/1000h): 76/120, 62/90, 54/82, 28/39

Table solution

We. SEE 55: W* x H x PD/TD = 124,4 x 75,1 x 7,6/26,3
We. SEE 50: W* x H x PD/TD = 113,0 x 68,9 x 7,6/26,3
We. SEE 43: W* x H x PD/TD = 97,6 x 60,2 x 6,6/20,2
We. SEE 32: W* x H x PD/TD = 73,1 x 46,7 x 7,6/20,2

	Model	Article no.
● aqua blue	55	60514
	50	60513
	43	60512
	32	60510
	55	60514
● coral red	50	60513
	43	60512
	32	60510
● storm grey	55	60514
	50	60513
	43	60512
	32	60510

	Model	Article no.
● basalt grey	floor2ceiling stand	60802
	floor stand universal	73190
● black	wall mount slim 432	60808
	wall mount universal	60809

Rich streaming content and apps

All key streaming services at the single touch of a button. For example Netflix, YouTube, Amazon Prime, Disney+, Rakuten 4K, Rai Play, ChiliTV, Freeview Play, HD+, Zattoo, FIFA+ and many more.

Ultra High Definition with HDR

Brilliant TV experience up to Ultra HD resolution accompanied by a full range of HDR formats including Dolby Vision with slim Edge-LED panels exclusively tailor-made for Loewe.

Superior sound experience

Dolby Atmos in every We. SEE with signature in-house Loewe sound tuning delivered by up to 80 watts total music power from the integrated front firing soundbar.

We. SEE

Smart TV

Setup solutions

Further set-up options are possible. Your dealer will be happy to advise you.

Stand solutions

floor2ceiling stand

We. SEE 55: W* x H x PD/TD = 124,4 x 220-290 x 7,6/18,3
We. SEE 50: W* x H x PD/TD = 113 x 220-290 x 7,6/18,3
We. SEE 43: W* x H x PD/TD = 97,6 x 220-290 x 6,6/18,2
We. SEE 32: W* x H x PD/TD = 73,1 x 220-290 x 7,6/18,2
manually rotatable (+ / - 110°), height adjustable (220-290 cm),
hidden cable routing, wall mount slim 432 or 221 required

floor stand universal

We. SEE 55: W* x H x PD/TD = 124,4 x 116,8 x 7,6/48,5
We. SEE 50: W* x H x PD/TD = 113,0 x 110,4 x 7,6/48,5
We. SEE 43: W* x H x PD/TD = 97,6 x 101,7 x 6,6/48,5
manually rotatable (+ / - 40°), hidden cable routing

floor stand c

We. SEE 50: W* x H x PD/TD = 113,0 x 118,8 x 7,6/48,7
We. SEE 43: W* x H x PD/TD = 97,6 x 110,1 x 6,6/48,7
We. SEE 32: W* x H x PD/TD = 73,1 x 96,6 x 7,6/48,7
manually rotatable (+ / - 45°), hidden cable routing

Wall solutions

wall mount slim 432

We. SEE 55: W* x H x PD/TD = 124,4 x 74,1 x 7,6/9,4
We. SEE 50: W* x H x PD/TD = 113,0 x 67,6 x 7,6/9,4
We. SEE 43: W* x H x PD/TD = 97,6 x 58,9 x 6,6/9,4
flat mounting

wall mount slim 221

We. SEE 32: W* x H x PD/TD = 73,1 x 45,6 x 7,6/8,2
flat mounting

wall mount universal

We. SEE 55: W* x H x PD/TD = 124,4 x 74,1 x 7,6/11,1
We. SEE 50: W* x H x PD/TD = 113,0 x 67,6 x 7,6/11,1
We. SEE 43: W* x H x PD/TD = 97,6 x 58,9 x 6,6/11,1
We. SEE 32: W* x H x PD/TD = 73,1 x 45,6 x 7,6/9,7
tiltable mounting



Sound solutions



Model	Article no.
-------	-------------

basalt grey	klang bar3 mr	60614
-------------	---------------	-------

basalt grey	klang sub1	60610
-------------	------------	-------

Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted.
* In the area of the side-mounted Loewe signature flag, the width of the TV set may increase by up to 1 cm, depending on the type of set.

Technical information

We. SEE

55

50

43

32

Image	55	50	43	32
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Full HD (1920 x 1080)
Display technology	LCD + E-LED (semi mat)	LCD + E-LED (semi mat)	LCD + E-LED (semi mat)	LCD + E-LED (semi mat)
Screen diagonal (cm/inch) / Response time (ms)	139 / 55 / 8	127 / 50 / 8	108 / 43 / 8	81 / 32 / 6,5
Panel luminance ¹⁾ (cd/m ²) / Viewing angle (h/v)	550 / 178°	550 / 178°	450 / 178°	350 / 178°
Ultra HD scaling / Image+ Active / Adaptive Contrast / 24p	● / — / ● / ●	● / — / ● / ●	● / — / ● / ●	— / — / ● / ●
HDR (HLG / HDR10 / Dolby Vision™) / WCG	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / — / ●
Auto-dimming interior (OPC) / Ambient brightness control	● / ●	● / ●	● / ●	● / ●
Reception				
DVB-T2/C/S2 HD / Multi ATV / Unicable / Dual Channel	● ²⁵⁾ / ● / ● / —	● ²⁵⁾ / ● / ● / —	● ²⁵⁾ / ● / ● / —	● ²⁵⁾ / ● / ● / —
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Sat over IP / DVB-C over IP / DVB radio	— / — / ●	— / — / ●	— / — / ●	— / — / ●
Audio				
Output (watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 6	2 x 20 / 2 x 40 / 6	2 x 15 / 2 x 30 / 4	2 x 15 / 2 x 30 / 4
Acoustic speaker concept	Speaker box + bass reflex	Speaker box + bass reflex	Speaker box + bass reflex	Speaker box + bass reflex
Magic moment / front firing / down firing / 2-channel crossover	— / ● / — / ●	— / ● / — / ●	— / ● / — / —	— / ● / — / —
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Class-D amp / Auto Volume (AVC) / Mimi Sound Personalization	● / ● / —	● / ● / —	● / ● / —	● / ● / —
Individual bass and treble control / Loudness	7-Band EQ / —	7-Band EQ / —	7-Band EQ / —	7-Band EQ / —
Operation				
Loewe chassis / os / home screen (incl. favorites)	SL7 / os7 / ●	SL7 / os7 / ●	SL7 / os7 / ●	SL7 / os7 / ●
Loewe app / Vidaa app / my Loewe app (all: Android + iOS)	— / ● / ●	— / ● / ●	— / ● / ●	— / ● / ●
Voice control by Alexa skills / Vidaa voice	● / ●	● / ●	● / ●	● / ●
Electronic Program Guide / EPG key word search	● / —	● / —	● / —	● / —
Mediatext (HbbTV) / Teletext / page memory	● / ● / 792	● / ● / 792	● / ● / 792	● / ● / 792
Menu languages / Context related help	● ³⁶⁾ / ●	● ³⁶⁾ / ●	● ³⁶⁾ / ●	● ³⁶⁾ / ●
Parental Lock / Automatic turn-off / Timer	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Instant Channel Zapping / Quick Start Mode	— / ●	— / ●	— / ●	— / ●
Number of stations in channel list incl. AV and radio	10.000	10.000	10.000	10.000
PIP (AV)* / Full PIP / Splitscreen TV: Videotext	— / — / ●	— / — / ●	— / — / ●	— / — / ●
Software update (via USB / Internet)	● / ●	● / ●	● / ●	● / ●
Hotel Mode (Standard / CEC / IP / RS232)	● / — / — / —	● / — / — / —	● / — / — / —	● / — / — / —
Multimedia				
Loewe dr+: storage capacity (GB) / USB recording / timeshift	— / ● / ●	— / ● / ●	— / ● / ●	— / ● / ●
Loewe dr+: streaming server / client / follow-me	— / ● / —	— / ● / —	— / ● / —	— / ● / —
Music player / Photo player / Video player ³⁾	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Digital Media Renderer (incl. Ultra HD) / Bluetooth music player	● / ●	● / ●	● / ●	● / ●
Internet apps / Internet browser / Internet radio	● / ● / ● (via radio app)	● / ● / ● (via radio app)	● / ● / ● (via radio app)	● / ● / ● (via radio app)
YouTube / Amazon prime video / Netflix / Disney+ / Apple tv+	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Connectivity and Interfaces				
HDMI 2.0b / HDMI 2.1 ⁴⁾	4 x HDMI 2.1	4 x HDMI 2.1	4 x HDMI 2.1	3 x HDMI 2.1
HDCP 2.2 / HDMI-CEC / ARC / eARC	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
USB / Bluetooth / screen mirroring (Miracast)	2 (1 x USB 3.0) / ● / ●	2 (1 x USB 3.0) / ● / ●	2 (1 x USB 3.0) / ● / ●	2 (1 x USB 3.0) / ● / ●
LAN network connection / WLAN (Wi-Fi) integrated	● / ●	● / ●	● / ●	● / ●
Antenna IEC / satellite F / CI+ 1.4 ECP certified ⁷⁾	1 / 1 / 1	1 / 1 / 1	1 / 1 / 1	1 / 1 / 1
Home automation: IP / RJ12 (RS232C) / IR-Link ⁸⁾ / MU motor control	● / — / — / —	● / — / — / —	● / — / — / —	● / — / — / —
Mini TOSLINK / center in (via adapter) / cube plug stereo	● / — / —	● / — / —	● / — / —	● / — / —
Audio out control: fix / variable / sub (3.5 mm jack)	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Kensington anti theft lock	●	●	●	●
Energy				
EU energy efficiency class: SDR (EEI) / HDR (EEI)	F (0,877) / G (1,383)	F (0,838) / G (1,210)	G (0,936) / G (1,424)	7F (0,766) / G (1,064)
EPREL registration No.: https://eprel.ec.europa.eu/qr	620986	650532	1288803	1387803
Power switch / mains voltages AC	— / 220-240V, 50/60 Hz	— / 220-240V, 50/60 Hz	— / 220-240V, 50/60 Hz	— / 220-240V, 50/60 Hz
WoLAN / WoWLAN / Fast Power-On (increased consumption)	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Dimensions				
Weight (approx. kg) excl. / incl. standard setup solution	18,6 / 24,1	16,2 / 21,7	12,1 / 15,1	7,2 / 10,3
W* x H x D (approx. cm) without setup solution (* incl. signature flag)	124,4 x 74,1 x 7,6	113,0 x 67,6 x 7,6	97,5 x 58,9 x 6,6	73,1 x 45,6 x 7,6
W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)	124,4 x 74,1 x 9,4	113,0 x 67,6 x 9,4	97,5 x 58,9 x 9,4	73,1 x 45,6 x 8,2
W* x H x D (approx. cm) incl. table stand (* incl. signature flag)	124,4 x 75,1 x 26,3	113,0 x 68,9 x 26,3	97,5 x 60,2 x 20,2	73,1 x 46,7 x 20,2
VESA support	400 x 200	300 x 200	300 x 300	100 x 100
Scope of Delivery				
Speaker	integrated	integrated	integrated	integrated
Setup Solution / rotate-able	table stand / —	table stand / —	table stand / —	table stand / —
Remote control (incl. batteries)	We. REMOTE black (2x AAA)	We. REMOTE black (2x AAA)	We. REMOTE black (2x AAA)	We. REMOTE black (2x AAA)
Manual / power cord	● / ● (2 m)	● / ● (2 m)	● / ● (2 m)	● / ● (2 m)
Optional accessories				
Selection of recommended setup solutions and audio systems	floor2ceiling stand floor stand universal wall mount slim 432 wall mount universal klang bar5 mr klang bar3 mr klang sub1	floor2ceiling stand floor stand universal floor stand c wall mount slim 432 wall mount universal klang bar3 mr klang sub1	floor2ceiling stand floor stand universal floor stand c wall mount slim 432 wall mount universal klang bar3 mr klang sub1	floor2ceiling stand floor stand c wall mount slim 221 wall mount universal klang sub1

● = available — = not available

¹⁾ according to panel spec typ. values @ HDR 10%

²⁾ Reception of DVB-T2 HD only in selected countries, may be limited by individual regulations from the respective provider (UK models: Freeview HD compliant)**

³⁾ bs - cs - da - de - et - en - es - fr - hr - is - it - lv - lt - hu - nl - no - pl - pt - ro - sq - sk - sl - sr - fi - sv - el - be - bg - kk - mk - ru - uk - tr - ar

⁴⁾ AV-PIP is only available in combination with DVB-T/C/S

⁵⁾ Via home network and USB

⁶⁾ eARC, ALLM, VRR FHD 48-60 Hz, 4K @ 60 Hz, 18 Gb/s

⁷⁾ CI Plus (CH) is backwards compatible to CI, functionality depends on module availability from supplier

⁸⁾ Only in conjunction with adapter (to be ordered separately) and selected devices (RCS, 36 kHz)

All product and company names are trademarks™ or registered® trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them.

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.

Data sheet

We. SEE

June 2023

we.
by LOEWE.