

Material Safety Data Sheet

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier: EPSON Ink Cartridge T008

1.2. Relevant identified uses of the substance or mixture and uses advised against:

Identified uses; Ink for Inkjet Printing

1.3. Details of the supplier of the safety data sheet:

Distributor: EPSON EUROPE B.V.

Address: Azie building, Atlas ArenA, Hoogoorddreef

5,1101 BA Amsterdam Zuidoost The Netherlands www.epson-europe.com FAX: +31-20-314-5100

TEL: +31-20-314-5000 *FAX*: +31-20-314-5100

e-mail: <u>chemicals@epson-europe.com</u>

Date Prepared: 30 May 2012

Revision: A

1.4. Emergency telephone number: Giftnotruf Berlin +49 030 19240

SECTION 2: Hazards identification

2.1. Classification of the mixture:

Classification (1999/45/EC); Not Classified

2.2. Label elements: Label in Accordance with 1999/45/EC

Symbol(s); None
Indication(s) of danger; None
Risk phrase; None
Safety advice; None

2.3. Other hazards:

Classification (PBT,vPvB (EC)No1907/2006); No data available

SECTION 3: Composition/information on ingredients

Substance / Mixture: Mixture (Ink Composition)

<Cyan ink>

Ink Composition	CAS No.	EEC No.	EU registration No.	% By Weight	EU Symbols	EU R-phrase	EU OELs	Remark
Water	7732-18-5	231-791-2	Exemption	< 80	None	None	None	None
Proprietary organic materials	Trade secret	Trade secret	Not available for the moment	10 - 15	None	None	None	None
TEGBE	143-22-6	205-592-6	Not available for the moment	about 10	X_{i}	R-41	None	None
Glycerols	Trade secret	Trade secret	Not available for the moment	about 10	None	None	None	None
Colorants	Trade secret	Trade secret	Not available for the moment	1 - 5	None	None	None	None
Triethanol amine	102-71-6	203-049-8	Not available for the moment	< 1	None	None	None	None

Please refer to the section 16, where the full text of each relevant R-phrase.



<Magenta ink>

Ink Composition	CAS No.	EEC No.	EU registration No.	% By Weight	EU Symbols	EU R-phrase	EU OELs	Remark
Water	7732-18-5	231-791-2	Exemption	< 80	None	None	None	None
Glycerols	Trade secret	Trade secret	Not available for the moment	about 10	None	None	None	None
TEGBE	143-22-6	205-592-6	Not available for the moment	about 10	X_{i}	R-41	None	None
Diethylene glycol	111-46-6	203-872-2	Not available for the moment	5 - 10	X_n	R-22	None	None
Proprietary organic materials	Trade secret	Trade secret	Not available for the moment	5 - 10	None	None	None	None
Azo Dye	Trade secret	Trade secret	Not available for the moment	1 - 5	Xi	R-36 R-52/53	None	None
Triethanol amine	102-71-6	203-049-8	Not available for the moment	< 1	None	None	None	None

Please refer to the section 16, where the full text of each relevant R-phrase.

<Yellow ink>

Ink Composition	CAS No.	EEC No.	EU registration No.	% By Weight	EU Symbols	EU R-phrase	EU OELs	Remark
Water	7732-18-5	231-791-2	Exemption	< 80	None	None	None	None
TEGBE	143-22-6	205-592-6	Not available for the moment	about 10	X_{i}	R-41	None	None
Glycerols	Trade secret	Trade secret	Not available for the moment	about 10	None	None	None	None
Diethylene glycol	111-46-6	203-872-2	Not available for the moment	5 - 10	X_n	R-22	None	None
Azo Dye	Trade secret	Trade secret	Not available for the moment	1 - 5	Xi	R-41, R-43	None	None
Proprietary organic materials	Trade secret	Trade secret	Not available for the moment	1 - 5	None	None	None	None
Triethanol amine	102-71-6	203-049-8	Not available for the moment	< 1	None	None	None	None

Please refer to the section 16, where the full text of each relevant R-phrase.

<Light Cyan ink>

Ink Composition	CAS No.	EEC No.	EU registration No.	% By Weight	EU Symbols	EU R-phrase	EU OELs	Remark
Water	7732-18-5	231-791-2	Exemption	< 80	None	None	None	None
Proprietary organic materials	Trade secret	Trade secret	Not available for the moment	15 - 20	None	None	None	None
Glycerols	Trade secret	Trade secret	Not available for the moment	about 10	None	None	None	None
TEGBE	143-22-6	205-592-6	Not available for the moment	about 10	X_{i}	R-41	None	None



Colorants	Trade secret	Trade secret	Not available for the moment	< 1	None	None	None	None
Triethanol amine	102-71-6	203-049-8	Not available for the moment	< 1	None	None	None	None

Please refer to the section 16, where the full text of each relevant R-phrase.

<Light Magenta ink>

Ink Composition	CAS No.	EEC No.	EU registration No.	% By Weight	EU Symbols	EU R-phrase	EU OELs	Remark
Water	7732-18-5	231-791-2	Exemption	< 80	None	None	None	None
Glycerols	Trade secret	Trade secret	Not available for the moment	about 15	None	None	None	None
TEGBE	143-22-6	205-592-6	Not available for the moment	about 10	X_{i}	R-41	None	None
Diethylene glycol	111-46-6	203-872-2	Not available for the moment	5 - 10	X_n	R-22	None	None
Colorants	Trade secret	Trade secret	Not available for the moment	1 - 5	None	None	None	None
Proprietary organic materials	Trade secret	Trade secret	Not available for the moment	1 - 5	None	None	None	None
Triethanol amine	102-71-6	203-049-8	Not available for the moment	< 1	None	None	None	None

Please refer to the section 16, where the full text of each relevant R-phrase.

SECTION 4: First aid measures

4.1. Description of first aid measures

- **4.1.1.** Eyes: Immediately flush with room temperature, low pressure and clean water for at least 15 minutes. Seek medical attention if eye irritation continues.
- **4.1.2.** *Skin*: Wash surface areas with soap and water. Wash soiled clothing before wearing again. Consult a physician if irritation continues.
- **4.1.3.** *Inhalation*: Remove subject to ventilated fresh air. If not breathing, give artificial respiration right away. If breathing is difficult, give oxygen. Seek immediate medical attention.
- **4.1.4.** *Ingestion*: Seek medical advice; and attention if stomach continues to be upset.
- 4.2. Most important symptoms and effects, both acute and delayed:

Skin:Ink contact with skin may cause irritation, swelling or redness.

4.3. Indication of any immediate medical attention and special treatment needed: Not necessary

SECTION 5: Fire-fighting measures

- 5.1. Extinguishing Media
 - **5.1.1.Suitable extinguishing media:** Dry chemical, carbon dioxide or water.
 - 5.1.2. Unsuitable extinguishing media: None
- 5.2. Special hazards arising from the substance or mixture: None
- **5.3.** *Advice for firefighters:* No special fire fighting procedures are required other than breathing apparatus. No special explosion hazards are known.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
 - **6.1.1. For non-emergency personnel:** Eye or Skin protection required during clean-up. Use proper ventilation.
 - **6.1.2.** For emergency responders: None
- **6.2.** Environmental precautions: Do not release to sewer, surface- or ground-water.
- 6.3. Methods and material for containment and cleaning up



- 6.3.1. Advice on how to contain a spill: Use sponges to wipe-up ink.
- 6.3.2. Advice how to clean-up a spill: Rinse area with damp cloth. Place waste in closed container for disposal.

Wash hands with soap and water.

- **6.3.3.** Any other information: Do not dispose of waste to the sewer.
- 6.4. Reference to other sections: None

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
 - 7.1.1. Recommendations: Keep out of reach of children and do not drink ink. Do not dismantle cartridge.
 - 7.1.2. Advice on general occupational hygiene:

Avoid contact with eyes or clothing. In the case of skin contact, wash with soap and water.

7.2. Conditions for safe storage, including any incompatibilities:

Do not store the cartridge in high or freezing temperatures. Keep cartridge out of direct sunlight. Do not store cartridges with oxidizing agents or explosives. Make sure cartridge is dry before insertion into printer housing.

7.3. Specific end use(s): Not specified

SECTION 8: Exposure controls / personal protection

8.1. Control parameters:

2, 2-Oxybisethanol(DG) (CAS No. 111-46-6)

USA: OELs (WEELs)

WEEL 8-hour TWA is: 10 mg/ m³

Australia: OELs

The Time Weighted Average is: 23 ppm. The Time Weighted Average is: 100 mg/m³

- 8.2. Exposure Controls
 - 8.2.1. Appropriate engineering controls: Proper ventilation, in prevention
 - 8.2.2. Individual protection measures, such as personal protective equipment
 - 8.2.2.1. Use of personal protective equipment:

Not required under suitable use as setting the cartridge on the printer.

- 8.2.2.2. Detailed specification on equipment to provide adequate and suitable protection
 - (a) eye/face protection: Not required under suitable use as setting the cartridge on the printer.
 - (b) skin protection: hand protection & others:

Not required under suitable use as setting the cartridge on the printer.

- (c) respiratory protection: Not required under suitable use as setting the cartridge on the printer.

 (d) thermal hazards: Not required under suitable use as setting the cartridge on the printer.
- 8.2.3. Environmental exposure controls: Not established

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties:

Appearance: Cyan, Magenta, Yellow, Light Cyan, Light Magenta, Liquid

Odour: Slightly

Odour threshold:No data availablepH:(Cyan ink) $8.5 \sim 10.0$ at 20° C(Magenta ink) $8.5 \sim 9.8$ at 20° C(Yellow ink)About 9 at 20° C(Light Cyan ink) $8.5 \sim 9.8$ at 20° C(Light Magenta ink) $8.0 \sim 9.5$ at 20° CMelting point / freezing point:No data available

Initial boiling point and boiling range:

(Cyan, Yellow, Light Magenta ink) No data available (Magenta, Light Cyan) No data available about 100°C

Flash point: (Cyan ink) Not detected until 110 °C (closed cup, ASTM D3278) (Magenta, Light Cyan, Light Magenta ink) Not detected until 100 °C (closed cup, ASTM D3278)

(Yellow ink) No data available Evaporation rate: No data available



Flammability (solid, gas): Not applicable (liquid)
Upper/lower flammability or explosive limits: No data available
Vapor pressure: No data available

Vapor density:

(Cyan, Light Magenta, Light Cyan ink) No data available (Magenta, Yellow ink) Greater than 1 (air = 1)

Relative density: (Cyan ink) 1.08 at 20°C

(Magenta ink)1.07 at 20°C(Yellow ink)1.06 at 20°C(Light Cyan ink)1.06 at 20°C(Light Magenta ink)1.07 at 20°C

Solubility(ies): Complete

Partition coefficient: n-octanol/water:

Auto-ignition temperature:

Decomposition temperature:

No data available

No data available

Viscosity: Less than 5 mPa·s at 20°C

Explosive properties: None Oxidizing properties: None 9.2. Other information: None

SECTION 10:Stability and reactivity

10.1. Reactivity: Stable under normal temperature10.2. Chemical stability: Stable under normal temperature

10.3. Possibility of hazardous reactions: None

10.4. Conditions to avoid:High and freezing temperatures10.5. Incompatible materials:Oxidizers and explosives

10.6. Hazardous decomposition products: No data available

SECTION 11: Toxicological Information

11.1. Information on toxicological effects:

Acute toxicity: Not meet the criteria for classification according to EU Directive 1999/45/EC

Oral LD₅₀: (Cyan ink) > 2500mg/kg (Rat)

(Magenta, Light Cyan ink) > 5000mg/kg (Rat) (Yellow Light Magenta ink) > 2000mg/kg (Rat)

 $\begin{array}{ll} Dermal\ LD_{50}\!\colon > 2000mg/kg\ (Rat) \\ Inhalant\ LC_{50}\!\colon & Not\ applicable \end{array}$

Irritation: Eye: Not meet the criteria for classification according to EU Directive 1999/45/EC

(Cyan, Magenta, Light Cyan, Light Magenta ink) Minimal irritating (Rabbit)

(Yellow ink) Non irritating (Rabbit)

Skin: Not meet the criteria for classification according to EU Directive 1999/45/EC

(Cyan, Magenta ink) Mild irritating (Rabbit)

(Yellow, Light Cyan, Light Magenta ink) Non irritating (Rabbit)

Corrosivity: Not meet the criteria for classification according to EU Directive 1999/45/EC Sensitisation: Skin: Not meet the criteria for classification according to EU Directive 1999/45/EC

Non-sensitizing

Carcinogenicity: Not meet the criteria for classification according to EU Directive 1999/45/EC

Not contain any substances listed in IARC Monographs (1,2A and 2B)

Mutagenicity: Not meet the criteria for classification according to EU Directive 1999/45/EC

Negative (by Ames test)

Toxicity for reproduction: Not meet the criteria for classification according to EU Directive 1999/45/EC

SECTION 12:Ecological information

12.1. Toxicity: No data available
12.2. Persistence and degradability: No data available
12.3. Bioaccumulative potential: No data available



12.4. Mobility in soil: No data available

12.5. Results of PBT and vPvB assessment: Has not carried out PBT and vPvB assessment

12.6. Other adverse effects: No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods: Disposal should be in accordance with federal, state, and local requirements.

SECTION 14: Transport information

14.1. UN number: Not applicable
14.2. UN proper shipping name: Not applicable
14.3. Transport hazard class(es): Not applicable
14.4. Packing group: Not applicable
14.5. Environmental hazards: Not applicable
14.6. Special precautions for user: Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Information:

Regulation (EC) No 2037/2000: Is not subject Regulation (EC) No 850/2004: Is not subject Regulation (EC) No 689/2008: Is not subject

US Information:

TSCA Section 4(a) Final Test Rules Regulated:

TSCA Section 5 Significant New Use Rule Regulation:

TSCA Section 8(a) Preliminary Assessment Information Rule (PAIR):

TSCA Section 12(b) One-Time Export Notification Regulated:

California Proposition 65:

Not regulated

Not regulated

Not regulated

Canada Information:

WHMIS Controlled Product: Not applicable (Manufactured article)

Australia Information:

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC

15.2. Chemical safety assessment: This ink has not carried out any Chemical Safety Assessment yet.

SECTION 16: Other Information

List of relevant R-phrases:

- R-22 Harmful if swallowed.
- R-36 Irritating to eyes
- R-41 Risk of serious damage of eyes.
- R-43 May cause sensitization by skin contact
- R-52/53 Harmful to aquatic organisms, may cause long-term adverse defects in the aquatic environment.

This "Material Safety Data Sheet" contains health, safety, and environmental information. It does not replace any precautionary language or use and disposal information which accompanies the product. The information contained herein is believed to be accurate at the time of preparation, but should only be used as a guide. It is subject to revision from time to time. EPSON does not warrant the completeness or accuracy of the information contained herein.