

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the substance/preparation

HP LaserJet Q7551A-X-XC Print Cartridge

Use of the preparation

This product is a toner preparation that is used in HP LaserJet 3005, M3027mfp, 3035mfp

series printers.

Revision date 03-07-2009

Company identification

Hewlett-Packard, Ltd. Cain Road, Amen Corner Bracknell, Berkshire, RG12 1HN Telephone 1 344 36-0000

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomerinquiries@hp.com Poison Information Center 0207771 5307

2. HAZARDS IDENTIFICATION

Acute health effects

Skin contact Unlikely to cause skin irritation.

Eye contact May cause transient slight irritation.

Inhalation Minimal respiratory tract irritation may occur with exposure to large amounts of toner dust.Ingestion Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

Potential health effects

Routes of exposure Potential routes of exposure under normal use conditions are skin, eye contact and inhalation.

Ingestion is not expected to be a primary route of exposure for this product under normal use

conditions.

product as intended does not result in inhalation of excessive amounts of dust.

Carcinogenicity None of the ingredients have been classified as carcinogens according to EU, IARC, MAK,

NTP, OSHA or ACGIH.

Physical hazards Not classified as a physical hazard.

Health hazards Not classified as a health hazard.

Environmental hazards Not classified as an environmental hazard.

Other information This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU

Directive 1999/45/EC, as amended.

This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC)

1907/2006.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component/substance	CAS number	% by weight	EU number	EU classification
Styrene acrylate copolymer	Trade secret	< 55		
Ferrite including zinc	Trade secret	< 50		
Amorphous silica	7631-86-9	< 3	231-545-4	

4. FIRST AID MEASURES

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Material nameQ7551A-X-XCSDS UKCreation date27-Apr-2006Version number81 / 5



Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for

at least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Ingestion Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a

physician.

5. FIRE-FIGHTING MEASURES

Flash point and method Not applicable

Fire fighting

equipment/instructions

If fire occurs in the printer, treat as an electrical fire.

Suitable extinguishing media

Extinguishing media which

must not be used for safety

reasons

CO2, water, or dry chemical

None known.

Unusual fire & explosion

hazards

Like most organic material in powder form, toner can form explosive dust-air mixtures when

finely dispersed in air.

Hazardous combustion

products

Carbon monoxide and carbon dioxide.

Specific methods None established.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Minimize dust generation and accumulation.

Environmental precautions Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

7. HANDLING AND STORAGE

Handling Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use

with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Storage Keep out of the reach of children. Store at room temperature. Store away from strong

oxidizers. Keep tightly closed and dry.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

Belgium

Components Type Value

Amorphous silica (7631-86-9) TWA 10 mg/m3

Germany

Components Type Value Form

Amorphous silica (7631-86-9) AGW 4 mg/m3 Inhalable fraction.

Spain

Components Type Value

Amorphous silica (7631-86-9) TWA 10 mg/m3

Occupational exposure standards

Personal exposure limit 15

Material nameQ7551A-X-XCSDS UKCreation date27-Apr-2006Version number82 / 5



USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction) Additional exposure data

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH

(TWA/TLV): 10 mg/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige

fraktion)

UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

Personal protective equipment

General No personal respiratory protective equipment required under normal conditions of use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Fine powder **Physical state** Not available.

Form solid Color Black

Odor Slight plastic odor **Odour threshold** Not available. Not applicable Hq **Boiling point** Not applicable Flash point Not applicable Not available. **Flammability** Not available. Flammability limits in air,

upper, % by volume

Flammability limits in air,

lower, % by volume

Not flammable

Not applicable Vapor pressure Not available. Relative density

Solubility (water) Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient

(n-octanol/water)

Not applicable

Not available.

Viscosity Not applicable Vapor density Not applicable **Evaporation rate** Not available. **Melting point** Not available. Freezing point Not applicable **Auto-ignition temperature** Specific gravity 1.4 - 1.8 (H2O = 1)

Softening point 100 - 150 °C (212 - 302 °F)

10. STABILITY AND REACTIVITY

Stability Stable under normal storage conditions.

Conditions to avoid Imaging Drum: Exposure to light

Materials to avoid Strong oxidizers

Hazardous decomposition

Carbon monoxide and carbon dioxide.

products

Hazardous polymerization Will not occur.

Material name Q7551A-X-XC SDS UK Version number 8 Creation date 27-Apr-2006 3/5



11. TOXICOLOGICAL INFORMATION

Inhalation toxicity No information available.

Not classified for acute inhalation toxicity according to EU Directive 67/548/EEC and

1999/45/EC.

Oral toxicity LD50/oral/rat >2000mg/kg; Not harmful. (OECD 401). Not classified for acute oral toxicity

according to EU Directive 67/548/EEC and 1999/45/EC.

Eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU

Directive 67/548/EEC and as amended.

Chronic toxicity No information available.

Sensitization Not classified as a sensitizer according to EU Directive 67/548/EEC and as amended, and

OSHA HCS (US).

Carcinogenicity None of the other ingredients in this preparation are classified as carcinogens according to

ACGIH, EU, IARC, MAK, NTP or OSHA.

MutagenicityNegative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)ReproductivityNot classified as toxic according to EU Directive 67/548/EEC and as amended, California

Prop. 65, and DFG (Germany).

Further information Complete toxicity data are not available for this specific formulation.

Refer to Section 3 for potential health effects and Section 4 for first aide measures.

12. ECOLOGICAL INFORMATION

Ecotoxicity 96.00 Hours, LL50 > 1000 mg/l, rainbow trout

13. DISPOSAL CONSIDERATIONS

Disposal instructionsDo not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine

if this service is available in your location, please visit http://www.hp.com/recycle.

14. TRANSPORT INFORMATION

General Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.

15. REGULATORY INFORMATION

International regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South

Korea, New Zealand, and China.

Labeling

Contains Amorphous silica, Ferrite including zinc, Styrene acrylate copolymer

16. OTHER INFORMATION

Manufacturer information Hewlett-Packard Company

11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Other information This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by

2001/58/EC.

Material nameQ7551A-X-XCSDS UKCreation date27-Apr-2006Version number8



Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Issue date 03-07-2009

This data sheet contains changes from the previous version in section(s):

HAZARDS IDENTIFICATION: Other information

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-term exposure limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds