# SAFETY DATA SHEET



IJC236 MBK Pigment Black Ink

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : IJC236 MBK Pigment Black Ink

Article number : 29952264

Product code (Canon) : 1828B003AB

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Inkjet printing ink for CS2124/CS2136/CS2224/CS2436/CS2424/CS2436. Other

uses are not recommended.

1.3 Details of the supplier of the safety data sheet

Supplier Océ-Technologies B.V.

Address St. Urbanusweg 43, 5914 CA Venlo, the Netherlands

Telephone number +31 77 359 2222 e-mail address : sds-hq@oce.com

1.4 Emergency telephone number

**National advisory body/Poison Centre** 

Telephone number : United Kingdom: 111

**Emergency telephone number** 

**Telephone number** : + 44 (0) 1235 239 670

Hours of operation : 24h

**Information limitations** : For chemical emergencies only.

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

See Section 16 for the full text of the H statements declared above.

2.2 Label elements

Signal word : No signal word.

**Hazard statements** : No known significant effects or critical hazards.

**Precautionary statements** 

Prevention : Not applicable.

Response : Not applicable.

Storage : Not applicable.

Disposal : Not applicable.

**Supplemental label** : Safety data sheet available on request.

elements

2.3 Other hazards

Other hazards which do not result in classification : To the best of our knowledge, with due observance of the recommended exposure limits and of normal hygiene this product presents no health hazard in normal use.

Number: 340 Date of issue/Date of revision : 22-05-2015 Date of previous issue : No previous Version : 1 1/8 validation

IJC236 MBK Pigment Black Ink

# **SECTION 3: Composition/information on ingredients**

3.2 Mixtures : Mixture

			<u>Classification</u>		
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
Glycerin	EC: 200-289-5 CAS: 56-81-5	10 - 30	Not classified.	Not classified.	[2]
Diethylene glycol	EC: 203-872-2 CAS: 111-46-6	5 - 10	Xn; R22	Acute Tox. 4, H302	[1] [2]
				See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

#### **Type**

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

Occupational exposure limits, if available, are listed in Section 8.

### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

**Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Get medical attention if irritation occurs.

**Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Get medical attention if symptoms occur.

**Skin contact** : Flush contaminated skin with plenty of water. Get medical attention if symptoms

occur.

Ingestion : Wash out mouth with water. If material has been swallowed and the exposed

person is conscious, give small quantities of water to drink. Get medical attention if

symptoms occur.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

### 4.2 Most important symptoms and effects, both acute and delayed

**Eye contact** : May cause slight eye irritation.

Inhalation : No adverse effects are expected under intended use. Symptoms of overexposure

are dizziness, headache, tiredness, nausea, unconsciousness, cessation of

breathing.

**Skin contact**: No adverse effects are expected under intended use.

**Ingestion**: Ingestion may cause abdominal pain, diarrhea, dizziness, drowsiness, dullness,

headache, nausea and vomiting.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments** : No specific treatment.

Number: 340 Date of issue/Date of revision : 22-05-2015 Date of previous issue : No previous Version : 1 2/8 validation

IJC236 MBK Pigment Black Ink

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing

media

: In case of fire, use water spray (fog), foam, dry chemical or CO2.

Unsuitable extinguishing media

ıg

: None known.

#### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide

suitable training.

#### 5.3 Advice for firefighters

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without

Special protective equipment for fire-fighters

: No special protection is required.

## **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

: Avoid contact with eyes, skin and clothing.

For emergency responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for

additional information on hygiene measures.

**6.2 Environmental precautions** 

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

### 6.3 Methods and material for containment and cleaning up

**Small spill** 

: Wipe up small spills with disposable towels and transfer to a sealable, appropriate container for disposal. Dispose of according to all federal, state and local applicable regulations.

Large spill

: Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

# SECTION 7: Handling and storage

# 7.1 Precautions for safe handling

**Protective measures** 

: Use only with adequate ventilation. Avoid contact with eyes, skin and clothing.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Number: 340 Date of issue/Date of revision : 22-05-2015 Date of previous issue : No previous Version : 1 3/8 validation

IJC236 MBK Pigment Black Ink

# **SECTION 7: Handling and storage**

Store in a dry and cool area. Store in original container, protected from direct sunlight. Keep away from heat, sparks and flame. Keep out of the reach of children. Keep away from sources of ignition.

#### 7.3 Specific end use(s)

For professional users only.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### **Occupational exposure limits**

Product/ingredient name	Exposure limit values
Glycerin Diethylene glycol	EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 10 mg/m³ 8 hours. Form: Mist EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 101 mg/m³ 8 hours. TWA: 23 ppm 8 hours.

#### **DNELs/DMELs**

No DNELs/DMELs available.

#### **PNECs**

No PNECs available

#### 8.2 Exposure controls

Appropriate engineering

controls

 Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### **Individual protection measures**

Hygiene measuresNot required during normal intended use of this product.Eye/face protectionNot required during normal intended use of this product.

**Skin protection** 

Hand protection: Not required during normal intended use of this product.Body protection: Not required during normal intended use of this product.Other skin protection: Not required during normal intended use of this product.Respiratory protection: Not required during normal intended use of this product.

**Environmental exposure** 

controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

# SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

### **Appearance**

Physical state : Liquid.
Colour : Black.
Odour : Slight

Odour threshold : Not available.

**pH** : 7 to 8

Melting point/freezing point : Not available.

Initial boiling point and : Not available.

boiling range

Flash point : Estimated. None.

Evaporation rate : Not available.

Number: 340 Date of issue/Date of revision : 22-05-2015 Date of previous issue : No previous Version : 1 4/8 validation

IJC236 MBK Pigment Black Ink

# SECTION 9: Physical and chemical properties

Flammability (solid, gas) : Non-flammable. Upper/lower flammability or

explosive limits

: Not available.

: Not available. Vapour pressure Vapour density : Not available. : 1 to 1,1 Relative density

Solubility(ies) : Easily soluble in the following materials: cold water and hot water.

Partition coefficient: n-octanol/ : Not available.

water

**Auto-ignition temperature** : Not available. **Decomposition temperature** : Not available.

: Dynamic (room temperature): 1 to 5 mPa·s **Viscosity** 

: Not available. **Explosive properties** : None (Estimate) **Oxidising properties** 

#### 9.2 Other information

No additional information.

# SECTION 10: Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : The product is stable.

10.3 Possibility of Under normal conditions of storage and use, hazardous reactions will not occur.

hazardous reactions

10.4 Conditions to avoid

10.5 Incompatible materials : Acids, bases, oxidizing materials and reducing agents.

10.6 Hazardous : Carbon dioxide (CO<sub>2</sub>). decomposition products Carbon monoxide.

Ammonia.

# SECTION 11: Toxicological information

# 11.1 Information on toxicological effects

#### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
Glycerin	LC50 Inhalation Dusts and mists	Rat	>20 mg/l	4 hours
-	LD50 Dermal LD50 Oral	Rabbit Rat	>10000 mg/kg 12600 mg/kg	-

**Conclusion/Summary** : No known significant effects or critical hazards.

**Irritation/Corrosion Conclusion/Summary** 

Skin : Estimated. Mild irritant (rabbit). OECD No.404 (2002), Method B4 : Estimated. Non-irritant (rabbit). OECD No.405 (2002), Method B5 **Eyes** 

**Sensitisation** 

**Conclusion/Summary** 

Skin Estimated. Non-sensitizer (mouse). OECD No.429 (2002), Method B42

#### **Mutagenicity**

Product/ingredient name	Test	Experiment	Result
Glycerin	-	Experiment: In vitro Subject: Bacteria	Negative

Number: 340 Date of issue/Date of revision : 22-05-2015 Date of previous issue Version : 1 5/8 : No previous validation

IJC236 MBK Pigment Black Ink

# **SECTION 11: Toxicological information**

Conclusion/Summary :

: Ames test: Negative (S. typhimurium & E. coli)

### **Carcinogenicity**

Product/ingredient name	Result	Species	Dose	Exposure
Glycerin	Negative - Oral - TC	Rat	-	-

**Conclusion/Summary** 

: No known significant effects or critical hazards.

### **Reproductive toxicity**

Product/ingredient name	Maternal toxicity	Fertility	Developmental toxin	Species	Dose	Exposure
Glycerin	Negative	Negative	Negative		Oral: 2000 mg/ kg	7 days per week

**Conclusion/Summary**: No known significant effects or critical hazards.

Information on the likely

routes of exposure

: Not available.

Other information : Not available.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Glycerin	Acute EC50 250 mg/l	Algae	72 hours
-	Acute EC50 250 mg/l	Daphnia	48 hours
-	Acute LC50 54000 mg/l	Fish	96 hours
Diethylene glycol	Acute LC50 32000 ppm Fresh water	Fish - Gambusia affinis - Adult	96 hours

# 12.2 Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Glycerin	-	-	Readily

### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Glycerin	-1,76	3	low
Diethylene glycol	-1,98	100	low

# 12.4 Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Mobility : Not available.

#### 12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

**12.6 Other adverse effects** : No known significant effects or critical hazards.

Number: 340 Date of issue/Date of revision : 22-05-2015 Date of previous issue : No previous Version : 1 6/8 validation

IJC236 MBK Pigment Black Ink

# SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

#### **Product**

**Methods of disposal** : Dispose of according to all federal, state and local applicable regulations.

**Hazardous waste** Within the present knowledge of the supplier, this product is not regarded as

hazardous waste, as defined by EU Directive 91/689/EEC.

#### **European waste catalogue (EWC)**

Waste code	Waste designation	
08 03 13	waste ink other than those mentioned in 08 03 12	

### **Packaging**

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Waste

packaging should be recycled. Incineration or landfill should only be considered

when recycling is not feasible.

Type of packaging		European waste catalogue (EWC)
Ink tanks.	15 01 02	plastic packaging.

**Special precautions** 

This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

# SECTION 14: Transport information

14.1-14.5 : This product is not regulated for carriage according to ADR/RID, ADN, IMDG,

ICAO/IATA.

14.6 Special precautions for

user

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in

the event of an accident or spillage.

# SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

**Annex XIV - List of substances subject to authorisation** 

**Annex XIV** 

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable.

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Other EU regulations

**Europe inventory** : All components are listed or exempted.

Regulation (EC) No. 648/2004, Not applicable. on Detergents, Annex VII

**Seveso Directive** 

This product is not controlled under the Seveso Directive.

#### **International regulations**

Number: Date of issue/Date of revision : 22-05-2015 Date of previous issue Version :1 7/8 : No previous validation

IJC236 MBK Pigment Black Ink

# **SECTION 15: Regulatory information**

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

**Stockholm Convention on Persistent Organic Pollutants** 

Not listed

**Rotterdam Convention on Prior Inform Consent (PIC)** 

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Not listed.

15.2 Chemical Safety

**Assessment** 

: This product contains substances for which Chemical Safety Assessments are still

required.

## SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

vPvB = Very Persistent and Very Bioaccumulative

#### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification		Justification
Not classified.		
Full text of abbreviated H statements	H302	Harmful if swallowed.
Full text of classifications [CLP/GHS]	Acute Tox. 4, H302	ACUTE TOXICITY (oral) - Category 4

Date of printing

Date of issue/ Date of

revision

: 22-05-2015: 22-05-2015

Date of previous issue : No previous validation

Version : 1

### **Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.