SAFETY DATA SHEET



IJC224 / IJC244 Ink Tank Magenta CS2024 / CS2044

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : IJC224 / IJC244 Ink Tank Magenta CS2024 / CS2044

Article number : 29952205 / 29952211

Product code (Canon) : 8594A003AB / 8588A003AA

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Inkjet printing ink for for Océ CS2024/CS2044. Other uses are not recommended.

1.3 Details of the supplier of the safety data sheet

Supplier Océ-Technologies B.V.

Address St. Urbanusweg 43, 5914 CA Venlo, the Netherlands

Telephone number +31 77 359 2222 e-mail address : sds-hq@oce.com

1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number : United Kingdom: 111

Emergency telephone number

Telephone number : + 44 (0) 1235 239 670

Hours of operation : 24h

Information limitations: For chemical emergencies only.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

See Section 16 for the full text of the H statements declared above.

2.2 Label elements

Signal word : No signal word.

Hazard statements : No known significant effects or critical hazards.

Precautionary statements

Prevention: Not applicable.Response: Not applicable.Storage: Not applicable.Disposal: Not applicable.

Supplemental label: Safety data sheet available on request.

elements

2.3 Other hazards

Other hazards which do not result in classification : To the best of our knowledge, with due observance of the recommended exposure limits and of normal hygiene this product presents no health hazard in normal use.

Number: 284 Date of issue/Date of revision : 21-05-2015 Date of previous issue : 21-05-2015 Version : 2 1/9

SECTION 3: Composition/information on ingredients

3.2 Mixtures : Mixture

			Class	Classification		
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре	
Glycerin	EC: 200-289-5 CAS: 56-81-5	5 - 10	Not classified.	Not classified.	[2]	
Ethylene glycol	EC: 203-473-3 CAS: 107-21-1	1 - 5	Xn; R22	Acute Tox. 4, H302	[1] [2]	
Diethylene glycol	EC: 203-872-2 CAS: 111-46-6	1 - 5	Xn; R22	Acute Tox. 4, H302	[1] [2]	
Isopropyl alcohol	EC: 200-661-7 CAS: 67-63-0	1 - 5	F; R11 Xi; R36 R67	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 (Narcotic effects)	[1] [2]	
Poly(oxy-1, 2-ethanediyl), alpha, alpha'-(1,4-dimethyl-1, 4-bis(2-methylpropyl) -2-butyne-1,4-diyl)bis (omega-hydroxy-	EC: 500-022-5	1 - 5	Xi; R41	Èye Dam. 1, H318	[1]	
	CAS: 9014-85-1			See Section 16 for the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Get medical attention if irritation occurs.

Inhalation : Move exposed person to fresh air. Get medical attention if symptoms occur.

Skin contact : Flush contaminated skin with plenty of water. Get medical attention if symptoms

occur.

Ingestion : Wash out mouth with water. If material has been swallowed and the exposed

person is conscious, give small quantities of water to drink. Get medical attention if

symptoms occur.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Eye contact : May cause slight eye irritation.

Inhalation : No adverse effects are expected under intended use. Symptoms of overexposure

are dizziness, headache, tiredness, nausea, unconsciousness, cessation of

breathing.

Skin contact: May cause mild skin irritation. Non-sensitiser to skin.

Number: 284 Date of issue/Date of revision : 21-05-2015 Date of previous issue : 21-05-2015 Version : 2 2/9

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010 - United Kingdom (UK)

IJC224 / IJC244 Ink Tank Magenta CS2024 / CS2044

SECTION 4: First aid measures

Ingestion
 Ingestion may cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing

media

: In case of fire, use water spray (fog), foam, dry chemical or CO2.

Unsuitable extinguishing

media

: None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: No specific hazard.

carbon monoxide

Hazardous thermal decomposition products

 Decomposition products may include the following materials: carbon dioxide

5.3 Advice for firefighters

Special protective actions

for fire-fighters

: Not available.

Special protective equipment for fire-fighters

: No special protection is required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

: Avoid contact with eyes, skin and clothing.

For emergency responders : If specialised clothing is required to deal with the spillage, take note of any

information in Section 8 on suitable and unsuitable materials. See also Section 8 for

additional information on hygiene measures.

6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

6.3 Methods and material for containment and cleaning up

Small spill

: Wipe off with wet cloth or paper. Dispose of according to all federal, state and local applicable regulations.

Large spill

: Stop leak if without risk. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other

sections

: See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

Number: 284 Date of issue/Date of revision : 21-05-2015 Date of previous issue : 21-05-2015 Version : 2 3/9

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures
Advice on general
occupational hygiene

- : Use only with adequate ventilation. Avoid contact with eyes, skin and clothing.
- : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry and cool area. Store in original container, protected from direct sunlight. Keep away from heat, sparks and flame. Keep out of the reach of children. Keep away from sources of ignition.

7.3 Specific end use(s)

For professional users only.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
Glycerin	EH40/2005 WELs (United Kingdom (UK), 12/2011).
	TWA: 10 mg/m ³ 8 hours. Form: Mist
Ethylene glycol	EH40/2005 WELs (United Kingdom (UK), 12/2011). Absorbed
	through skin.
	TWA: 10 mg/m ³ 8 hours. Form: Particulate
	STEL: 104 mg/m³ 15 minutes. Form: Vapour
	TWA: 52 mg/m ³ 8 hours. Form: Vapour
	STEL: 40 ppm 15 minutes. Form: Vapour
	TWA: 20 ppm 8 hours. Form: Vapour
Diethylene glycol	EH40/2005 WELs (United Kingdom (UK), 12/2011).
,	TWA: 101 mg/m³ 8 hours.
	TWA: 23 ppm 8 hours.
Isopropyl alcohol	EH40/2005 WELs (United Kingdom (UK), 12/2011).
	STEL: 1250 mg/m³ 15 minutes.
	STEL: 500 ppm 15 minutes.
	TWA: 999 mg/m ³ 8 hours.
	TWA: 400 ppm 8 hours.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available

8.2 Exposure controls

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures: Wash hands after handling compounds and before eating, smoking and using the

lavatory and at the end of the day.

Eye/face protection: Not required during normal intended use of this product.

Skin protection

Hand protection
 Body protection
 Not required during normal intended use of this product.
 Other skin protection
 Not required during normal intended use of this product.
 Not required during normal intended use of this product.

Number: 284 Date of issue/Date of revision : 21-05-2015 Date of previous issue : 21-05-2015 Version : 2 4/9

SECTION 8: Exposure controls/personal protection

Respiratory protection

: Not required during normal intended use of this product.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Liquid. Colour : Magenta Odour Slight

Not available. **Odour threshold**

pН : 8 to 9

Melting point/freezing point : Not available. Initial boiling point and : Not available.

boiling range

: Closed cup: 57 to 59°C [Product does not sustain combustion.] Flash point

Evaporation rate : Not available. Flammability (solid, gas) Not available. Upper/lower flammability or : Not available.

explosive limits

: Not available. Vapour pressure Vapour density Not available. 1.0 - 1.1 **Relative density**

Solubility(ies) : The product is soluble in water.

Partition coefficient: n-octanol/ : Not available.

water

Auto-ignition temperature Not available. **Decomposition temperature** Not available.

Viscosity : Dynamic (room temperature): 1 to 5 mPa·s

Explosive properties : None (Estimate) **Oxidising properties** : None (Estimate)

9.2 Other information

hazardous reactions

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability The product is stable.

10.3 Possibility of : Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : No specific data.

: Acids, bases, oxidizing materials and reducing agents. 10.5 Incompatible materials

10.6 Hazardous : Carbon dioxide (CO₂).

decomposition products Carbon monoxide. Ammonia.

284 Date of issue/Date of revision Number: : 21-05-2015 Date of previous issue : 21-05-2015 Version : 2 5/9

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Glycerin	LC50 Inhalation Dusts and	Rat	>20 mg/l	4 hours
	mists			
-	LD50 Dermal	Rabbit	>10000 mg/kg	-
-	LD50 Oral	Rat	12600 mg/kg	-
Ethylene glycol	LD50 Oral	Rat	4700 mg/kg	-
Isopropyl alcohol	LC50 Inhalation Gas.	Rat	16000 ppm	8 hours
-	LC50 Inhalation Vapour	Rat	72,6 mg/l	4 hours
-	LD50 Dermal	Rabbit	12800 mg/kg	-
-	LD50 Oral	Rat	5000 mg/kg	-

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Irritation/Corrosion

Conclusion/Summary

Skin : Estimated. Mild irritant (rabbit). OECD No.404, Method B4 **Eyes** : Estimated. Minimal irritant (rabbit). OECD No.405, Method B5

Sensitisation

Product/ingredient name	Route of exposure	Species	Result
Glycerin	skin	Human	Not sensitizing

Conclusion/Summary

Skin : Estimated. Non sensitiser on guinea pig (OECD 406, method B6).

Mutagenicity

Product/ingredient name	Test	Experiment	Result
Glycerin	-	Experiment: In vitro Subject: Bacteria	Negative
Isopropyl alcohol	476 In vitro Mammalian Cell Gene Mutation Test	Experiment: In vitro	Negative
-	471 Bacterial Reverse Mutation Test	Subject: Mammalian-Animal Subject: Bacteria	Negative

Conclusion/Summary

: Ames test: Negative (S. typhimurium & E. coli) Chromosome aberration test: Negative (Human peripheral blood lymphocytes)

Carcinogenicity

Product/ingredient name	Result	Species	Dose	Exposure
Glycerin	Negative - Oral - TC	Rat	-	-
Isopropyl alcohol	Negative - Inhalation - TCLo	Rat	>5000 ppm	-

Conclusion/Summary

: No known significant effects or critical hazards.

Reproductive toxicity

Product/ingredient name	Maternal toxicity	Fertility	Developmental toxin	Species	Dose	Exposure
Glycerin	Negative	Negative	Negative		Oral: 2000 mg/ kg	7 days per week

: No known significant effects or critical hazards. **Conclusion/Summary**

: Not available.

Information on the likely routes of exposure

Other information : Not available.

Number: 284 Date of issue/Date of revision : 21-05-2015 Date of previous issue : 21-05-2015 Version : 2 6/9

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Glycerin	Acute EC50 250 mg/l	Algae	72 hours
-	Acute EC50 250 mg/l	Daphnia	48 hours
-	Acute LC50 54000 mg/l	Fish	96 hours
Ethylene glycol	Acute LC50 41000000 μg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
-	Acute LC50 8050000 µg/l Fresh water	Fish - Pimephales promelas	96 hours
Diethylene glycol	Acute LC50 32000 ppm Fresh water	Fish - Gambusia affinis - Adult	96 hours
Isopropyl alcohol	Acute EC50 >10000 mg/l	Daphnia	24 hours
-	Acute LC50 9640 mg/l	Fish	96 hours
- -	Acute LC50 4200 mg/l Fresh water Chronic NOEC 30 mg/l	Fish - Rasbora heteromorpha Daphnia	96 hours 21 days

12.2 Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Glycerin	-	-	Readily
Isopropyl alcohol	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Glycerin	-1,76	3	low
Ethylene glycol	-1,36	-	low
Diethylene glycol	-1,98	100	low
Isopropyl alcohol	0,05	1	low

12.4 Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable. **vPvB** Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal

: Dispose of according to all federal, state and local applicable regulations.

Hazardous waste

Within the present knowledge of the supplier, this product is not regarded as

hazardous waste, as defined by EU Directive 91/689/EEC.

European waste catalogue (EWC)

Waste code	Waste designation
08 03 13	waste ink other than those mentioned in 08 03 12

Packaging

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

284 Date of issue/Date of revision Number: : 21-05-2015 Date of previous issue : 21-05-2015 Version : 2 7/9

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010 -United Kingdom (UK)

IJC224 / IJC244 Ink Tank Magenta CS2024 / CS2044

SECTION 13: Disposal considerations

Type of packaging		European waste catalogue (EWC)	
Ink tanks.	15 01 02	plastic packaging.	

Special precautions

: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1-14.5

This product is not regulated for carriage according to ADR/RID, ADN, IMDG,

ICAO/IATA.

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in

the event of an accident or spillage.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable.

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Other EU regulations

Europe inventory : All components are listed or exempted.

Regulation (EC) No. 648/2004, Not applicable. on Detergents, Annex VII

Seveso Directive

This product is not controlled under the Seveso Directive.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Inform Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

15.2 Chemical Safety **Assessment**

: This product contains substances for which Chemical Safety Assessments are still required.

Number: 284 Date of issue/Date of revision : 21-05-2015 Date of previous issue : 21-05-2015 Version : 2 8/9

SECTION 15: Regulatory information

12/2/2000]

DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification		Justification
Not classified.		
Full text of abbreviated H statements	H225 H302 H318 H319 H336 H412	Highly flammable liquid and vapour. Harmful if swallowed. Causes serious eye damage. Causes serious eye irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
Full text of classifications [CLP/GHS]	Acute Tox. 4, H302 Aquatic Chronic 3, H412 Eye Dam. 1, H318 Eye Irrit. 2, H319 Flam. Liq. 2, H225 STOT SE 3, H336	ACUTE TOXICITY (oral) - Category 4 LONG-TERM AQUATIC HAZARD - Category 3 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2 FLAMMABLE LIQUIDS - Category 2 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Narcotic effects) - Category 3
Date of printing	: 21-05-2015	

Date of printing

Date of issue/ Date of

revision

: 21-05-2015

Date of previous issue : 21-05-2015

Version : 2

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.