according to Regulation (EC) No. 1907/2006

# **KLEENEX®** Gel Hand Sanitizer

Version Revision Date: MSDS Number: Date of last issue: 06.03.2017
1.4 15.03.2017 100000002838 Date of first issue: 16.04.2015

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : KLEENEX® Gel Hand Sanitizer

Product code : 6380, 6381, 6382, 6383

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Biocidal product

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Kimberly-Clark Europe Limited

40 London Road

Reigate

Surrey RH2 9QP United Kingdom

Telephone : +44 1737 736000

Telefax : +44 1737 736670

E-mail address Responsi-

ble/issuing person

: sdscontact@kcc.com

## 1.4 Emergency telephone number

: +44 1865 407333

This telephone number is available 24 hours per day, 7 days

per week.

#### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2 H225: Highly flammable liquid and vapour.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Chronic aquatic toxicity, Category 3 H412: Harmful to aquatic life with long lasting ef-

fects.

## 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006

# **KLEENEX®** Gel Hand Sanitizer

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 06.03.2017

 1.4
 15.03.2017
 100000002838
 Date of first issue: 16.04.2015

Hazard pictograms :





Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

Chemical nature : Mixture

#### **Hazardous components**

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)			
Tetradecanol	112-72-1 204-000-3	Eye Irrit. 2; H319 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 1 - < 2.5			
Substances with a workplace exposure limit :						
Ethanol	64-17-5	Flam. Liq. 2; H225	>= 70 - < 90			

according to Regulation (EC) No. 1907/2006

# **KLEENEX®** Gel Hand Sanitizer

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 06.03.2017

 1.4
 15.03.2017
 100000002838
 Date of first issue: 16.04.2015

	200-578-6	Eye Irrit. 2; H319	
Glycerol	56-81-5		>= 1 - < 10
	200-289-5		

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice : No hazards which require special first aid measures.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : No hazards which require special first aid measures.

In case of skin contact : Not required under normal use.

In case of eye contact : If in eyes, rinse with water for 15 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Do NOT induce vomiting.

Consult a physician if necessary.

#### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye irritation.

# 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam

Dry chemical

Carbon dioxide (CO2)

Unsuitable extinguishing

media

Water spray jet

## 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Highly flammable liquid and vapour.

Hazardous combustion prod- :

ucts

Carbon monoxide, carbon dioxide and unburned hydrocar-

bons (smoke).

#### 5.3 Advice for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

according to Regulation (EC) No. 1907/2006

# **KLEENEX®** Gel Hand Sanitizer

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 06.03.2017

 1.4
 15.03.2017
 100000002838
 Date of first issue: 16.04.2015

for firefighters

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Further information : Standard procedure for chemical fires.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Ensure adequate ventilation.

Remove all sources of ignition.

6.2 Environmental precautions

Environmental precautions : Do not allow uncontrolled discharge of product into the envi-

ronment.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust). Shovel into suitable container for disposal.

## 6.4 Reference to other sections

For personal protection see section 8.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling : No special precautions required.

Advice on protection against :

fire and explosion

Take necessary action to avoid static electricity discharge

(which might cause ignition of organic vapours).

Hygiene measures : General industrial hygiene practice.

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

: Keep containers tightly closed in a cool, well-ventilated place.

7.3 Specific end use(s)

Specific use(s) : Biocidal product

according to Regulation (EC) No. 1907/2006

# **KLEENEX®** Gel Hand Sanitizer

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 06.03.2017

 1.4
 15.03.2017
 100000002838
 Date of first issue: 16.04.2015

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

# **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
Ethanol	64-17-5	TWA	1,000 ppm 1,920 mg/m3	GB EH40	
Further information	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used				
Glycerol	56-81-5	TWA (Mist)	10 mg/m3	GB EH40	
Further information	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used				

# 8.2 Exposure controls

# Personal protective equipment

Eye protection : Not required under normal use.

Hand protection

Remarks : not required under normal use

Skin and body protection : Not required under normal use.

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Protective measures : No special protective equipment required.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance : gel

Colour : colourless

Odour : alcohol-like

pH : 7.5 - 8.5

Melting point/range : < -20 °C

Boiling point/boiling range : 85 °C

Flash point : 14 °C

Upper explosion limit : 15 %(V)

Lower explosion limit : 3.5 %(V)

according to Regulation (EC) No. 1907/2006

# **KLEENEX®** Gel Hand Sanitizer

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 06.03.2017

 1.4
 15.03.2017
 100000002838
 Date of first issue: 16.04.2015

Density : 0.833 - 0.843 g/cm3

Solubility(ies)

Water solubility : partly miscible

Auto-ignition temperature : > 425 °C

Viscosity

Viscosity, dynamic : 250 mPa.s

9.2 Other information

No data available

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

Not classified as a reactivity hazard.

## 10.2 Chemical stability

Stable

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Keep away from oxidizing agents, and acidic or alkaline prod-

ucts.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

#### 10.6 Hazardous decomposition products

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

# **Acute toxicity**

Not classified based on available information.

# **Components:**

Tetradecanol:

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

**Ethanol:** 

Acute oral toxicity : LD50 (Rat, male and female): 10,470 mg/kg

Method: OECD Test Guideline 401

GLP: no

according to Regulation (EC) No. 1907/2006

# **KLEENEX®** Gel Hand Sanitizer

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 06.03.2017

 1.4
 15.03.2017
 100000002838
 Date of first issue: 16.04.2015

Acute inhalation toxicity : LC50 (Rat, male and female): 124.7 mg/l

Method: OECD Test Guideline 403

GLP: no

Glycerol:

Acute oral toxicity : LD50 Oral (Mouse, male): 23,000 mg/kg

Method: Acute toxicity estimate

GLP: no

Acute inhalation toxicity : LC50 (Rat, male): > 2.75 mg/l

Method: Acute toxicity estimate

GLP: no

Acute dermal toxicity : LD50 Dermal (Guinea pig, male and female): 56,750 mg/kg

Method: Acute toxicity estimate

GLP: no

#### Skin corrosion/irritation

Not classified based on available information.

**Product:** 

Result: No skin irritation

# **Components:**

#### Tetradecanol:

Result: No skin irritation

## **Ethanol:**

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

GLP: yes

# Glycerol:

Species: Rabbit

Method: No information available.

Result: No skin irritation

GLP: no

#### Serious eye damage/eye irritation

Causes serious eye irritation.

## **Product:**

Result: Irritating to eyes.

#### **Components:**

#### Tetradecanol:

Species: Rabbit

according to Regulation (EC) No. 1907/2006

# **KLEENEX®** Gel Hand Sanitizer

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 06.03.2017

 1.4
 15.03.2017
 100000002838
 Date of first issue: 16.04.2015

Result: Eye irritation

#### Ethanol:

Species: Rabbit

Method: OECD Test Guideline 405

Result: Eye irritation

GLP: no

# Glycerol:

Species: Rabbit

Assessment: No eye irritation Method: No information available.

Result: No eye irritation

GLP: no

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

## **Product:**

Remarks: Based on available data, the classification criteria are not met.

#### **Components:**

#### Tetradecanol:

Result: Did not cause sensitisation on laboratory animals.

#### **Ethanol:**

Species: Mouse

Assessment: Does not cause skin sensitisation.

Method: OECD Test Guideline 429

Result: Did not cause sensitisation on laboratory animals.

GLP: no

# Glycerol:

Test Type: Draize Test Exposure routes: Dermal

Species: Humans

Result: Does not cause skin sensitisation.

## Germ cell mutagenicity

Not classified based on available information.

#### **Components:**

## Glycerol:

according to Regulation (EC) No. 1907/2006

# **KLEENEX®** Gel Hand Sanitizer

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 06.03.2017

 1.4
 15.03.2017
 100000002838
 Date of first issue: 16.04.2015

Genotoxicity in vitro : Result: negative

## Carcinogenicity

Not classified based on available information.

#### **Components:**

#### Glycerol:

Species: Rat, (male and female)

Application Route: Oral Exposure time: 24 month(s) Frequency of Treatment: 1 daily

# Reproductive toxicity

Not classified based on available information.

#### **Components:**

#### Glycerol:

Effects on foetal develop-

ment

Test Type: Two-generation study Species: Rat, male and female

Application Route: Oral

Dose: 2000 milligram per kilogram Frequency of Treatment: 1 daily

# STOT - single exposure

Not classified based on available information.

## **Product:**

Remarks: Not applicable

## STOT - repeated exposure

Not classified based on available information.

## **Product:**

Remarks: Not applicable

### **Aspiration toxicity**

Not classified based on available information.

## **Product:**

No aspiration toxicity classification

# **SECTION 12: Ecological information**

# 12.1 Toxicity

## Components:

# Tetradecanol:

according to Regulation (EC) No. 1907/2006

# KLEENEX® Gel Hand Sanitizer

Version **Revision Date:** MSDS Number: Date of last issue: 06.03.2017 1.4 15.03.2017 100000002838 Date of first issue: 16.04.2015

Toxicity to fish LC50: 1 mg/l

Exposure time: 96 h

Remarks: Aquatic toxicity is unlikely due to low solubility.

Toxicity to daphnia and other : EC50: 3.2 mg/l

aquatic invertebrates

Exposure time: 48 h

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.0016 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

GLP: yes

**Ethanol:** 

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 14,200 mg/l

Exposure time: 96 h

Test Type: flow-through test

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae EC50 (Pseudokirchneriella subcapitata (green algae)): 275

mg/l

Exposure time: 72 h Test Type: static test

Glycerol:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l

Exposure time: 96 h Test Type: static test

Method: No information available.

GLP: no

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1,955 mg/l

Exposure time: 48 h Test Type: static test

Method: No information available.

GLP: no

#### 12.2 Persistence and degradability

**Components:** 

Glycerol:

Biodegradability : Result: Readily biodegradable

according to Regulation (EC) No. 1907/2006

# **KLEENEX®** Gel Hand Sanitizer

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 06.03.2017

 1.4
 15.03.2017
 100000002838
 Date of first issue: 16.04.2015

## 12.3 Bioaccumulative potential

# **Components:**

Tetradecanol:

Partition coefficient: n-

octanol/water

: log Pow: 5.5

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

#### 12.6 Other adverse effects

No data available

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.

Do not re-use empty containers.

# **SECTION 14: Transport information**

#### 14.1 UN number

 ADR
 : UN 1987

 IMDG
 : UN 1987

 IATA
 : UN 1987

# 14.2 UN proper shipping name

ADR : ALCOHOLS, N.O.S.

(Ethanol)

IMDG : ALCOHOLS, N.O.S.

(Ethanol)

IATA : Alcohols, n.o.s.

(Ethanol)

# 14.3 Transport hazard class(es)

**ADR** : 3

according to Regulation (EC) No. 1907/2006

# **KLEENEX®** Gel Hand Sanitizer

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 06.03.2017

 1.4
 15.03.2017
 100000002838
 Date of first issue: 16.04.2015

IMDG : 3
IATA : 3

#### 14.4 Packing group

**ADR** 

Packing group : II
Classification Code : F1
Hazard Identification Number : 33
Labels : 3
Tunnel restriction code : (D/E)

**IMDG** 

Packing group : II
Labels : 3
EmS Code : F-E, S-D

**IATA** 

Packing instruction (cargo

aircraft)

Packing instruction (LQ) : Y341
Packing group : II

Labels : Flammable Liquids

: 364

#### 14.5 Environmental hazards

**ADR** 

Environmentally hazardous : no

**IMDG** 

Marine pollutant : no

# 14.6 Special precautions for user

Not applicable

#### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P5c FLAMMABLE LIQUIDS 5,000 t 25,000 t

Petroleum products: (a) 2,500 t 25,000 t 25,

heating oils and gas oil blending streams),(d) heavy fuel oils

12 / 14

according to Regulation (EC) No. 1907/2006

# KLEENEX® Gel Hand Sanitizer

Version **Revision Date:** MSDS Number: Date of last issue: 06.03.2017 1.4 15.03.2017 100000002838 Date of first issue: 16.04.2015

Volatile organic compounds Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

Volatile organic compounds (VOC) content: 80.8 %, 825.61 g/l

Volatile CMR compounds: 0 %

Remarks: VOC content excluding water

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)

Volatile organic compounds (VOC) content: 80.8 %, 681.18 g/l

Volatile CMR compounds: 0 %

Remarks: VOC content valid only for coating materials used

on wood surfaces

# The components of this product are reported in the following inventories:

**REACH** This mixture contains only ingredients which have been sub-

ject to a pre-registration according to Regulation (EC) No.

1907/2006 (REACH).

**CH INV** This polymer contains monomers listed on the Swiss Invento-

ry.

### 15.2 Chemical safety assessment

No information available.

## **SECTION 16: Other information**

## **Full text of H-Statements**

Highly flammable liquid and vapour. H225 Causes serious eye irritation. H319 H400

Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Aquatic Acute Acute aquatic toxicity Aquatic Chronic Chronic aquatic toxicity

Eye Irrit. Eye irritation Flam. Lia. Flammable liquids

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x\% response: ELx - Loading rate associated with x\% response: EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical

according to Regulation (EC) No. 1907/2006

# **KLEENEX®** Gel Hand Sanitizer

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 06.03.2017

 1.4
 15.03.2017
 100000002838
 Date of first issue: 16.04.2015

Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet: TCSI - Taiwan Chemical Substance Inventory: TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN