

Issuing date : 14-Nov-2002
 Revision date : 28-Feb-2017

SDS # : ICW 0804 R - 02 EU EN
 Version : 05

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product name Canon Ink Tank BCI-15 Color
Product Code(s) 8191A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use Ink for Ink Jet Printer

1.3. Details of the supplier of the safety data sheet

Supplier

Importer
 Canon Europa N.V.
 Bovenkerkerweg 59, 1185XB Amstelveen, The Netherlands
 +31 20 5458545, +31 20 5458222
 www.canon-europe.com, ceu-Reach@canon-europe.com

Manufacturer

Canon Inc.
 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

1.4. Emergency Telephone Number

Austria	+43 (0) 1 406 43 43	Belgium	+32 (0) 70 245 245
Bulgaria	112	Croatia	+385 (0)1-23-48-342
Cyprus	1401	Czech Republic	+420 224919293
Denmark	+45 82 12 12 12 [^{*1}]	Estonia	16662
Finland	+358 (0)9 471977	France	+33 (0)1 45 42 59 59
Greece	+30 210 7793777	Hungary	+36 80 20 11 99
Italy	+39 (0)55 7947819	Latvia	+371 67042473
Lithuania	+370 687 53378	Luxembourg	112
Malta	112	Netherlands	+31 (0)30-2748888 [^{*2}]
Poland	112	Portugal	+351 808 250 143
Romania	+40 21 318 36 06	Slovakia	+421 2 5477 4166
Slovenia	112	Spain	112
Sweden	112 [^{*3}]	United Kingdom	111 (UK only)
Iceland	112	Liechtenstein	145
Norway	+47 22 59 13 00	Switzerland	145

*1 Kontakt Gifflinien på tlf.nr.: 82 12 12 12 (åbent 24 timer i døgnet). Se punkt 4 om førstehjælp.

*2 Only for the purpose of informing medical personnel in cases of acute intoxications.

*3 Ask for Poison Information

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008
 Not classified

2.2. Label Elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms

Not required

Signal word

Not required

Hazard statements

Not required

Precautionary statements

Not required

Other Information

Contains 1,2-benzisothiazol-3(2H)-one.

May produce an allergic reaction.

Contains less than 30% of components with unknown hazards to the aquatic environment.

2.3. Other Hazards

None

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS-No	EC-No	REACH registration number	Weight %	Classification (Reg. 1272/2008)	Note to Other Hazards
Glycerin	56-81-5	200-289-5	None	5 - 10	None	
Ethylene glycol	107-21-1	203-473-3	None	1 - 10	Acute Tox. 4 (H302) STOT RE 2 (kidney) (H373)	(1)
2-Pyrrolidinone	616-45-5	210-483-1	None	1 - 10	Eye Irrit. 2 (H319)	
Diethylene glycol	111-46-6	203-872-2	None	1 - 5	Acute Tox. 4 (H302) STOT RE 2 (kidney) (H373)	
Isopropyl alcohol	67-63-0	200-661-7	None	1 - 5	Flam. Liq. 2 (H225) STOT SE 3 (H336) Eye Irrit. 2 (H319)	
Copper, [29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32]-, aminosulfonyl sulfo derivs., sodium salts	90295-11-7	291-001-7	None	1 - 5	Eye Dam. 1 (H318)	
Quinoline derivative	CBI	CBI	None	1 - 5	Eye Irrit. 2 (H319)	
Triazine derivative	CBI	CBI	None	1 - 5	Eye Irrit. 2 (H319) Aquatic Chronic 3 (H412)	
Ammonia derivative	CBI	CBI	CBI	5 - 15	None	
1,2-benzisothiazol-3(2H)-one	2634-33-5	220-120-9	None	< 0.05	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400)	
Water	7732-18-5	231-791-2	None	60 - 80	None	

Full texts of Hazard statement(s) are listed in SECTION 16

Note to Other Hazards : The following substance(s) is (are) marked with (1), (2) and/or (3)

- (1) Substance for which EU Occupational Exposure Limit(s) is (are) established (See SECTION 8)
- (2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006
- (3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move to fresh air. Get medical attention immediately if symptoms occur.
Ingestion	Rinse mouth. Drink 1 or 2 glasses of water. Get medical attention immediately if symptoms occur.
Skin Contact	Wash off immediately with soap and plenty of water. Get medical attention immediately if symptoms occur.
Eye Contact	Flush with plenty of water. Get medical attention immediately if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	None under normal use. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, cessation of breathing.
Ingestion	None under normal use. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Skin Contact	None under normal use.
Eye Contact	None under normal use. May cause slight irritation.
Chronic Effects	None under normal use.

4.3. Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media
Use CO₂, water, dry chemical, or foam.

Unsuitable extinguishing media
None

5.2. Special hazards arising from the substance or mixture

Special Hazard
None

Hazardous combustion products
Carbon dioxide (CO₂), Carbon monoxide (CO)

5.3. Advice for firefighters

Special protective equipment for fire-fighters
None

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

6.2. Environmental Precautions

Keep out of waterways.

6.3. Methods and material for containment and cleaning up

Wipe up with adsorbent material (e.g. cloth, fleece).

6.4. Reference to other sections

None

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin, eyes and clothing. Clean contaminated surface thoroughly. Use with adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from direct sunlight. Keep away from heat and sources of ignition.

7.3. Specific end uses

Ink for Ink Jet Printer. Obtain special instructions before use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	EU OEL	Austria	Belgium	Bulgaria	Cyprus
Glycerin 56-81-5	None	None	TWA: 10 mg/m ³	None	None
Ethylene glycol 107-21-1	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³	TWA: 10 ppm TWA: 26 mg/m ³ STEL: 20 ppm STEL: 52 mg/m ³	None	TWA: 52 mg/m ³ TWA: 20 ppm STEL: 40 ppm STEL: 104 mg/m ³	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³
Diethylene glycol 111-46-6	None	TWA: 10 ppm TWA: 44 mg/m ³ STEL: 40 ppm STEL: 176 mg/m ³	None	TWA: 10 mg/m ³	None
Isopropyl alcohol 67-63-0	None	TWA: 200 ppm TWA: 500 mg/m ³ STEL: 800 ppm STEL: 2000 mg/m ³	TWA: 200 ppm TWA: 500 mg/m ³ STEL: 400 ppm STEL: 1000 mg/m ³	TWA: 980.0 mg/m ³ STEL: 1225.0 mg/m ³	None
Copper, [29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32]-, aminosulfonyl sulfo derivs., sodium salts 90295-11-7	None	TWA: 1 mg/m ³ inhalable fraction STEL: 4 mg/m ³ inhalable fraction	None	None	None
Chemical name	Czech Republic	Denmark	Finland	France	Germany
Glycerin 56-81-5	TWA: 10 mg/m ³ Ceiling: 15 mg/m ³	None	TWA: 20 mg/m ³	TWA: 10 mg/m ³	DFG TWA: 200 mg/m ³ inhalable fraction Ceiling / Peak: 400 mg/m ³ inhalable fraction

Ethylene glycol 107-21-1	TWA: 50 mg/m ³ Ceiling: 100 mg/m ³	TWA: 10 ppm TWA: 26 mg/m ³ TWA: 10 mg/m ³	TWA: 20 ppm TWA: 50 mg/m ³ STEL: 40 ppm STEL: 100 mg/m ³	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³	TRGS TWA: 10 ppm TRGS TWA: 26 mg/m ³ DFG TWA: 10 ppm DFG TWA: 26 mg/m ³ Ceiling / Peak: 20 ppm Ceiling / Peak: 52 mg/m ³
Diethylene glycol 111-46-6	None	TWA: 2.5 ppm TWA: 11 mg/m ³	None	None	TRGS TWA: 10 ppm TRGS TWA: 44 mg/m ³ DFG TWA: 10 ppm DFG TWA: 44 mg/m ³ Ceiling / Peak: 40 ppm Ceiling / Peak: 176 mg/m ³
Isopropyl alcohol 67-63-0	TWA: 500 mg/m ³ Ceiling: 1000 mg/m ³	TWA: 200 ppm TWA: 490 mg/m ³	TWA: 200 ppm TWA: 500 mg/m ³ STEL: 250 ppm STEL: 620 mg/m ³	STEL: 400 ppm STEL: 980 mg/m ³	TRGS TWA: 200 ppm TRGS TWA: 500 mg/m ³ DFG TWA: 200 ppm DFG TWA: 500 mg/m ³ Ceiling / Peak: 400 ppm Ceiling / Peak: 1000 mg/m ³
Copper, [29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32]-, aminosulfonyl sulfo derivs., sodium salts 90295-11-7	None	None	TWA: 1 mg/m ³	None	None
Chemical name	Greece	Hungary	Ireland	Italy	Netherlands
Glycerin 56-81-5	TWA: 10 mg/m ³	None	TWA: 10 mg/m ³ mist STEL: 30 mg/m ³ mist	None	None
Ethylene glycol 107-21-1	None	TWA: 52 mg/m ³ STEL: 104 mg/m ³	TWA: 10 mg/m ³ particulate STEL: 40 ppm particulate	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³	TWA: 10 mg/m ³ STEL: 104 mg/m ³
Diethylene glycol 111-46-6	None	None	TWA: 23 ppm TWA: 100 mg/m ³ STEL: 69 ppm STEL: 300 mg/m ³	None	None
Isopropyl alcohol 67-63-0	TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³	TWA: 500 mg/m ³ STEL: 2000 mg/m ³	TWA: 200 ppm STEL: 400 ppm	None	None
Copper, [29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32]-, aminosulfonyl sulfo derivs., sodium salts 90295-11-7	None	STEL: 4 mg/m ³	None	None	None
Chemical name	Poland	Portugal	Romania	Slovakia	Spain
Glycerin 56-81-5	TWA: 10 mg/m ³ inhalable fraction	TWA: 10 mg/m ³ mist	None	None	TWA: 10 mg/m ³ mist
Ethylene glycol 107-21-1	TWA: 15 mg/m ³ STEL: 50 mg/m ³	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ Ceiling: 100 mg/m ³	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³	TWA: 20 ppm TWA: 52 mg/m ³	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³
Diethylene glycol 111-46-6	TWA: 10 mg/m ³ inhalable aerosol fraction	None	TWA: 115 ppm TWA: 500 mg/m ³ STEL: 184 ppm STEL: 800 mg/m ³	TWA: 10 ppm TWA: 44 mg/m ³	None
Isopropyl alcohol 67-63-0	TWA: 900 mg/m ³ STEL: 1200 mg/m ³	TWA: 200 ppm STEL: 400 ppm	TWA: 81 ppm TWA: 200 mg/m ³ STEL: 203 ppm STEL: 500 mg/m ³	TWA: 200 ppm TWA: 500 mg/m ³	TWA: 200 ppm TWA: 500 mg/m ³ STEL: 400 ppm STEL: 1000 mg/m ³
Chemical name	Sweden	United Kingdom	Norway	Switzerland	Turkey

Glycerin 56-81-5	None	TWA: 10 mg/m ³ mist	None	TWA: 50 mg/m ³ inhalable dust STEL: 100 mg/m ³ inhalable dust	None
Ethylene glycol 107-21-1	TLV: 10 ppm aerosol and vapor TLV: 25 mg/m ³ aerosol and vapor STEL: 20 ppm aerosol and vapor STEL: 50 mg/m ³ aerosol and vapor	TWA: 10 mg/m ³ particulates	TWA: 20 mg/m ³ dust TWA: 52 ppm total dust and vapor TWA: 52 mg/m ³ STEL: 52 mg/m ³ dust STEL: 20 ppm	TWA: 10 ppm TWA: 26 mg/m ³ STEL: 20 ppm STEL: 52 mg/m ³	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³
Diethylene glycol 111-46-6	TLV: 10 ppm TLV: 45 mg/m ³ STEL: 20 ppm STEL: 90 mg/m ³	TWA: 23 ppm TWA: 101 mg/m ³	None	TWA: 10 ppm TWA: 44 mg/m ³ STEL: 40 ppm STEL: 176 mg/m ³	None
Isopropyl alcohol 67-63-0	TLV: 150 ppm TLV: 350 mg/m ³ STEL: 250 ppm STEL: 600 mg/m ³	TWA: 400 ppm TWA: 999 mg/m ³ STEL: 500 ppm STEL: 1250 mg/m ³	TWA: 100 ppm TWA: 245 mg/m ³ STEL: 100 ppm STEL: 245 mg/m ³	TWA: 200 ppm TWA: 500 mg/m ³ STEL: 400 ppm STEL: 1000 mg/m ³	None

8.2. Exposure controls

Appropriate engineering controls None under normal use conditions.

Individual protection measures, such as personal protective equipment

Eye/face Protection	Not required under normal use.
Skin Protection	Not required under normal use.
Respiratory Protection	Not required under normal use.
Thermal hazards	Not Applicable

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Cyan, Magenta, Yellow ; Liquid
Odor	Slight odor
Odor threshold	No data available
pH	7 - 10
Melting/Freezing point (°C)	No data available
Boiling Point/Range (°C)	No data available
Flash Point (°C)	55 - 58 (Tag. Closed Cup. Combustion is not sustainable.) (Estimate)
Evaporation Rate	No data available
Flammability (solid, gas)	Not Applicable
Flammability Limits in Air	
Upper Flammability Limit	No data available
Lower Flammability Limit	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	1.0 - 1.1
Solubility(ies)	Water; miscible
Partition coefficient: n-octanol/water	No data available
Autoignition Temperature (°C)	No data available
Decomposition Temperature (°C)	No data available
Viscosity (mPa s)	1 - 5
Explosive properties	None; estimated
Oxidizing properties	None; estimated

9.2. Other Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

None

10.2. Chemical stability

Stable

10.3. Possibility of Hazardous Reactions

None

10.4. Conditions to Avoid

None

10.5. Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents.

10.6. Hazardous Decomposition Products

Carbon dioxide (CO₂), Carbon monoxide (CO), and/or Ammonia.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	Cyan and Magenta: LD50 > 2500 mg/kg (Ingestion) (Estimate) (OECD Guideline) Yellow: No data available
Skin corrosion/irritation	Cyan and Magenta: Mild irritant (Estimate) (OECD Guideline) Yellow: Mild irritant (OECD Guideline)
Serious eye damage/eye irritation	Cyan and Magenta: Minimal irritant (Estimate) (OECD Guideline) Yellow: Minimal irritant (OECD Guideline)
Sensitization	Cyan and Magenta: Non-sensitizer (Estimate) (OECD Guideline) Yellow: Non-sensitizer (OECD Guideline)
Germ cell mutagenicity	Ames test: All colors: Negative Magenta: Chromosome aberration test: Negative Cyan and Yellow: Chromosome aberration test: No data available
Carcinogenicity	No data available

Reproductive Toxicity	No data available
STOT - single exposure	No data available
STOT - repeated exposure	No data available
Aspiration hazard	No data available
Other Information	No data available

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity effects

Cyan and Yellow:

No data available

Magenta:

Fish, 96h LC50 > 100 mg/L, NOEC = 100 mg/L (Estimate) (OECD Guideline)

Crustaceans, 48h EC50 > 100 mg/L, NOEC = 100 mg/L (Estimate) (OECD Guideline)

Algae, ErC50 (0-72h) > 200 mg/L, EbC50 (72h) > 76 mg/L, NOEC = 12.5 mg/L (Estimate) (OECD Guideline)

NOEC: No Observed Effect Concentration

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of in accordance with local regulations.

SECTION 14: Transport information

<u>14.1. UN number</u>	None
<u>14.2. UN Proper Shipping Name</u>	None
<u>14.3. Transport Hazard Class</u>	None
<u>14.4. Packing Group</u>	None

- 14.5. Environmental Hazards** Not classified as environmentally hazardous under UN Model Regulations and marine pollutant under IMDG Code.
- 14.6. Special Precautions for users** IATA: Not regulated
- 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code** Not Applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

(EC) No 1907/2006 Authorisation	Not regulated
(EC) No 1907/2006 Restriction	Not regulated
(EC) No 1005/2009	Not regulated
(EC) No 850/2004	Not regulated
(EU) No 649/2012	Not regulated
Other Information	None

15.2. Chemical safety assessment

None

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3

H225 - Highly flammable liquid and vapor
H302 - Harmful if swallowed
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H319 - Causes serious eye irritation
H336 - May cause drowsiness or dizziness
H373 - May cause damage to organs through prolonged or repeated exposure
H400 - Very toxic to aquatic life
H412 - Harmful to aquatic life with long lasting effects

Key literature references and sources for data

- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EU) No 649/2012

Key or legend to abbreviations and acronyms used in the safety data sheet

- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- SVHC: Substances of Very High Concern
- EU OEL: Occupational exposure limits at Union level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and 2009/161/EU.
- TWA: Time Weighted Average
- STEL: Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- IATA: International Air Transport Association
- CBI: Confidential Business Information

Issuing date : 14-Nov-2002
Revision date : 28-Feb-2017
Revision Note Entirely revised

This safety data sheet (SDS) is supplied under (EC) No 1907/2006 Article 31-3.

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.