

SAFETY DATA SHEET

Ink Tank Cyan TCS500



A CANON COMPANY

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Ink Tank Cyan TCS500
Article number : 1060019426 / 1060035779 / 29953719 / 29953724
Product code (Canon) : 7518B011AA / 7518B015AA / 7518B001AA / 7518B005AA

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Inkjet printing ink.

1.3 Details of the supplier of the safety data sheet

Supplier : Océ-Technologies B.V.
Address : St. Urbanusweg 43, 5914 CA Venlo, the Netherlands
Telephone number : +31 77 359 2222
e-mail address : sds-hq@oce.com

1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number : United Kingdom: 111

Emergency telephone number

Telephone number : + 44 (0) 1235 239 670
Hours of operation : 24h
Information limitations : For chemical emergencies only.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

See Section 16 for the full text of the H statements declared above.

2.2 Label elements

Signal word : No signal word.
Hazard statements : No known significant effects or critical hazards.

Precautionary statements

Prevention : Not applicable.
Response : Not applicable.
Storage : Not applicable.
Disposal : Not applicable.
Supplemental label elements : Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. Safety data sheet available on request.

2.3 Other hazards

Other hazards which do not result in classification : None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures : Mixture

Product/ingredient name	Identifiers	%	Classification		Type
			67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	
2-pyrrolidone	EC: 210-483-1	≥5 - <10	Not classified.	Eye Irrit. 2, H319	[1]
DL-hexane-1,2-diol	CAS: 616-45-5 EC: 230-029-6 CAS: 6920-22-5	≥3 - <5	Xi; R36/37/38 See section 16 for the full text of the R-phrases declared above.	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 See Section 16 for the full text of the H statements declared above.	[1]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

- [1] Substance classified with a health or environmental hazard
 [2] Substance with a workplace exposure limit
 [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
 [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
 [5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Skin contact** : Flush contaminated skin with plenty of water.
- Ingestion** : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

4.3 Indication of any immediate medical attention and special treatment needed

- Notes to physician** : No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : In case of fire, use water spray (fog), foam, dry chemical or CO₂.

Unsuitable extinguishing media : Do not use water jet.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture : In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
nitrogen oxides

5.3 Advice for firefighters

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment (see Section 8).

For emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for additional information on hygiene measures.

6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

Small spill : Wipe up small spills with disposable towels and transfer to a sealable, appropriate container for disposal. Dispose of via a licensed waste disposal contractor.

Large spill : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

: See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- | | |
|---|---|
| Protective measures | : Put on appropriate personal protective equipment (see Section 8). |
| Advice on general occupational hygiene | : Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. |

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry and cool area. Keep container tightly closed and sealed until ready for use. Keep from freezing.

7.3 Specific end use(s)

For professional users only.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available

8.2 Exposure controls

- | | |
|---|---|
| Appropriate engineering controls | : No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. |
|---|---|

Individual protection measures

- | | |
|--|---|
| Hygiene measures | : Wash hands after handling compounds and before eating, smoking and using the lavatory and at the end of the day. Wash contaminated clothing before reusing. |
| Eye/face protection | : Recommended: safety glasses with side-shields |
| Skin protection | |
| Hand protection | : For prolonged or repeated handling, use the following type of gloves: neoprene or or nitrile gloves. Contaminated gloves should be replaced. |
| Body protection | : Not required during normal intended use of this product. |
| Other skin protection | : Not required during normal intended use of this product. |
| Respiratory protection | : Not required during normal intended use of this product. |
| Environmental exposure controls | : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

- | | |
|-------------------------------------|------------------|
| Physical state | : Liquid. |
| Colour | : Cyan |
| Odour | : Faint odour. |
| Odour threshold | : Not available. |
| pH | : 7 to 8.5 |
| Melting point/freezing point | : 0°C |

SECTION 9: Physical and chemical properties

Initial boiling point and boiling range	: not available
Flash point	: [Product does not sustain combustion.]
Evaporation rate	: Not determined.
Flammability (solid, gas)	: Not available.
Upper/lower flammability or explosive limits	: Not applicable.
Vapour pressure	: Not available.
Vapour density	: Not available.
Relative density	: No results available.
Solubility(ies)	: No results available.
Partition coefficient: n-octanol/ water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Not available.
Explosive properties	: Not available.
Oxidising properties	: Not available.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: None known.
10.5 Incompatible materials	: None known.
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Ink Tank Cyan TCS500	LD50 Oral	Rat	>2000 mg/kg	-
2-pyrrolidone	LD50 Oral	Rat	8000 mg/kg	-
DL-hexane-1,2-diol	LC50 Inhalation Dusts and mists	Rat	>7000 mg/m ³	4 hours
-	LD50 Oral	Rat	6166 mg/kg	-

Conclusion/Summary : No adverse effects are expected under intended use.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
2-pyrrolidone	Skin - Erythema/Eschar	Rabbit	0	4 hours	72 hours
-	Skin - Oedema	Rabbit	0	4 hours	72 hours

Conclusion/Summary

Skin : Slightly irritating to the skin. Not classified as a skin irritant. (OECD 404 Acute Dermal Irritation/Corrosion)

Ink Tank Cyan TCS500

SECTION 11: Toxicological information

Eyes : Non-irritating to the eyes. Not classified as an eye irritant. (OECD 405 Acute Eye Irritation/Corrosion)

Respiratory : If ink mist is inhaled, respiratory tract irritation may occur. No adverse chronic effects known.

Sensitisation

Conclusion/Summary

Skin : Non-sensitiser. Not classified as a dermal sensitiser. (OECD406 Skin Sensitization)

Mutagenicity

Conclusion/Summary : Not mutagenic in Ames test.

Carcinogenicity

Conclusion/Summary : Neither this product nor any of its components present above 0.1% are listed by IARC, NTP, or OSHA as known carcinogens.

Reproductive toxicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
DL-hexane-1,2-diol	3	Not applicable	Respiratory tract irritation

Information on the likely routes of exposure : Routes of entry anticipated: Oral, Dermal.

Other information : Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
2-pyrrolidone	Acute EC50 13210 µg/l Fresh water	Daphnia - Daphnia pulex - Neonate	48 hours

12.2 Persistence and degradability

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
2-pyrrolidone	-0,71	3,16	low

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.

European waste catalogue (EWC)

Waste code	Waste designation
08 03 13	waste ink other than those mentioned in 08 03 12

Packaging

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Type of packaging	European waste catalogue (EWC)
Polypropylene container with polyethylene bag inside	15 01 02 plastic packaging.

Special precautions : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1-14.5 : This product is not regulated for carriage according to ADR/RID, ADN, IMDG, ICAO/IATA.

14.6 Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

Other EU regulations

Europe inventory : Not determined.

Regulation (EC) No. 648/2004, on Detergents , Annex VII : Not applicable.

Ink Tank Cyan TCS500

SECTION 15: Regulatory information

Seveso Directive

This product is not controlled under the Seveso Directive.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Inform Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

15.2 Chemical Safety Assessment

: This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ATE = Acute Toxicity Estimate
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EUH statement = CLP-specific Hazard statement
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RRN = REACH Registration Number
vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification		Justification
Not classified.		
Full text of abbreviated H statements	H315 H319 H335	Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.
	Eye Irrit. 2, H319 Skin Irrit. 2, H315 STOT SE 3, H335	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2 SKIN CORROSION/IRRITATION - Category 2 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3

Date of printing : 28-05-2015

Date of issue/ Date of revision : 28-05-2015

Date of previous issue : 28-05-2015

Version : 3

Notice to reader

Ink Tank Cyan TCS500

SECTION 16: Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.