

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

	-
1.1. Product identifier	
Trade name or designation of the mixture	CN625Series
Registration number	-
Synonyms	None.
Issue date	08-Jun-2013
Version number	07
Revision date	18-Jan-2019
Supersedes date	06-May-2016
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
1.3. Details of the supplier of the	ne safety data sheet
	HP Production Company Limited
	Liffey Park Technology Campus
	Barnhall Road
	Leixlip, Co.Kildare
	Ireland
Telephone	01 6150000
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care	
Line	
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com
1.4 Emergency telephone number	+353 1 8379964

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended		
Contains:	2-pyrrolidone, Carbon black, Water	
Hazard pictograms	None.	
Signal word	None.	
Hazard statements	The mixture does not meet the criteria for classification.	
Precautionary statements		
Prevention	Not available.	
Response	Not available.	
Storage	Not available.	
Disposal	Not available.	
Supplemental label information	None.	

Complete toxicity data are not available for this specific formulation. Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water	70-80	7732-18-5 231-791-2	-	-	
Classification:	-				
2-pyrrolidone	<15	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;H319				
Carbon black	<5	1333-86-4 215-609-9	01-2119384822-32-XXXX	-	
Classification:	-				
emposition comments	This ink supply o	contains an aqueous ir	nk formulation.		
	Carbon black is	present only in a boun	d form in this preparation.		
ECTION 4: First aid m	neasures				
eneral information	Not available.				
I. Description of first aid m	neasures				
Inhalation	Move to fresh ai	r. If symptoms persist,	get medical attention.		
Skin contact		Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.			
Eye contact		Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for a least 15 minutes or until particles are removed. If irritation persists get medical attention.			
Ingestion	If ingestion of a l	arge amount does occ	cur, seek medical attention.		
2. Most important sympton d effects, both acute and layed	ns Not available.				
B. Indication of any mediate medical attention dispecial treatment needed					

SECTION 5: Firefighting measures

General fire hazards	Not available.
5.1. Extinguishing media	
Suitable extinguishing media	Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Not available.
Special fire fighting procedures	Not available.
Specific methods	None established.

SECTION 6: Accidental release measures

6.1. Personal precautions, protections For non-emergency personnel	ctive equipment and emergen Wear appropriate personal pro			
For emergency responders	Not available.			
6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.			
6.3. Methods and material for containment and cleaning up	Dike the spilled material, wher or diatomaceous earth, comm	•		
6.4. Reference to other sections	Not available.			
SECTION 7: Handling and	storage			
7.1. Precautions for safe handling	Avoid contact with skin, eyes a	and clothing.		
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep away from excessive heat or cold.			
7.3. Specific end use(s)	Not available.			
SECTION 8: Exposure cor	ntrols/personal protectio	n		
8.1. Control parameters				
Occupational exposure limits				
Ireland. Occupational Expos Components	ure Limits Type		Value	
Carbon black (CAS	STEL		7 mg/m3	
1333-86-4)	TWA		3.5 mg/m3	
Biological limit values	No biological exposure limits r	oted for the ingredie	•	
-	Not available.		in(3).	
Recommended monitoring procedures	Not available.			
Derived no effect levels (DNELs)				
Derived no effect levels (DNELs) Components	Туре	Route	Value	Form
		Route Dermal	Value 6 mg/kg bw/d	Form Systemic long term
Components	Туре		6 mg/kg bw/d 167 mg/kg bw/d	Systemic long term Systemic acute short term
Components	Туре	Dermal	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3	Systemic long term Systemic acute short term Systemic long term
Components	Туре	Dermal Dermal	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d	Systemic long term Systemic acute short term
Components	Туре	Dermal Dermal Inhalation	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d	Systemic long term Systemic acute short term Systemic long term Systemic long term Systemic acute short term
Components	Туре	Dermal Dermal Inhalation Oral	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d	Systemic long term Systemic acute short term Systemic long term Systemic long term Systemic acute short term Systemic acute short term
Components	Type Consumers	Dermal Dermal Inhalation Oral Oral	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d	Systemic long term Systemic acute short term Systemic long term Systemic long term Systemic acute short term Systemic acute short term Systemic long term
Components	Type Consumers	Dermal Dermal Inhalation Oral Oral Dermal	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3	Systemic long term Systemic acute short term Systemic long term Systemic long term Systemic acute short term Systemic acute short term Systemic long term Systemic long term
Components	Type Consumers Workers	Dermal Dermal Inhalation Oral Oral Dermal Dermal	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 1.75 mg/m3	Systemic long term Systemic acute short term Systemic long term Systemic long term Systemic acute short term Systemic acute short term Systemic long term Systemic long term Local long term
Components 2-pyrrolidone (CAS 616-45-5)	Type Consumers Workers) Consumers	Dermal Dermal Inhalation Oral Oral Dermal Inhalation	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 1.75 mg/m3 0.06 mg/m3	Systemic long term Systemic acute short term Systemic long term Systemic long term Systemic acute short term Systemic acute short term Systemic long term Local long term Systemic long term
Components 2-pyrrolidone (CAS 616-45-5)	Type Consumers Workers	Dermal Dermal Inhalation Oral Oral Dermal Dermal Inhalation Inhalation Inhalation Inhalation	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 1.75 mg/m3 0.06 mg/m3 2 mg/m3	Systemic long term Systemic acute short term Systemic long term Systemic acute short term Systemic acute short term Systemic long term Systemic long term Local long term Local long term
Components 2-pyrrolidone (CAS 616-45-5)	Type Consumers Workers) Consumers	Dermal Dermal Inhalation Oral Oral Dermal Dermal Inhalation Inhalation Inhalation	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 1.75 mg/m3 0.06 mg/m3	Systemic long term Systemic acute short term Systemic long term Systemic long term Systemic acute short term Systemic acute short term Systemic long term Local long term Systemic long term
Components 2-pyrrolidone (CAS 616-45-5)	Type Consumers Workers) Consumers Workers	Dermal Dermal Inhalation Oral Oral Dermal Dermal Inhalation Inhalation Inhalation Inhalation	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 1.75 mg/m3 0.06 mg/m3 2 mg/m3	Systemic long term Systemic acute short term Systemic long term Systemic acute short term Systemic acute short term Systemic long term Systemic long term Local long term Local long term
Components 2-pyrrolidone (CAS 616-45-5) Carbon black (CAS 1333-86-4	Type Consumers Workers) Consumers Workers	Dermal Dermal Inhalation Oral Oral Dermal Dermal Inhalation Inhalation Inhalation Inhalation	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 1.75 mg/m3 0.06 mg/m3 2 mg/m3	Systemic long term Systemic acute short term Systemic long term Systemic acute short term Systemic acute short term Systemic long term Systemic long term Local long term Local long term
Components 2-pyrrolidone (CAS 616-45-5) Carbon black (CAS 1333-86-4 Predicted no effect concentratio	Type Consumers Workers) Consumers Workers	Dermal Dermal Inhalation Oral Oral Dermal Inhalation Inhalation Inhalation Inhalation Inhalation	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 1.75 mg/m3 0.06 mg/m3 2 mg/m3 1 mg/m3 1 mg/m3	Systemic long term Systemic acute short term Systemic long term Systemic acute short term Systemic acute short term Systemic long term Systemic long term Local long term Local long term Systemic long term Systemic long term
Components 2-pyrrolidone (CAS 616-45-5) Carbon black (CAS 1333-86-4 Predicted no effect concentration Components	Type Consumers Workers) Consumers Workers ms (PNECs) Type	Dermal Dermal Inhalation Oral Dermal Dermal Inhalation Inhalation Inhalation Inhalation	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 1.75 mg/m3 0.06 mg/m3 2 mg/m3 1 mg/m3 Value 0.5 mg/l 0.5 mg/l	Systemic long term Systemic acute short term Systemic long term Systemic acute short term Systemic acute short term Systemic long term Systemic long term Local long term Local long term Systemic long term Systemic long term
Components 2-pyrrolidone (CAS 616-45-5) Carbon black (CAS 1333-86-4 Predicted no effect concentration Components	Type Consumers Workers) Consumers Workers ms (PNECs) Type	Dermal Dermal Inhalation Oral Dermal Dermal Inhalation Inhalation Inhalation Inhalation Inhalation Freshwater	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 1.75 mg/m3 0.06 mg/m3 2 mg/m3 1 mg/m3 Value 0.5 mg/l 0.5 mg/l	Systemic long term Systemic acute short term Systemic long term Systemic long term Systemic acute short term Systemic long term Systemic long term Local long term Local long term Systemic long term Systemic long term Systemic long term
Components 2-pyrrolidone (CAS 616-45-5) Carbon black (CAS 1333-86-4 Predicted no effect concentration Components	Type Consumers Workers) Consumers Workers ms (PNECs) Type	Dermal Dermal Inhalation Oral Oral Dermal Inhalation Inhalation Inhalation Inhalation Inhalation Freshwater Intermittent	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 1.75 mg/m3 0.06 mg/m3 2 mg/m3 1 mg/m3 Value 0.5 mg/l 0.5 mg/l 0.05 mg/l 0.4205 mg/kg	Systemic long term Systemic acute short term Systemic long term Systemic long term Systemic acute short term Systemic long term Systemic long term Local long term Local long term Systemic long term Systemic long term Systemic long term
Components 2-pyrrolidone (CAS 616-45-5) Carbon black (CAS 1333-86-4 Predicted no effect concentration Components	Type Consumers Workers) Consumers Workers ms (PNECs) Type	Dermal Dermal Inhalation Oral Oral Dermal Inhalation Inhalation Inhalation Inhalation Inhalation Freshwater Intermittent Marine water Sediment Soil	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 1.75 mg/m3 0.06 mg/m3 2 mg/m3 1 mg/m3 Value 0.5 mg/l 0.5 mg/l 0.4205 mg/kg 0.0612 mg/kg	Systemic long term Systemic acute short term Systemic long term Systemic long term Systemic acute short term Systemic long term Systemic long term Local long term Systemic long term Systemic long term Systemic long term Systemic long term Systemic long term Form
Components 2-pyrrolidone (CAS 616-45-5) Carbon black (CAS 1333-86-4 Predicted no effect concentratio Components 2-pyrrolidone (CAS 616-45-5)	Type Consumers Workers) Consumers workers ms (PNECs) Type Not applicable	Dermal Dermal Inhalation Oral Dermal Dermal Inhalation Inhalation Inhalation Inhalation Inhalation Freshwater Intermittent Marine water Sediment Soil STP	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 1.75 mg/m3 0.06 mg/m3 2 mg/m3 1 mg/m3 Value 0.5 mg/l 0.5 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l	Systemic long term Systemic acute short term Systemic long term Systemic long term Systemic acute short term Systemic long term Systemic long term Local long term Local long term Systemic long term Systemic long term Systemic long term Releases
Components 2-pyrrolidone (CAS 616-45-5) Carbon black (CAS 1333-86-4 Predicted no effect concentration Components	Type Consumers Workers) Consumers workers ms (PNECs) Type Not applicable	Dermal Dermal Inhalation Oral Oral Dermal Inhalation Inhalation Inhalation Inhalation Inhalation Sreshwater Intermittent Marine water Sediment Soil STP Freshwater	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 1.75 mg/m3 0.06 mg/m3 2 mg/m3 1 mg/m3 Value 0.5 mg/l 0.5 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l 5 mg/l	Systemic long term Systemic acute short term Systemic long term Systemic long term Systemic acute short term Systemic long term Systemic long term Local long term Systemic long term Systemic long term Systemic long term Systemic long term Systemic long term Form
Components 2-pyrrolidone (CAS 616-45-5) Carbon black (CAS 1333-86-4 Predicted no effect concentratio Components 2-pyrrolidone (CAS 616-45-5)	Type Consumers Workers) Consumers workers ms (PNECs) Type Not applicable	Dermal Dermal Inhalation Oral Dermal Dermal Inhalation Inhalation Inhalation Inhalation Inhalation Freshwater Intermittent Marine water Sediment Soil STP	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 1.75 mg/m3 0.06 mg/m3 2 mg/m3 1 mg/m3 Value 0.5 mg/l 0.5 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l 5 mg/l	Systemic long term Systemic acute short term Systemic long term Systemic long term Systemic acute short term Systemic long term Systemic long term Local long term Systemic long term Systemic long term Systemic long term Systemic long term Systemic long term Form Releases Freshwater
Components 2-pyrrolidone (CAS 616-45-5) Carbon black (CAS 1333-86-4 Predicted no effect concentratio Components 2-pyrrolidone (CAS 616-45-5) Carbon black (CAS 1333-86-4 Exposure guidelines	Type Consumers Workers) Consumers workers ms (PNECs) Type Not applicable	Dermal Dermal Inhalation Oral Oral Dermal Inhalation Inhalation Inhalation Inhalation Inhalation Sreshwater Intermittent Marine water Sediment Soil STP Freshwater Marine water	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 1.75 mg/m3 0.06 mg/m3 2 mg/m3 1 mg/m3 Value 0.5 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l 5 mg/l 5 mg/l	Systemic long term Systemic acute short term Systemic long term Systemic long term Systemic acute short term Systemic long term Systemic long term Local long term Systemic long term Systemic long term Systemic long term Systemic long term Systemic long term Form Releases Freshwater
Components 2-pyrrolidone (CAS 616-45-5) Carbon black (CAS 1333-86-4 Predicted no effect concentratio Components 2-pyrrolidone (CAS 616-45-5) Carbon black (CAS 1333-86-4	Type Consumers Workers) Consumers Workers ms (PNECs) Type Not applicable	Dermal Dermal Inhalation Oral Oral Dermal Inhalation Inhalation Inhalation Inhalation Inhalation Sreshwater Intermittent Marine water Sediment Soil STP Freshwater Marine water	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 1.75 mg/m3 0.06 mg/m3 2 mg/m3 1 mg/m3 Value 0.5 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l 5 mg/l 5 mg/l	Systemic long term Systemic acute short term Systemic long term Systemic long term Systemic acute short term Systemic long term Systemic long term Local long term Systemic long term Systemic long term Systemic long term Systemic long term Systemic long term Form Releases Freshwater
Components 2-pyrrolidone (CAS 616-45-5) Carbon black (CAS 1333-86-4 Predicted no effect concentratio Components 2-pyrrolidone (CAS 616-45-5) Carbon black (CAS 1333-86-4 Exposure guidelines	Type Consumers Workers) Consumers Workers ms (PNECs) Type Not applicable	Dermal Dermal Inhalation Oral Oral Dermal Inhalation Inhalation Inhalation Inhalation Inhalation Sreshwater Intermittent Marine water Sediment Soil STP Freshwater Marine water	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3 1.75 mg/m3 0.06 mg/m3 2 mg/m3 1 mg/m3 Value 0.5 mg/l 0.4205 mg/kg 0.0612 mg/kg 10 mg/l 5 mg/l 5 mg/l	Systemic long term Systemic acute short term Systemic long term Systemic long term Systemic acute short term Systemic long term Systemic long term Local long term Systemic long term Systemic long term Systemic long term Systemic long term Systemic long term Form Releases Freshwater

Individual protection measures, such as personal protective equipment

General information	Use personal protective equipment to minimize exposure to skin and eye.
Eye/face protection	Not available.
Skin protection	
- Hand protection	Not available.
- Other	Not available.
Respiratory protection	Not available.
Thermal hazards	Not available.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Not available.
Color	Black.
Odor	Not available.
Odor threshold	Not available.
рН	7.5 - 9
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	> 230.0 °F (> 110.0 °C) Pensky-Martens Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidizing properties	Not determined
9.2. Other information	
VOC	< 130.2 g/L

SECTION 10: Stability and reactivity

	10.1. Reactivity	Not available.
	10.2. Chemical stability	Stable under recommended storage conditions.
	10.3. Possibility of hazardous reactions	Will not occur.
	10.4. Conditions to avoid	Not available.
	10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
	10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicologic	cal information		
General information	Not available.		
Information on likely routes of	exposure		
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation haz		
Skin contact	Contact with skin may result in mild irritation.		
Eye contact	Contact with eyes may result in mild irritation.		
Ingestion	Health injuries are not known or expected under normal use.		
Symptoms	Not available.		
11.1. Information on toxicologic	cal effects		
Acute toxicity	Based on available data, the classification criteria are not met.		
Components	Species Test Results		
2-pyrrolidone (CAS 616-45-5)			
Acute			
Oral			
LD50	Rat > 5000 mg/kg		
Carbon black (CAS 1333-86-4)			
<u>Acute</u>			
Oral			
LD50	Rat > 10000 mg/kg		
Skin corrosion/irritation	Based on available data, the classification criteria are not met.		
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met. Not classified as an irritant according to, OECD 405.		
Respiratory sensitization	Based on available data, the classification criteria are not met.		
Skin sensitization	Based on available data, the classification criteria are not met.		
Germ cell mutagenicity	Based on available data, the classification criteria are not met.		
Carcinogenicity	Based on available data, the classification criteria are not met.		
	Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Gro 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, be organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only i bound form in this preparation.		
IARC Monographs. Overall	Evaluation of Carcinogenicity		
Carbon black (CAS 1333	3-86-4) 2B Possibly carcinogenic to humans.		
Reproductive toxicity	Based on available data, the classification criteria are not met.		
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.		
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.		
Aspiration hazard	Based on available data, the classification criteria are not met.		
Mixture versus substance information	Not available.		
Other information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.		
SECTION 12: Ecological	information		
12.1. Toxicity			
Aquatic toxicity	This product has not been tested for ecological effects.		
Componente			

Components		Species	Test Results
2-pyrrolidone (CAS 616-45-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
12.2. Persistence and degradability	Not available.		
12.3. Bioaccumulative potential	Not available.		

Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone	-0.85
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	Not available.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Do not dispose of together with general office waste. Ensure collection and disposal with an appropriately licensed waste contractor.
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Further information

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed.
Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II
Not listed. Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended
Not listed.
Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.
Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.
Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.
Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.
Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry
Not listed.
Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA
Not listed.
Authorizations
Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization
Not listed.
Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended			
Not listed. Directive 2004/37/EC: on th work	e protection of workers from the risks related to exposure to carcinogens and mutagens at		
Not regulated.			
Other EU regulations			
Directive 2012/18/EU on ma	ijor accident hazards involving dangerous substances, as amended		
Not listed.			
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.		
Other information	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).		
National regulations	Not available.		
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.		
SECTION 16: Other inform	mation		
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).		
	Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.		
	Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).		
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.		
Full text of any H-statements not written out in full under Sections 2 to 15	H319 Causes serious eye irritation.		
Revision information	None.		
Training information	Follow training instructions when handling this material.		
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.		
	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.		

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds

Safe Use of Mixture Information (SUMI)

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3, where upplicable, completes an extended product 3D3.	
Operational conditions		
Maximum duration	Up to 8 hours per day	
Frequency of exposure	< 240 days per year	
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions	
	followed.	
Risk management measures		
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.	
related to Personal Protection		
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.	
Equipment, hygiene and	Wear appropriate chemical resistent clothing.	
health evaluation	In case of inadequate ventilation wear respiratory protection.	
	Eye wash fountain and emergency showers are recommended.	
	Avoid breathing mist/vapours.	
	Avoid contact with skin, eyes and clothing.	
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.	
Good practice advice		
Use personal protective equipme	ent as required.	
Wash hands before breaks and a	after work.	
Keep good industrial hygiene and	d safety practice.	
Use only with adequate ventilati		
Do no eat, drink or smoke when		
Wash contaminated clothing be		
Store at room temperature.		
Environmental measures		
	in intercourse/unitercourselies	
Do not allow this material to dra		
-	ding to Local, State, Federal and Provincial Environmental Regulations.	
	ith appropriately licenced waste contractor.	
Use descriptors		
IS-Use at industrial sites		
PW-Widespread use by profession	onal workers	
SU7-Printing and reproduction n	nedia	
PC18-Inks and Toners		
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.	
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions	
condition PROC8a-Transfer of substance o	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment r mixture (charging and discharging) at non-dedicated facilities r mixture (charging and discharging) at dedicated facilities	
ERC5-Use at industrial site leading		
	io inclusion into/onto article (indoor)	
Additional information on prod		
In section 2 of the SDS as well as on the label, the classification of the mixture is provided.		
Most of the water based inks are "not classified".		
The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.		
All ingredients contributing to the classification are stated in Section 3 of the SDS.		
	nts on which the exposure assessment is based, are listed in section 8 of the SDS.	
	zing ingredients that may cause allergic reaction to certain people.	
Section 2 of the SDS states these		
I	WB01 English.pdf	