

# SAFETY DATA SHEET

This Safety Data Sheet (SDS) was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 (in particular as amended by Commission Regulation (EU) 2020/878 with respect to SDSs) and Regulation (EC) No. 1272/2008 (CLP)

Issuing 13-Jun-2023 Revision date 13-Jun-2023 Revision Number 1

Date:

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identifier C-20152836-001\_PGP\_CLPR7\_EUR\_SAW

Product Name Fairy Professional Platinum

Product Form Mixture
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use
Uses advised against
Main user category

Restricted to professional users
No information available
SU 22 - Professional uses

Product category Hand Dish

Use category PC35 - Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Supplier

Manufacturer

Procter & Gamble UK Brooklands PGP,

Procter & Gamble London Plant

Weybridge, Surrey, KT13 0XP, UK Tel: 01932 896000 Fax: 01932 896200

Hedley Avenue, West Thurrock, Grays, Essex RM20 4AL

Tel: +44 (0)1375 395000

P&G DCE bvba/sprl-Belgium Dist. Div., Temselaan 100, B-1853 Strombeek-Bever,

Belgium (IE) 180**0:535:1:1**9

For further information, please contact

E-mail address customerservice@pgprof.com

1.4. Emergency telephone number

**Emergency Telephone** 

(UK) Emergency Tel: 0800 328 8304 (IRL) Emergency Tel: 1800 509 497

(IRL) Poisons information: for information or to report a poisoning incident contact The National Poisons Information Centre 01 8092166 (8.00 a.m. to 10.00 p.m. 7 days a week)

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Serious eye damage/eye irritation	Category 2 - (H319)
Chronic aquatic toxicity	Category 3 - (H412)

#### 2.2. Label elements



Signal word Warning

#### **Hazard statements**

H319 - Causes serious eye irritation

H412 - Harmful to aquatic life with long lasting effects

### Precautionary Statements - EU (§28, 1272/2008)

P102 - Keep out of reach of children

P305 + P351 - IF IN EYES: Rinse cautiously with water for several minutes

P501 - Dispose of contents/container to an appropriate local waste system

#### 2.3. Other hazards

No information available

**Endocrine Disruptor Information** 

There are no substances contained at or above the regulated value for declaration of >0.1% that fall under the definition of confirmed endocrine disruptors of any EU regulation.

# SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

3.2 Mixtures

3.2 Mixtures								
Chemical name	CAS No	Weight-%	REACH	EC No	Classification	Specific	M-Factor	M-Factor
			registration		according to	concentration		(long-term)
			number		Regulation	limit (SCL)		
					(EC) No.	, ,		
					1272/2008			
					[CLP]			
Sodium Laureth	68585-34-2	20 - 30	No data	500-223-8	Acute Tox. 4	-	-	-
Sulfate			available		(Oral) (H302)			
					Aquatic			
					Chronic 3			
					(H412)			
					Eye Dam. 1			
					(H318)			
					Skin Irrit. 2			
					(H315)			
Lauramine Oxide	308062-28-4	5 - 10	01-21194900	931-292-6	Acute Tox. 4	-	-	-
			61-47		(Oral) (H302)			
					Aquatic Acute			
					1 (H400)			
					Aquatic			
					Chronic 2			
					(H411)			
					Eye Dam. 1			
					(H318)			
					Skin Irrit. 2			
					(H315)			
Alcohol	64-17-5	1 - 5	01-21194576	200-578-6	Eye Irrit. 2	Eye Irrit. 2 ::	-	-
			10-43		(H319)	50%<=C<10		
					Flam. Liq. 2	0%		
					(H225)			

### Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate
No information available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59).

# **SECTION 4: First aid measures**

4.1. Description of first aid measures

**General advice** Show this safety data sheet to the doctor in attendance.

**Inhalation** IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

(Call a physician if symptoms occur).

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor. IF ON SKIN: Wash with plenty of soap and water. Remove and isolate contaminated

**Skin contact**IF ON SKIN: Wash with plenty of soap and water. Remove and isolate contaminated clothing and shoes. Get medical attention if symptoms occur. Discontinue use of product.

IF SWALLOWED:. Rinse mouth. Do NOT induce vomiting. Call a physician or poison

control center immediately.

**Self-protection of the first aider** Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** Coughing and/ or wheezing. Redness. Swelling of tissue. Itching. Sneezing. Dryness. Pain.

Blurred vision. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhea. Excessive secretion.

4.3. Indication of any immediate medical attention and special treatment needed

## **SECTION 5: Firefighting measures**

5.1. Extinguishing media

**Suitable Extinguishing Media**Dry chemical. Alcohol resistant foam. Carbon dioxide (CO2). **Unsuitable extinguishing media**Dry chemical. Alcohol resistant foam. Carbon dioxide (CO2).
Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Ingestion

None in particular.

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

## SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Scoop absorbed substance into closing containers.

Methods for cleaning up Take up with sand, earth or other non-combustible absorbent material. Use a

non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Small quantities of liquid spill:. Large Spills:. contain released substance, pump into suitable containers. This material and its container must be

disposed of in a safe way, and as per local legislation.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

# SECTION 7: Handling and storage

\_\_\_\_\_

7.1. Precautions for safe handling

Advice on safe handling Avoid contact with eyes. Use personal protection equipment. Do not eat, drink or smoke

when using this product.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep/store only in original container. Keep tightly closed in a dry and cool place.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

# SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

**Exposure Limits** 

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Alcohol	-	TWA: 1000 ppm	TWA: 1000 ppm	TWA: 1000 mg/m <sup>3</sup>	TWA: 1000 ppm
		TWA: 1900 mg/m <sup>3</sup>	TWA: 1907 mg/m <sup>3</sup>		TWA: 1900 mg/m <sup>3</sup>
		STEL 2000 ppm			
		STEL 3800 mg/m <sup>3</sup>			
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Alcohol	-	TWA: 1000 mg/m <sup>3</sup>	TWA: 1000 ppm	TWA: 500 ppm	TWA: 1000 ppm
		Ceiling: 3000 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>
			STEL: 2000 ppm	STEL: 1000 ppm	STEL: 1300 ppm
			STEL: 3800 mg/m <sup>3</sup>	STEL: 1900 mg/m <sup>3</sup>	STEL: 2500 mg/m <sup>3</sup>
Chemical name	France	Germany	Germany DFG	Greece	Hungary
Alcohol	TWA: 1000 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 1000 ppm	TWA: 1000 ppm
	TWA: 1900 mg/m <sup>3</sup>	TWA: 380 mg/m <sup>3</sup>	TWA: 380 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>
	STEL: 5000 ppm		Peak: 800 ppm		STEL: 2000 ppm
	STEL: 9500 mg/m <sup>3</sup>		Peak: 1520 mg/m <sup>3</sup>		STEL: 3800 mg/m <sup>3</sup>
Chemical name	Ireland	Italy	Italy REL	Latvia	Lithuania
Alcohol	STEL: 1000 ppm	-	STEL: 1000 ppm	TWA: 1000 mg/m <sup>3</sup>	TWA: 500 ppm
			STEL: 1884 mg/m <sup>3</sup>		TWA: 1000 mg/m <sup>3</sup>
					STEL: 1000 ppm
					STEL: 1900 mg/m <sup>3</sup>
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Chemical name Alcohol	Luxembourg -	Malta -	TWA: 137 ppm	TWA: 500 ppm	
	Luxembourg -	Malta -	TWA: 137 ppm TWA: 260 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 950 mg/m <sup>3</sup>	Poland
	Luxembourg -	Malta -	TWA: 137 ppm TWA: 260 mg/m <sup>3</sup> STEL: 1000 ppm	TWA: 500 ppm TWA: 950 mg/m <sup>3</sup> STEL: 625 ppm	Poland TWA: 1900 mg/m³
	Luxembourg -	Malta -	TWA: 137 ppm TWA: 260 mg/m <sup>3</sup> STEL: 1000 ppm STEL: 1900 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 950 mg/m <sup>3</sup>	Poland TWA: 1900 mg/m <sup>3</sup>
Alcohol	-	-	TWA: 137 ppm TWA: 260 mg/m³ STEL: 1000 ppm STEL: 1900 mg/m³ H*	TWA: 500 ppm TWA: 950 mg/m³ STEL: 625 ppm STEL: 1187.5 mg/m³	Poland TWA: 1900 mg/m <sup>3</sup>
Alcohol  Chemical name	- Portugal	- Romania	TWA: 137 ppm TWA: 260 mg/m³ STEL: 1000 ppm STEL: 1900 mg/m³ H* Slovakia	TWA: 500 ppm TWA: 950 mg/m³ STEL: 625 ppm STEL: 1187.5 mg/m³ Slovenia	Poland TWA: 1900 mg/m³  Spain
Alcohol	-	Romania TWA: 1000 ppm	TWA: 137 ppm TWA: 260 mg/m³ STEL: 1000 ppm STEL: 1900 mg/m³ H* Slovakia TWA: 500 ppm	TWA: 500 ppm TWA: 950 mg/m³ STEL: 625 ppm STEL: 1187.5 mg/m³ Slovenia TWA: 960 mg/m³	Poland TWA: 1900 mg/m³  Spain STEL: 1000 ppm
Alcohol  Chemical name	- Portugal	Romania TWA: 1000 ppm TWA: 1900 mg/m³	TWA: 137 ppm TWA: 260 mg/m³ STEL: 1000 ppm STEL: 1900 mg/m³ H* Slovakia TWA: 500 ppm TWA: 960 mg/m³	TWA: 500 ppm TWA: 950 mg/m³ STEL: 625 ppm STEL: 1187.5 mg/m³ Slovenia TWA: 960 mg/m³ TWA: 500 ppm	Poland TWA: 1900 mg/m³  Spain
Alcohol  Chemical name	- Portugal	Romania TWA: 1000 ppm TWA: 1900 mg/m³ STEL: 5000 ppm	TWA: 137 ppm TWA: 260 mg/m³ STEL: 1000 ppm STEL: 1900 mg/m³ H* Slovakia TWA: 500 ppm	TWA: 500 ppm TWA: 950 mg/m³ STEL: 625 ppm STEL: 1187.5 mg/m³ Slovenia TWA: 960 mg/m³ TWA: 500 ppm STEL: STEL ppm	Poland TWA: 1900 mg/m³  Spain STEL: 1000 ppm
Alcohol  Chemical name Alcohol	Portugal STEL: 1000 ppm	Romania TWA: 1000 ppm TWA: 1900 mg/m³ STEL: 5000 ppm STEL: 9500 mg/m³	TWA: 137 ppm TWA: 260 mg/m³ STEL: 1000 ppm STEL: 1900 mg/m³ H* Slovakia TWA: 500 ppm TWA: 960 mg/m³ Ceiling: 1920 mg/m³	TWA: 500 ppm TWA: 950 mg/m³ STEL: 625 ppm STEL: 1187.5 mg/m³ Slovenia TWA: 960 mg/m³ TWA: 500 ppm STEL: STEL ppm STEL: STEL mg/m³	Poland TWA: 1900 mg/m³  Spain STEL: 1000 ppm STEL: 1910 mg/m³
Alcohol  Chemical name	- Portugal	Romania TWA: 1000 ppm TWA: 1900 mg/m³ STEL: 5000 ppm	TWA: 137 ppm TWA: 260 mg/m³ STEL: 1000 ppm STEL: 1900 mg/m³ H* Slovakia TWA: 500 ppm TWA: 960 mg/m³	TWA: 500 ppm TWA: 950 mg/m³ STEL: 625 ppm STEL: 1187.5 mg/m³ Slovenia TWA: 960 mg/m³ TWA: 500 ppm STEL: STEL ppm STEL: STEL mg/m³ Israel - Occupational	Poland TWA: 1900 mg/m³  Spain STEL: 1000 ppm STEL: 1910 mg/m³
Alcohol  Chemical name Alcohol	Portugal STEL: 1000 ppm	Romania TWA: 1000 ppm TWA: 1900 mg/m³ STEL: 5000 ppm STEL: 9500 mg/m³	TWA: 137 ppm TWA: 260 mg/m³ STEL: 1000 ppm STEL: 1900 mg/m³ H* Slovakia TWA: 500 ppm TWA: 960 mg/m³ Ceiling: 1920 mg/m³	TWA: 500 ppm TWA: 950 mg/m³ STEL: 625 ppm STEL: 1187.5 mg/m³ Slovenia TWA: 960 mg/m³ TWA: 500 ppm STEL: STEL ppm STEL: STEL mg/m³ Israel - Occupational Exposure Limits -	Poland TWA: 1900 mg/m³  Spain STEL: 1000 ppm STEL: 1910 mg/m³
Chemical name Alcohol  Chemical name	Portugal STEL: 1000 ppm	Romania TWA: 1000 ppm TWA: 1900 mg/m³ STEL: 5000 ppm STEL: 9500 mg/m³ Switzerland	TWA: 137 ppm TWA: 260 mg/m³ STEL: 1000 ppm STEL: 1900 mg/m³ H* Slovakia TWA: 500 ppm TWA: 960 mg/m³ Ceiling: 1920 mg/m³	TWA: 500 ppm TWA: 950 mg/m³ STEL: 625 ppm STEL: 1187.5 mg/m³ Slovenia TWA: 960 mg/m³ TWA: 500 ppm STEL: STEL ppm STEL: STEL mg/m³ Israel - Occupational	Poland TWA: 1900 mg/m³  Spain STEL: 1000 ppm STEL: 1910 mg/m³
Alcohol  Chemical name Alcohol	Portugal STEL: 1000 ppm  Sweden  NGV: 500 ppm	Romania TWA: 1000 ppm TWA: 1900 mg/m³ STEL: 5000 ppm STEL: 9500 mg/m³ Switzerland TWA: 500 ppm	TWA: 137 ppm TWA: 260 mg/m³ STEL: 1000 ppm STEL: 1900 mg/m³ H* Slovakia TWA: 500 ppm TWA: 960 mg/m³ Ceiling: 1920 mg/m³ United Kingdom	TWA: 500 ppm TWA: 950 mg/m³ STEL: 625 ppm STEL: 1187.5 mg/m³ Slovenia TWA: 960 mg/m³ TWA: 500 ppm STEL: STEL ppm STEL: STEL mg/m³ Israel - Occupational Exposure Limits -	Poland TWA: 1900 mg/m³  Spain STEL: 1000 ppm STEL: 1910 mg/m³
Chemical name Alcohol  Chemical name	Portugal STEL: 1000 ppm  Sweden  NGV: 500 ppm NGV: 1000 mg/m³	Romania TWA: 1000 ppm TWA: 1900 mg/m³ STEL: 5000 ppm STEL: 9500 mg/m³ Switzerland  TWA: 500 ppm TWA: 960 mg/m³	TWA: 137 ppm TWA: 260 mg/m³ STEL: 1000 ppm STEL: 1900 mg/m³ H* Slovakia TWA: 500 ppm TWA: 960 mg/m³ Ceiling: 1920 mg/m³ United Kingdom  TWA: 1000 ppm TWA: 1920 mg/m³	TWA: 500 ppm TWA: 950 mg/m³ STEL: 625 ppm STEL: 1187.5 mg/m³ Slovenia TWA: 960 mg/m³ TWA: 500 ppm STEL: STEL ppm STEL: STEL mg/m³ Israel - Occupational Exposure Limits -	Poland TWA: 1900 mg/m³  Spain STEL: 1000 ppm STEL: 1910 mg/m³
Chemical name Alcohol  Chemical name	Portugal STEL: 1000 ppm  Sweden  NGV: 500 ppm NGV: 1000 mg/m³ Vägledande KGV:	Romania TWA: 1000 ppm TWA: 1900 mg/m³ STEL: 5000 ppm STEL: 9500 mg/m³ Switzerland  TWA: 500 ppm TWA: 960 mg/m³ STEL: 1000 ppm	TWA: 137 ppm TWA: 260 mg/m³ STEL: 1000 ppm STEL: 1900 mg/m³ H* Slovakia TWA: 500 ppm TWA: 960 mg/m³ Ceiling: 1920 mg/m³ United Kingdom  TWA: 1000 ppm TWA: 1920 mg/m³ STEL: 3000 ppm	TWA: 500 ppm TWA: 950 mg/m³ STEL: 625 ppm STEL: 1187.5 mg/m³ Slovenia TWA: 960 mg/m³ TWA: 500 ppm STEL: STEL ppm STEL: STEL mg/m³ Israel - Occupational Exposure Limits -	Poland TWA: 1900 mg/m³  Spain STEL: 1000 ppm STEL: 1910 mg/m³
Chemical name Alcohol  Chemical name	Portugal STEL: 1000 ppm  Sweden  NGV: 500 ppm NGV: 1000 mg/m³ Vägledande KGV: 1000 ppm	Romania TWA: 1000 ppm TWA: 1900 mg/m³ STEL: 5000 ppm STEL: 9500 mg/m³ Switzerland  TWA: 500 ppm TWA: 960 mg/m³	TWA: 137 ppm TWA: 260 mg/m³ STEL: 1000 ppm STEL: 1900 mg/m³ H* Slovakia TWA: 500 ppm TWA: 960 mg/m³ Ceiling: 1920 mg/m³ United Kingdom  TWA: 1000 ppm TWA: 1920 mg/m³	TWA: 500 ppm TWA: 950 mg/m³ STEL: 625 ppm STEL: 1187.5 mg/m³ Slovenia TWA: 960 mg/m³ TWA: 500 ppm STEL: STEL ppm STEL: STEL mg/m³ Israel - Occupational Exposure Limits -	Poland TWA: 1900 mg/m³  Spain STEL: 1000 ppm STEL: 1910 mg/m³
Chemical name Alcohol  Chemical name	Portugal STEL: 1000 ppm  Sweden  NGV: 500 ppm NGV: 1000 mg/m³ Vägledande KGV:	Romania TWA: 1000 ppm TWA: 1900 mg/m³ STEL: 5000 ppm STEL: 9500 mg/m³ Switzerland  TWA: 500 ppm TWA: 960 mg/m³ STEL: 1000 ppm	TWA: 137 ppm TWA: 260 mg/m³ STEL: 1000 ppm STEL: 1900 mg/m³ H* Slovakia TWA: 500 ppm TWA: 960 mg/m³ Ceiling: 1920 mg/m³ United Kingdom  TWA: 1000 ppm TWA: 1920 mg/m³ STEL: 3000 ppm	TWA: 500 ppm TWA: 950 mg/m³ STEL: 625 ppm STEL: 1187.5 mg/m³ Slovenia TWA: 960 mg/m³ TWA: 500 ppm STEL: STEL ppm STEL: STEL mg/m³ Israel - Occupational Exposure Limits -	Poland TWA: 1900 mg/m³  Spain STEL: 1000 ppm STEL: 1910 mg/m³

## **Biological occupational exposure limits**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) Long term.

Chemical name	Worker - dermal,	Worker - inhalative,	Worker - dermal,	Worker - inhalative,
	long-term - systemic	long-term - systemic	long-term - local	long-term - local
Sodium Laureth Sulfate	2750 mg/kg bw/day	175 mg/m <sup>3</sup>	-	-
Lauramine Oxide	11 mg/kg bw/day	6.2 mg/m <sup>3</sup>	0.27 % in mixture	-
			(weight basis)	
Alcohol	8238 mg/kg bw/day	380 mg/m <sup>3</sup>	-	-

Chemical name	Consumer - oral, long-term -	Consumer - inhalative,	Consumer - dermal, long-term
	local	long-term - local	- local
Lauramine Oxide	-	-	0.27 % in mixture (weight
			basis)

Chemical name	Consumer - oral, long-term -	Consumer - inhalative,	Consumer - dermal, long-term
	systemic	long-term - systemic	- systemic
Sodium Laureth Sulfate	15 mg/kg bw	52 mg/m <sup>3</sup>	1650 mg/kg bw/day
Lauramine Oxide	0.44 mg/kg bw	1.53 mg/m <sup>3</sup>	5.5 mg/kg bw/day
Alcohol	-	114 mg/m <sup>3</sup>	-

Derived No Effect Level (DNEL) Short term.

Predicted No Effect Concentration No information available. (PNEC)

Chemical name	Fresh Water	Marine water	Intermittent release
Sodium Laureth Sulfate	0.24 mg/L	0.024 mg/L	0.071 mg/L
Lauramine Oxide	0.034 mg/L	0.003 mg/L	0.034 mg/L
Alcohol	0.96 mg/L	0.79 mg/L	2.75 mg/L

Chemical name	Freshwater	Marine sediment	Sewage	Soil	Air	Oral
	sediment		treatment plant			
Sodium Laureth Sulfate	5.45 mg/kg dwt	0.545 mg/kg dwt	10000 mg/L	0.946 mg/kg dwt	-	-
Lauramine Oxide	5.24 mg/kg dwt	0.524 mg/kg dwt	24 mg/L	1.02 mg/kg dwt	-	-
Alcohol	3.6 mg/kg dwt	2.9 mg/kg dwt	580 mg/L	0.63 mg/kg dwt	-	-

## 8.2. Exposure controls

### **Personal Protective Equipment**

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Hand protection** No special protective equipment required.

**Skin and body protection**No special protective equipment required.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product.

**Environmental exposure controls** Prevent that the undiluted product reaches surface waters.

# **SECTION 9: Physical and chemical properties**

Not applicable. This property is not relevant for liquid

Not available. This property is not relevant for the

Not available. This property is not relevant for the

Not available. This property is not relevant for the

Not available. This property is not relevant for the

Not available. This property is not relevant for the

Not available. This property is not relevant for the

Not available. This property is not relevant for the

Not available. This property is not relevant for the

safety and classification of this product

product forms

# C-20152836-001\_PGP\_CLPR7\_EUR\_SAW - Fairy Professional Platinum

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceLiquidColorColoured

Odor Pleasant (perfume)
Odor threshold Not applicable

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing point No data available Not available. This property is not relevant for the

safety and classification of this product Initial boiling point and boiling range> 95 °C

Flammability

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point > 60 °C Closed cup Does not sustain combustion

Autoignition temperature No data available Not available. This property is not relevant for the

safety and classification of this product

**Decomposition temperature**No Data Available
Not available. This property is not relevant for the safety and classification of this product

bH 8.4 - 9.4

μπ 0.4 - 3.4

**Dynamic viscosity** 1000 - 2000 mPa s

Water solubility
Soluble in water

Solubility(ies) No Data Available

Partition coefficient No Data Available

Vapor pressure No Data Available

Relative density 1 - 1.1

Relative vapor density

No data available

Particle characteristics

Particle Size No information available

Particle Size Distribution No information available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No information available

9.2.2. Other safety characteristics

No information available

**SECTION 10: Stability and reactivity** 

10.1. Reactivity

**Reactivity** No information available.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

# C-20152836-001\_PGP\_CLPR7\_EUR\_SAW - Fairy Professional Platinum

Professional Platinum

Revision date 13-Jun-2023

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

**Incompatible materials**None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

# SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

**Skin contact** Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** May cause redness and tearing of the eyes.

Numerical measures of toxicity

No information available

**Acute toxicity** 

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Laureth Sulfate	1700 mg/kg bodyweight (RAT)	-	-
Lauramine Oxide	1064 mg/kg (RAT)	5001 mg/kg (RAT)	-
Alcohol	10470 mg/kg (RAT)	-	116.9 mg/L (RAT)

Chemical name	Carcinogenic	Species	Eye Damage	Species	Development	Species	Mutagenicity	Species
	ity				al toxicity			
Lauramine Oxide	-	_	Y (OECD 405)	-	-	•	-	-
Alcohol	-	-	Y (OECD 405)	-	-	-	-	-

	Reproductive toxicity		Skin corrosion/irritatio n		Sensitization	Species
Lauramine Oxide	-	-	Y (OECD 404)	-	-	-

Chemical name	Skin	Species	STOT -	Target	Species	STOT -	Target	Species	Aspiration
	sensitizatio		single	Organs		repeated	Organs		hazard
	n		exposure			exposure			
Alcohol	-	-	-	liver	-	-	central	-	-
							nervous		
							system		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Not applicable.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitization Not applicable.

Germ cell mutagenicity None known.

Carcinogenicity None known.

Reproductive toxicity None known.

STOT - single exposure None known.

**STOT - repeated exposure** None known.

Aspiration hazard Not applicable.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** There are no substances contained at or above the regulated value for declaration of >0.1%

that fall under the definition of confirmed endocrine disruptors of any EU regulation.

11.2.2. Other information

Other adverse effects None known.

**SECTION 12: Ecological information** 

12.1. Toxicity

**Ecotoxicity** Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Chemical name Toxicity to Algae/aquatic plants Fish Crustacea microorganisms 25 mg/L (Pseudomonas 0.266 mg/L (OECD 201; 2.67 mg/L (Pimephales 3.1 mg/L (EU Method C.2; Lauramine Oxide promelas; 96 h) Daphnia magna; 48 h) Raphidocelis subcapitata; putida; 18 h) 72 h) 275 mg/L (OECD 201; 12900 mg/L (Pimephales 1001 mg/L (OECD 209; 5012 mg/L (Ceriodaphnia Alcohol Chlorella vulgaris; 72 h) promelas; 96 h) activated sludge from dubia; 48 h) domestic and industrial sewage treatment plants; 3 h)

**Chronic Toxicity** 

Official Toxicity					
Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia	Toxicity to	Toxicity to other
	(NOEC or ECx)*	(NOEC or ECx)*	and other aquatic	Microorganisms	organisms
			invertebrates	(NOEC or ECx)*	
			(NOEC or ECx)*		
Lauramine Oxide	0.068 mg/L (periphyton	0.42 mg/L (EPA	0.7 mg/L (OECD 211;	(24 mg/L	-
	community; 28 d)	OPPTS 850.1500;	Daphnia magna; 21 d)	(Pseudomonas putida;	
		Pimephales promelas;		18 h))	
		302 d)			
Alcohol	280 mg/L (EPA	250 mg/L (OECD 212;	2 mg/L (Ceriodaphnia	-	> 79 mg/L (Guideline
	OPPTS 850.4400;	Danio rerio; 5 d)	dubia; 10 d)		not indicated; Rana
	Lemna gibba; 7 d)				temporaria; static;
					freshwater; 48 h)

# 12.2. Persistence and degradability

Persistence and degradability

i crossicinoc ana acgradability				
Chemical name	Ready Biodegradation	Abiotic Degradation	Abiotic Degradation	Biodegradation Other
	Test (OECD 301)	Hydrolysis	Photolysis	Tests
Lauramine Oxide	90 % (EU Method C.4-C;	-	-	90% CO2; OECD 301 B; >
	CO2 evolution; 28 d)			60% (10 d)
Alcohol	84 % (O2 consumption; 20	< 13148.72 d	17.2 d	83%; 3 d
	d)			1

## 12.3. Bioaccumulative potential

Bioaccumulation

**Component Information** 

Component information			
Chemical name	Partition coefficient		
Alcohol	-0.35		

Chemical name	Octanol/water partition coefficient	Bioconcentration factor (BCF)
Lauramine Oxide	0.3 (OECD 105)	-
Alcohol	-0.35 (-0.35(OECD 107))	< 10

#### 12.4. Mobility in soil

Mobility in soil

Chemical name	log Koc
Lauramine Oxide	1525 (1525 (OECD 106))
Alcohol	0.2 (0.2)

#### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment	
Lauramine Oxide	The substance is not PBT / vPvB	
Alcohol	The substance is not PBT / vPvB	

#### 12.6. Endocrine disrupting properties

Endocrine disrupting properties

There are no substances contained at or above the regulated value for declaration of >0.1% that fall under the definition of confirmed endocrine disruptors of any EU regulation.

12.7. Other adverse effects

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused products

The waste codes/waste designations below are in accordance with EWC. Waste must be delivered to an approved waste disposal company. Waste is to be kept separate from other types of waste until its disposal. Do not throw waste product into the sewer. Where possible recycling is preferred to disposal or incineration. Empty, uncleaned packaging need the same disposal considerations as filled packaging. For handling waste, see measures described in section 8. Dispose of in accordance with local regulations.

Contaminated packaging

Do not reuse empty containers.

Waste codes / waste designations according to EWC / AVV

20 01 29\* - detergents containing dangerous substances

15 01 10\* - packaging containing residues of or contaminated by dangerous substances

## SECTION 14: Transport information

Λ	ıΛ

Not regulated
Not regulated
Not regulated
Not regulated
Not applicable

14.6 Special precautions for user

# IMDG

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
4400 11 41 4	• •

14.6 Special precautions for user

14.7 Maritime transport in bulk No information available according to IMO instruments

### RID

14.1	UN number or ID number	Not regulated
14.2	UN proper shipping name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable

14.6 Special precautions for user

Special Provisions None

#### ADR

Not regulated
Not regulated
Not regulated
Not regulated
Not applicable

14.6 Special precautions for user

Special Provisions None

## <u>ADN</u>

14.1 UN number or ID number14.2 Extended proper shippingNot regulated

name

14.3 Transport hazard class(es) No information available

14.4 Packing groupNot relevant14.5 Marine pollutantNot regulated

## SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

#### France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Alcohol	RG 84	-

#### **Netherlands**

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins
Alcohol	Present	-	Fertility Category 1A
			Development Category 1A
			Can be harmful via
			breastfeeding

#### **Poland**

Announcement of the Speaker of the Sejm of the Republic of Poland of 13 April 2018 regarding the publication of a uniform text of the Act - Labor Code (Journal of Laws 2018, item 917, as amended). Announcement of the Speaker of the Sejm of the Republic of Poland of March 15, 2019 regarding the publication of a uniform text of the Act on Waste (Journal of Laws 2019 item 701, as amended). Regulation of the Minister of Development of 7 July 2016, repealing the Regulation on specific requirements for certain products due to their negative environmental impact (Journal of Laws of 2016, item 1099, as amended). Regulation of the Minister of Family, Labor and Social Policy of June 12, 2018 regarding the highest permissible concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286 with subsequent amendments).

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

#### Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Regulation (EC) No. 648/2004 (Detergents regulation) Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP] Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### **Persistent Organic Pollutants**

Not applicable

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### **CESIO** Recommendations

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will

be made available to them, at their direct request or at the request of a detergent

manufacturer.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for this mixture per REACH regulation. **Chemical Safety Report** 

# **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapor

H302 - Harmful if swallowed

H315 - Causes skin irritation

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

H412 - Harmful to aquatic life with long lasting effects

#### Legend

SVHC: Substances of Very High Concern for Authorization:

## Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA (time-weighted average) STEL (Short Term Exposure Limit) TWA STEL

Ceiling Maximum limit value Sk\* Skin designation

Classification procedure			
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used		
Serious eye damage/eye irritation	Expert judgment and weight of evidence determination		
Chronic aquatic toxicity	Calculation method		

**Issuing Date:** 13-Jun-2023 **Revision date** 13-Jun-2023

**Further information** Salts listed in Section 3 without a REACh Registration number are exempt, based on Annex

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 **Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**