

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
1.1. Product identifier	
Trade name or designation of the mixture	HP Color LaserJet CF530A Black Print Cartridge
Registration number	-
Synonyms	None.
Issue date	03-Oct-2017
Version number	04
Revision date	16-Oct-2020
Supersedes date	25-Jun-2019
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Identified uses	This product is a black toner preparation that is used in HP Color LaserJet Pro M154/HP Color LaserJet Pro MFP M180/HP Color LaserJet Pro MFP M181 series printers.
Uses advised against	None known.
1.3. Details of the supplier of the	safety data sheet
	HP Inc UK Limited
	Earley West
	300 Thames Valley Park Drive, Reading, RG6 1PT
	United Kingdom
Telephone	44 (0) 879 013 0790
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care	
Line	4 000 474 0000
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com
1.4 Emergency telephone number	0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification as hazardous according to Regulation (EC) 1272/2008.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	Amorphous silica, Black Pigment, Styrene acrylate copolymer, Wax
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	None.

This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC) 1907/2006.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Styrene acrylate copolymer	<85	Trade Secret	-	-	
Classification: -		-			
Black Pigment	<10	1333-86-4	01-2119384822-32-XXXX	-	
Classification: -		-			
Wax	<10	Trade Secret	-	-	
Classification: -		-			
Amorphous silica	<3	7631-86-9 231-545-4	01-2119379499-16-xxxx	-	
Classification: -					

SECTION 4: First aid measures

General informationNot available.4.1. Description of first aid measures

Inhalation	Move person to fresh air immediately. If irritation persists, consult a physician.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.
Ingestion	Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.
4.2. Most important symptoms and effects, both acute and delayed	Not available.
4.3. Indication of any immediate medical attention and special treatment needed	Not available.

SECTION 5: Firefighting measures

General fire hazards	Not available.
5.1. Extinguishing media Suitable extinguishing	CO2, water, or dry chemical
media Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.
5.3. Advice for firefighters Special protective equipment for firefighters	Not available.
Special fire fighting procedures	If fire occurs in the printer, treat as an electrical fire.
Specific methods	None established.

SECTION 6: Accidental release measures

6.1. Personal precautions, prote	ctive equipment and emergency procedures		
For non-emergency personnel	Minimize dust generation and accumulation.		
For emergency responders	Not available.		
6.2. Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.		
6.3. Methods and material for containment and cleaning up	Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.		
6.4. Reference to other sections	Not available.		
SECTION 7: Handling and	storage		
7.1. Precautions for safe	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with		

handling	adequate ventilation. Keep away from excessive heat, sparks, and open flames.
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.
7.3. Specific end use(s)	Not available.

7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK. EH40 Workplace Expo Components	Type	e		Value	
Black Pigment (CAS	STE			7 mg/m3	
1333-86-4)	TWA	N		3.5 mg/m3	
				0	
Biological limit values	No biological expos	sure limits note	ed for the ingredie	nt(s).	
Recommended monitoring procedures	Not available.				
Derived no effect levels (DNEL	5)				
Components	Туре	9	Route	Value	Form
Black Pigment (CAS 1333-8	6-4) Cons	sumers	Inhalation	1.75 mg/m3	Local long term
			Inhalation	0.06 mg/m3	Systemic long term
	Work	kers	Inhalation	2 mg/m3	Local long term
			Inhalation	1 mg/m3	Systemic long term
Predicted no effect concentrati	ons (PNECs)				
Components	Туре	9	Route	Value	Form
Components Black Pigment (CAS 1333-80	-	e applicable	Route Freshwater	Value 5 mg/l	Form
•	-			5 mg/l	Form
•	5-4) Not a , 5 mg/m3 (Respira (TWA/PEL): 20 mp	applicable able Fraction), 3 opcf 80 (mg/m3 0 mg/m3 (Eina	Freshwater Marine water 3 mg/m3 (Respira 3)/%SiO2, ACGIH tembare partikel),	5 mg/l 5 mg/l ible Particulate) A (TWA/TLV): 10 3 mg/m3 (Alveol	morphous silica: USA OSH/ mg/m3 TRGS 900
Black Pigment (CAS 1333-80	5-4) Not a , 5 mg/m3 (Respira (TWA/PEL): 20 mp (Luftgrenzwert) - 10	applicable able Fraction), 3 opcf 80 (mg/m3 0 mg/m3 (Eina	Freshwater Marine water 3 mg/m3 (Respira 3)/%SiO2, ACGIH tembare partikel),	5 mg/l 5 mg/l ible Particulate) A (TWA/TLV): 10 3 mg/m3 (Alveol	morphous silica: USA OSH, mg/m3 TRGS 900
Black Pigment (CAS 1333-80	5-4) Not a , 5 mg/m3 (Respira (TWA/PEL): 20 mp (Luftgrenzwert) - 10	applicable able Fraction), 3 opcf 80 (mg/m3 0 mg/m3 (Eina able Dust), 5 m	Freshwater Marine water 3 mg/m3 (Respira 3)/%SiO2, ACGIH tembare partikel),	5 mg/l 5 mg/l ible Particulate) A (TWA/TLV): 10 3 mg/m3 (Alveol	morphous silica: USA OSH
Black Pigment (CAS 1333-80 Exposure guidelines 8.2. Exposure controls Appropriate engineering	5-4) Not a , 5 mg/m3 (Respira (TWA/PEL): 20 mp (Luftgrenzwert) - 10 10 mg/m3 (Respira Use in a well ventila	applicable able Fraction), 3 opcf 80 (mg/m3 0 mg/m3 (Eina able Dust), 5 m ated area.	Freshwater Marine water 3 mg/m3 (Respira 3)/%SiO2, ACGIH tembare partikel), g/m3 (Inhalable D	5 mg/l 5 mg/l ible Particulate) A (TWA/TLV): 10 3 mg/m3 (Alveol	morphous silica: USA OSH/ mg/m3 TRGS 900
Black Pigment (CAS 1333-86 Exposure guidelines 8.2. Exposure controls Appropriate engineering controls	5-4) Not a , 5 mg/m3 (Respira (TWA/PEL): 20 mp (Luftgrenzwert) - 10 10 mg/m3 (Respira Use in a well ventila	applicable able Fraction), 3 opcf 80 (mg/m3 0 mg/m3 (Eina able Dust), 5 m ated area. protective equi	Freshwater Marine water 3 mg/m3 (Respira 3)/%SiO2, ACGIH tembare partikel), g/m3 (Inhalable D	5 mg/l 5 mg/l ble Particulate) A (TWA/TLV): 10 3 mg/m3 (Alveol Dust)	morphous silica: USA OSH, mg/m3 TRGS 900 engängige fraktion) UK WEL
Black Pigment (CAS 1333-80 Exposure guidelines 8.2. Exposure controls Appropriate engineering controls	5-4) Not a , 5 mg/m3 (Respira (TWA/PEL): 20 mp (Luftgrenzwert) - 10 10 mg/m3 (Respira Use in a well ventila , such as personal p	applicable able Fraction), 3 opcf 80 (mg/m3 0 mg/m3 (Eina able Dust), 5 m ated area. protective equi	Freshwater Marine water 3 mg/m3 (Respira 3)/%SiO2, ACGIH tembare partikel), g/m3 (Inhalable D	5 mg/l 5 mg/l ble Particulate) A (TWA/TLV): 10 3 mg/m3 (Alveol Dust)	morphous silica: USA OSH, mg/m3 TRGS 900 engängige fraktion) UK WEL
Black Pigment (CAS 1333-80 Exposure guidelines 8.2. Exposure controls Appropriate engineering controls Individual protection measures General information	5-4) Not a , 5 mg/m3 (Respira (TWA/PEL): 20 mp (Luftgrenzwert) - 10 10 mg/m3 (Respira Use in a well ventila , such as personal p No personal respira	applicable able Fraction), 3 opcf 80 (mg/m3 0 mg/m3 (Eina able Dust), 5 m ated area. protective equi	Freshwater Marine water 3 mg/m3 (Respira 3)/%SiO2, ACGIH tembare partikel), g/m3 (Inhalable D	5 mg/l 5 mg/l ble Particulate) A (TWA/TLV): 10 3 mg/m3 (Alveol Dust)	morphous silica: USA OSH/ mg/m3 TRGS 900 engängige fraktion) UK WEL
Black Pigment (CAS 1333-86 Exposure guidelines 8.2. Exposure controls Appropriate engineering controls Individual protection measures General information Eye/face protection	5-4) Not a , 5 mg/m3 (Respira (TWA/PEL): 20 mp (Luftgrenzwert) - 10 10 mg/m3 (Respira Use in a well ventila , such as personal p No personal respira	applicable able Fraction), 3 opcf 80 (mg/m3 0 mg/m3 (Eina able Dust), 5 m ated area. protective equi	Freshwater Marine water 3 mg/m3 (Respira 3)/%SiO2, ACGIH tembare partikel), g/m3 (Inhalable D	5 mg/l 5 mg/l ble Particulate) A (TWA/TLV): 10 3 mg/m3 (Alveol Dust)	morphous silica: USA OSH, mg/m3 TRGS 900 engängige fraktion) UK WEL
Black Pigment (CAS 1333-80 Exposure guidelines B.2. Exposure controls Appropriate engineering controls Individual protection measures General information Eye/face protection Skin protection	6-4) Not a , 5 mg/m3 (Respira (TWA/PEL): 20 mp (Luftgrenzwert) - 10 10 mg/m3 (Respira Use in a well ventila , such as personal p No personal respira Not available.	applicable able Fraction), 3 opcf 80 (mg/m3 0 mg/m3 (Eina able Dust), 5 m ated area. protective equi	Freshwater Marine water 3 mg/m3 (Respira 3)/%SiO2, ACGIH tembare partikel), g/m3 (Inhalable D	5 mg/l 5 mg/l ble Particulate) A (TWA/TLV): 10 3 mg/m3 (Alveol Dust)	morphous silica: USA OSH, mg/m3 TRGS 900 engängige fraktion) UK WEL
Black Pigment (CAS 1333-80 Exposure guidelines 8.2. Exposure controls Appropriate engineering controls Individual protection measures General information Eye/face protection Skin protection - Hand protection	 5-4) Not a , 5 mg/m3 (Respira (TWA/PEL): 20 mp (Luftgrenzwert) - 10 10 mg/m3 (Respira Use in a well ventila , such as personal p No personal respira Not available. Not available. 	applicable able Fraction), 3 opcf 80 (mg/m3 0 mg/m3 (Eina able Dust), 5 m ated area. protective equi	Freshwater Marine water 3 mg/m3 (Respira 3)/%SiO2, ACGIH tembare partikel), g/m3 (Inhalable D	5 mg/l 5 mg/l ble Particulate) A (TWA/TLV): 10 3 mg/m3 (Alveol Dust)	morphous silica: USA OSH, mg/m3 TRGS 900 engängige fraktion) UK WEL
Black Pigment (CAS 1333-86 Exposure guidelines 8.2. Exposure controls Appropriate engineering controls Individual protection measures General information Eye/face protection Skin protection - Hand protection - Other	 5-4) Not a , 5 mg/m3 (Respira (TWA/PEL): 20 mp (Luftgrenzwert) - 10 10 mg/m3 (Respira Use in a well ventila , such as personal p No personal respira Not available. Not available. Not available. 	applicable able Fraction), 3 opcf 80 (mg/m3 0 mg/m3 (Eina able Dust), 5 m ated area. protective equi	Freshwater Marine water 3 mg/m3 (Respira 3)/%SiO2, ACGIH tembare partikel), g/m3 (Inhalable D	5 mg/l 5 mg/l ble Particulate) A (TWA/TLV): 10 3 mg/m3 (Alveol Dust)	morphous silica: USA OSH/ mg/m3 TRGS 900 engängige fraktion) UK WEL

Material name: CF530A

Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physic	al and chemical properties
Appearance	Fine powder
Physical state	Solid.
Form	solid
Color	Black.
Odor	Slight plastic odor
Odor threshold	Not available.
рН	Not applicable
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not applicable
Flash point	Not applicable
Evaporation rate	Not applicable
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not flammable
Flammability limit - upper (%)	Not available.
Vapor pressure	Not applicable
Vapor density	Not applicable
Solubility(ies)	
Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not applicable
Decomposition temperature	> 392 °F (> 200 °C)
Viscosity	Not applicable
Explosive properties	Not available.
Oxidizing properties	No information available.
9.2. Other information	
Softening point	176 - 266 °F (80 - 130 °C)
Specific gravity	1 - 1.2

SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under normal storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Imaging Drum: Exposure to light
10.5. Incompatible materials	Strong oxidizers
10.6. Hazardous decomposition products	Carbon monoxide and carbon dioxide.

SECTION 11: Toxicological information

General information	Not available.
Information on likely routes of ea	xposure
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Contact with skin may result in mild irritation.
Eye contact	Contact with eyes may result in mild irritation.
Ingestion	Ingestion is not a likely route of exposure.
Symptoms	Not available.
11.1. Information on toxicologica	al effects

Acute toxicity	. .			
Product	Species		Test Results	
CF530A				
Acute			5 0000 m m/l m	
LD50	. .		> 2000 mg/kg	
Components	Species		Test Results	
Black Pigment (CAS 1333-86-4)				
<u>Acute</u>				
Oral LD50	Rat		> 10000 mg/kg	
Skin corrosion/irritation		available data, the classification		
Serious eye damage/eye rritation	Based on	available data, the classification	criteria are not met.	
Respiratory sensitization	Based on	available data, the classification	criteria are not met.	
Skin sensitization	Based on	available data, the classification	criteria are not met.	
Germ cell mutagenicity		does not indicate mutagenic pot available data, the classification	ential (Ames Test: Salmonella typhimurium) criteria are not met.	
Carcinogenicity	Based on	available data, the classification	criteria are not met.	
	bound with bound forr carcinoge	in a product matrix, specifically n in this preparation. None of the is according to ACGIH, EU, IAR	rbon black, per se, does not occur when it remains , rubber, ink, or paint. Carbon black is present only in a e other ingredients in this preparation are classified as C, MAK, NTP or OSHA.	
IARC Monographs. Overall				
Amorphous silica (CAS 7	-		sifiable as to carcinogenicity to humans.	
Reproductive toxicity		Based on available data, the classification criteria are not met.		
Specific target organ toxicity - single exposure	Based on	Based on available data, the classification criteria are not met.		
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.			
Aspiration hazard	Based on	available data, the classification	criteria are not met.	
Mixture versus substance information	Not availa	ble.		
Other information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.			
SECTION 12: Ecological	informatio	n		
12.1. Toxicity	LC50: > 1	00 mg/l, Fish, 96.00 Hours		
Product		Species	Test Results	
CF530A				
Aquatic				
Algae	ErC50	Algae	> 100 mg/l, 72 Hours	
Crustacea	EC50	Crustacea	> 100 mg/l, 48 Hours	
Fish	LC50	Fish	> 100 mg/l, 96 Hours	

Not available.

Not available.

Not available.

12.2. Persistence and

12.3. Bioaccumulative potential

degradability

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

Further information	Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

SECTION 15. Regulatory	information
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture
EU regulations	
Regulation (EC) No. 1005/20 Not listed.	009 on substances that deplete the ozone layer, Annex I and II, as amended
	04 On persistent organic pollutants, Annex I as amended
	I2 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended
	2 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended
	2 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended
Regulation (EU) No. 649/201	2 concerning the export and import of dangerous chemicals, Annex V as amended
•	06 Annex II Pollutant Release and Transfer Registry, as amended
Not listed.	006, REACH Article 59(10) Candidate List as currently published by ECHA
Not listed.	Not, REACH Afficie 59(10) Candidate List as currently published by ECHA
Authorizations	
	006, REACH Annex XIV Substances subject to authorization, as amended
Restrictions on use	
	006, REACH Annex XVII Substances subject to restriction on marketing and use as amended
Not listed.	No, READITAINER AVITOUDStances subject to restriction on marketing and use as amended
	e protection of workers from the risks related to exposure to carcinogens and mutagens at
Not listed.	
Other EU regulations	
Directive 2012/18/EU on ma	jor accident hazards involving dangerous substances, as amended
Not listed.	
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Other information	This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended.
National regulations	Not available.
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.

SECTION 16: Other information

SECTION 16: Other inforr	mation
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).
	Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.
	Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements not written out in full under Sections 2 to 15	None.
Revision information	None.
Training information	Follow training instructions when handling this material.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.
Explanation of abbreviations	
ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure

 TSCA
 Toxic Substances Control Act

Threshold Limit Value

TLV

VOC Volatile Organic Compounds