VITAL 124

Splashes | intermittent wear

Precision dexterity in non-agressive environments

CHEMICAL PROTECTION TYPE B

EN388



0010X



EN ISO 374-1

EN ISO 374-5

VIRUS

DEXTERITY
EN 420:
5/5



TYPE B KPT

CAT.CATEGORY 3



0334

SPECIFIC ADVANTAGES



Comfort

- Excellent dexterity from the suppleness of natural latex
- Added comfort and absorption of perspiration, due to the cotton flocklining



Durability

Good resistance

INDUSTRIES

- Mechanical industry
- Food industry
- Local Authorities (Cleaning)

APPLICATIONS

- Handling household detergents
- Assembly of small, oil and grease free parts
- Common cleaning Tasks

Edit 11/09/2023



VITAL 124

Splashes | intermittent wear

LEGENDS

EN388

MECHANICAL HAZARDS



PERFORMANCE LEVELS (X = NOT TESTED)

EN ISO 374-1

CHEMICAL RISKS



Abrasion resistance

K: Sodium hydroxide 40% P: Hydrogen peroxide 30%

T: Formaldehyde 37%

TYPE B

EN 421

RADIOACTIVE CONTAMINATION



EN ISO 374-5



MICRO-ORGANISMS

Protection against bacteria, fungi and virus

PRODUCT DETAILS

Interior finish	Flocked
Exterior finish	Embossed texture
Material	Natural latex
Cuff characteristic	Straight cuff
Colour.s	Yellow
Length (cm)	30
Thickness (mm)	0.35
European sizes	6 7 8 9 10

LOGISTIC DETAILS

Packaging	1 pair/bag 10 pairs/bag
	100 pairs/carton

LEGISLATION

- This product is not classified hazardous according to the regulation (EC) n°1272/2008 of the European Parliament and of the Council.
- This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).
- UE type certificate or CE type examination certificate 0075/014/162/03/18/0525
- Issued by the notified body nr: 0075 CTC 4, rue Hermann Frenkel 69367 Lyon Cedex 07- FRANCE
- Quality assurance certificat: 0334 Asqual 14 rue des Reculettes -75013 Paris -France

