

EXPAND Control

One-touch Control

The EXPAND Control tablet serves as either a meeting room controller or a scheduling panel, seamlessly integrating with leading UC solutions for any meeting room. Hassle-free installation and flexible tidy mounting options deliver an intuitive user experience that drives fast deployment and adoption.

Using the tablet as a meeting room controller, it easily pairs with EPOS EXPAND Vision video conferencing solutions, providing frictionless meetings. Features include one-touch join, adjust call settings, or share content using the large anti-glare screen with its ergonomic viewing angle. Using it as a wall-mounted scheduling panel, users can view location and meeting details and reserve available meeting spaces on the spot. Multi-colored LED indicators on the side of the tablet show available meeting rooms.

See more at eposaudio.com/expand-control



Key Benefits & Features

Enhanced meeting control

The tablet serves as either a meeting room touch controller or scheduling panel, which seamlessly integrates with leading UC solutions, providing a superior meeting experience

Superior user-experience

Designed for an outstanding and ergonomic user experience, the tablet has an optimal viewing angle and a large 10.1" anti-glare treated touch screen

Adapts to all meeting spaces


Suitable for any meeting room size or type, it also supports EPOS EXPAND Vision video conferencing solutions

Flexible and tidy setup

Multiple mounting options, integrated cable retention and a single Power over Ethernet cable ensure an optimal and clean installation

Certified solution

Certified for leading UC solutions including Microsoft Teams Rooms on Android™ it delivers a flawless user experience and comes with a trusted stamp of approval. Certification in process for Zoom Rooms



EXPAND Control

Product data

General

Color	Black
Product weight	1230 g / 43.38 oz
Dimensions	167 (H) x 247 (L) x 104 (W) mm / 6,6 (H) x 9,7 (L) x 4,1 (W) in
Warranty	2 years

Technical

UC application	Certified for meeting room solutions including Microsoft Teams Rooms on Android™. Certification in process for Zoom Rooms.
Operating system	Android™ 10 (or later)
Internal storage	16 GB
CPU	Arm® v8 64-bit 6-core
GPU	Quad Core Arm®
RAM memory	4 GB
Supply voltage	36-57V (PoE)
Power consumption	15 W
USB output	5 V, 500 mA
Operating temperature (Max)	65 °C / 149 °F
Operating temperature (Min)	-20 °C / -4 °F
Operating humidity (Max)	90%
Storage temperature (Min)	-40 °C / -40 °F
Storage temperature (Max)	70 °C / 158 °F

Capacitive touch sensor supports touch functionality

Side-LED	Multi-colored LED indicators
Ultra Sonic Emitter or Bluetooth® (for auto pairing)	

Network & Connectivity

Power over Ethernet (PoE)	IEEE 802.3 af Class 3
Ethernet	IPv4 & IPv6, DHCP/Static IP
Wi-Fi	Dual-band (2.4/5 GHz) Standard: 802.11ac/802.11ac
Bluetooth®	Version 5.0 Bluetooth® profiles: A2DP, HSP, AVRCP Microsoft Teams proximity join

Device Administration

Remote management	EPOS Manager or UC provider solutions
Local device setup	On-screen GUI
Firmware updates	Automatic

Usability

Display	10.1" LCD touch screen
Resolution	1280 x 800
Designed with integrated table stand (other mounting options available)	
Viewing angle	85, 85, 85, 85 degrees (U/D/L/R)
Positioning/placing angle	36 degrees
Touch control to access call controls and settings	

EXPAND Control

Product data

Privacy/Security

Security lock support	Kensington™
Encryption	Hardware encryption (up to 512 bits); AES encryption (256 bits); SHA encryption (256 bits); SecureBoot; SSL traffic encryption

Content of delivery

What's in the box	EPOS EXPAND Control, Power over Ethernet (PoE) cable, safety guide, quick guide and compliance sheet.
-------------------	--

EXPAND Control

Additional Benefits & Features

Secure mounting options

Optional wall and table mounting alternatives allows for flexible placement, Kensington lock support for secure installation

Centralized device management

Remote device administration through EPOS Manager or UC provider solutions

Room bookings, simplified

Side LED-lights clearly indicate room availability – even from a distance

Automatic power saving

Goes into power saving mode when the motion sensor detects no activity in the meeting room

Warranty and support

A two-year warranty ensures your investment is protected. Access to the EPOS Support team for questions and assistance is included



Product overview

Compatibility	Product	Description	EAN / UPC code
Compatible as a touch controller for all EPOS video conferencing solutions	EXPAND Control Art. no. 1001072	EXPAND Control tablet incl. ethernet cable, pre-mounted tabletop bottom plate	EAN 57 14708 00874 3 UPC 8 40064 40874 5

Spare parts/Accessories

Product	Art. no.	Description	EAN / UPC code
EXPAND Control - WM 01	1001090	Wall mount for EXPAND Control	EAN 57 14708 00892 7 UPC 8 40064 40892 9
EXPAND Control - DM 01	1001091	Desk mount for EXPAND Control	EAN 57 14708 00893 4 UPC 8 40064 40893 6

