



Additional Smart Radiator Valve



Save even more energy

Complete your Smart Thermostat or your Starter Pack for district heating with Additional Smart Radiator Valves and take control of all your individual radiators. Thanks to the room-by-room schedule based on your daily routine, heat according to individual room use and save even more energy.



Room-by-room comfort

Fine-tune your comfort temperature room-by-room.

Smart heating in your home



Open Window Detection

When the Smart Radiator Valve detects a window is open, it switches off the heating in the room to prevent energy waste.



Smart Regulation

The Smart Radiator Valve analyzes the room environment in real time and adjusts heating according to sunshine level and room use.



Manual Boost

When needed, the temperature can be temporarily raised in a specific room for 3 hours.

Simple and elegant design

4 interchangeable colours

Customise your Valve with one of the four colour adhesive strips provided.



Mechanics and design

Optimized for energy savings, 2-year battery life.

Translucent plexiglass cylinder

Opt for a timeless, minimalist design.

Manual temperature adjustment

Turn up the Valve to manually change the temperature setpoint.

Real-time temperature

Display the real time temperature in the room.

Additional Smart Radiator Valve's technical specifications

Product description

Thermostatic Valve with smart operation. E-Paper display. Translucent plexiglass cylinder designed by Starck. Can be customised with one of 4 available colours. Temperature can be directly adjusted on the Valves. Designed for indoor use only. Withstands 95% relative humidity.

Sensors and measurements

Temperature (measurements):

Range:

0°C to 50°C ($\pm 0.5^\circ\text{C}$) Temperature (setpoint):

Range: 5°C to 30°C ($\pm 0.5^\circ\text{C}$)

Units: °C only

Power

2 AA batteries (up to a 2-year lifespan*)

Setup and compatibility

Compatible with hot-water radiators

Replace thermostatic valves

Works only with a Netatmo Starter Pack for district heating or a Netatmo Smart Thermostat

Pack contents

1 Smart Radiator Valve

6 radiator adaptors (M30x1.5, M30x1.0, M28x1.5x Danfoss RAVL, Danfoss RA, Giacomini) to suit most hot-water radiators

4 color adhesives

2 AA batteries

Requirements

High-speed wireless internet connection needed. Public hotspots not supported

Connectivity specifications

Between the Valves and the Thermostat's or Starter Pack's Relay: radio long-range (868 MHz)

Free App

No subscription fee

App compatibility

iOS 9 minimum required

Android 4.2 minimum required

PC & Mac through the Webapp