



The professional print bundle for your home or office MFC-J4535DWXL



www.brother.co.uk/mfc-j4535dwxl

All-in-one wireless colour inkjet printer

The MFC-J4535DWXL is a solidly built, yet sleek, feature rich multifunction device offering high-quality printing for less. Forming part of our All in Box range, it comes with in-box inks printing up to 6,000 pages saving significant time and money. With an abundance of features and connectivity options, and a three-year warranty as standard, the multifunctional MFC-J4535DWXL is the business device.

MFC-J4535DWXL



Key features:

- XL in-box inks BK: 6,000 pages, CMY: 5,000 pages
- Wireless and wired connectivity
- Print via near-field-communications (NFC)
- Mobile compatible via 'Brother Mobile Connect' app
- 20 sheet ADF
- Automatic 2-sided printing
- Two enclosed paper tray holding a total of 400 sheets
- Print speeds of up to 20 images per minute
- 6.8cm colour LCD touchscreen
- Three-year warranty as standard



The professional print bundle for your home or office

The feature-rich MFC-J4535DWXL forms part of our All in Box range of devices. This means when you buy this device, as well as a professional-standard multifunctional printer, you'll also receive up to three years' worth of ink*, which will significantly reduce your print costs, and a three-year warranty. The combined savings in time and money makes this All in Box device a great choice for professional home printing.

*Print yield is declared in accordance with ISO/IEC 24711

Work connected, always

You don't need to be sat at your desk, or even near the printer to use the MFC-J4540DWXL. With the range of connectivity options available, you can print anywhere in your home or office – and even from your mobile phone through the Wi-Fi, or NFC. By downloading the Brother Mobile Connect app you can access an array of features – from sending print jobs, to checking your ink levels and ordering replacement supplies when necessary.

More paper capacity, more control

The MFC-J4540DWXL comes with an extra paper tray – this means that as well as replenishing ink less, the need to replace paper in the device is also reduced. With this, comes more control over how you use your time to be as productive as possible. Additionally, with the MFC-J4535DWXL's simple to use 6.8cm LCD touchscreen, navigating tasks has never been easier.



CPU speed 576MHz

Display 6.8cm LCD touchscreen Memory capacity 128MB

Ink page gauge Yes

Paper

Standard tray 150 sheets (80g/m2)

Output paper capacity 100 sheets (80g/m2)

Media sizes: Standard tray

A4, LTR, LGL, EXE, A5, A6, Photo(102x152mm/4x6"), Indexcard(127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch,Photo-L (89x127mm/3.5x5"),Folio,Mexico Legal,India Legal

Media types and weights: Standard tray

Plain, Inkjet, Glossy (cast/resin), Recycled & 64-220g/m² (17-58 lb.)

Lower tray 250 sheets (80 g/m²)

Media sizes: Lower tray A4, LTR, LGL, EXE, A5, Folio, Mexico Legal, India Legal

Media types and weights: Lower tray Plain, Recycled & 64-120g/m2 (17-32 lb.)

Paper input: ADF 20 sheets (80g/m²)

Paper input: Manual feed slot 1 sheet

Media sizes: ADF (width/length) 148/148mm to 215.9/355.6mm (5.8/5.8" to 8.5/14.0") *Documents that are longer than 11.7 in. (297mm) must be fed one page at a time.

Media types and weight: ADF Plain, Recycled & 64-90g/m² (17-24lb.)

Media sizes: Scanner glass (width/length) up to 215.9/297mm (up to 8.5/11.7")

Media types and weights: Automatic duplex

Plain, Recycled & 64-105g/m² (17-28lb)

Media sizes: Manual feed slot

A4, LTR, LGL, EXE, A5, A6, Photo(102x152mm/4x6"), Indexcard(127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch,Photo-L (89x127mm/3.5x5"),Folio,Mexico Legal,India Legal

Media types and weights: Manual feed slot Plain, Inkjet, Glossy(cast/resin), Recycled & 64-300g/m² (17-79 lb.)

Media sizes: Automatic duplex PC print A4/LTR/EXE/A5 Copy Letter/A4/A5/EXE

Print

Print speed¹ 20.0 ipm mono 19.0 ipm colour

First print out time² 5.8 seconds mono 5.9 seconds colour

Duplex print speed (A4,LTR)¹ 11.0/10.0ipm

Resolution (horizontal x vertical) up to 1200x4800 dpi

Emulation GDI

Automatic duplex print Yes (up to A4/LTR)

Quiet mode Yes

Print function

N-up printing³

Reduce up to 2, 4, 9 or 16 A4 pages into just one A4 page Reduce up to 2, 4, 9 or 16 A4 pages into just one A4 page

Poster printing⁴ Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages Watermark printing

Watermark your documents with predefined text or with your own user-defined messages

ID printing⁴

Add identification to your printed documents (date & time, short custom message or PC username)

Booklet printing⁴

Print documents in A5 booklet format using manual 2-sided print

Print profiles³

Store your favourite driver settings as profiles to easily recall them

Copy speed⁵ 13.0 ipm mono 10.5 ipm colour

First copy out time⁶ 10.5 seconds mono 13.0 seconds colour

Duplex Copy Speed ESAT⁵ 5.0 ipm mono 4.5 ipm colour

Resolution - mono (horizontal x vertical) Print: Max. 1200 x 2400dpi Scan: Max. 1200 x 1200dpi

Resolution - colour (horizontal x vertical) Print: Max. 1200 x 2400dpi Scan: Max. 1200 x 600dpi

Multiple copy Up to 99 **Multi copy/stack** Yes

Multi copy/sort Yes

Reduction/enlargement (%) 25 - 400 in 1% increments

N in 1 2in1/2in1(ID)/4in1

Poster Yes (3x3, 2X2, 2x1)

Scan

Scanner type Contact image sensor (CIS)

Colour and mono scanning Yes

Scanning speed multiple sheets¹⁰ 17.0 ipm mono 7.0 ipm colour

Resolution - optical (horizontal x vertical) Flatbed: 1200 x 2400dpi ADF: 1200 x 600dpi Multipage scan to single PDF files (Firm/PC) Yes (iPrint&Scan Desktop Only)

Auto crop (Firm/PC) Yes (TWAIN only)

Base colour removal (Firm/PC) Yes

Auto deskew Yes

Document scanning width/length

Flatbed: 213.9mm (8.42in)/ 295mm (11.61in) ADF: 213.9mm (8.42in)/ 353.6mm (13.92in)

Colour depth

Colour depth 30 bit colour processing (input) 24 bit colour processing (output) /256 levels per colour Gray scale 10 bit colour processing (input) 8 bit colour processing (output) /256 levels

Scan functions

Scan to image Yes

Scan to OCR Yes

Scan to email Yes

Scan to file Yes Scan to media (USB memory) Yes

Scan to FTP Yes

Scan to network⁴ Yes Scan to SFTP Yes

Scan to Sharepoint (Firm/PC) Yes

Scan drivers

Windows® TWAIN & WIA Windows® Windows® 10 Windows® 8 Windows® 11 Macintosh TWAIN macOS 10.8.x or greater

Fax	Modem speed 14,400 bps Sending Yes (network/USB, Up to A4) Receiving Yes (network/USB, Up to A4) *NA for MAC	 PC Fax send and receive Send and receive faxes directly from your PC Memory transmission (ITU-T test chart #1/MMR) Up to 180 pages Out of paper reception (ITU-T test chart #1/MMR) Up to 180 pages 	Auto reduction Yes - When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet Broadcasting Yes - Send the same fax message up to 50 locations
Connectivity	USB interface Hi-Speed USB 2.0 USB host Yes USB host (for external IC card reader) Yes (Shortcut, Secure Function Lock)	Wireless LAN(2.4GHz) Yes LAN Yes Brother Mobile Connect ⁷ Yes NFC Yes	AirPrint Yes Mopria⁷ Yes Brother Print Service Plugin⁷ Yes
Cloud	Web Connect (Connect with 3rd party services) Yes	Apps (Brother original services) Yes	
Network and security	 Wireless network IEEE 802.11b/g/n (Infrastructure) IEEE 802.11g/n (Wi-Fi Direct) Wireless security SSID (32 chr), WEP 64/128bit, WPA-PSK(TKIP/AES), WPA2-PSK(TKIP/AES) Wireless certification Wi-Fi Certification Mark License (WPA™/WPA2™ - Enterprise, Personal), Wi-Fi Protected Setup (WPS) Identifier Mark License, Wi-Fi CERTIFIED Wi-Fi Direct Wireless network security Wi-Fi Certification Mark License (WPA™/WPA2™ - Enterprise, Personal), Wi-Fi Protected Setup (WPS) Identifier Mark License, Wi-Fi CERTIFIED Wi-Fi Direct Wired network security SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP), SNMP v3, 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec 	Active Directory authentication Yes LDAP authentication Yes I DAP authentication Yes I P filter IPv4 Protocols (IPv4) ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, SNMPv1/v2c, TFTP server, ICMP, Web Services (Print/Scan), SNTP Client, HTTP Server. NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/ Port9100, IPP, SNMPv1/v2c, TFTP server, Web Services (Print/Scan), SNTP Client, ICMPv6, HTTP Server	Network management Ethernet 10/100BASE-TX Auto Negotiation Network connection (wired) BRAdmin Windows only (by download) Network security (wired) SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP), SNMP v3, 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec Embedded web server (EWS) Yes (Recommend Browser: Internet Explorer 11/Edge (for Windows), Safari 10/11 (for Mac), Chrome (for Android), Chrome/Safari (for iOS) Recommend OS: 4.x or later (for Android), 10.x or later (for iOS))

Supplies and accessories

In-box cartridges⁸ LC426XLBK – 6,000 pages LC426XLCMY – 5,000 pages **Standard yield cartridges**⁸ LC426BK – 3,000 pages LC426CMY – 1,500 pages Value pack LC426VAL – 3,000 pages BK 1,500 pages CMY

Duty cycle

Recommended monthly volume⁹ 250 to 2,000 pages Maximum monthly volume⁹ Up to 30,000 pages

Dimensions

Carton dimensions W 497 x D 312 x H 464mm Machine dimensions W 435 x D 335 x H 250mm

Carton weight 12.6kg

Machine weight 10.4kg

Environment

Power consumption Networked standby: Approx. 1.9W Copying mode: Approx. 21W Ready mode: Approx. 3.5W Sleep mode: Approx. 1.2W Off: Approx 0.2W Sound pressure level (operating) 57db

Sound power level (printing) 6.76b(A)

- 1.Based on ISO/IEC 24734
- 2. Based ISO/IEC 17629
- 3. Windows and Mac only
- 4. Windows only
- 5. Based on ISO/IEC 29183
- 6. Based on ISO/IEC 24735
- 7. Optional download
- 8. Approx declared yield value in accordance with ISO/IEC 24711
- 9 Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements
- 10. Based on ISO/IEC17991





Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth. www.brotherearth.com

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

