

Securit cleaner spray

Version number: 1.0

Date of compilation: 2026-01-30

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	<b>Securit cleaner spray</b>
Unique formula identifier (UFI)	6300-80WW-C00Y-CRQN
Article number	SECCLEAN-GR, SECCLEAN-KL

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Detergent Industrial use Consumer use
Product category	PC35
Sector of use	SU9
Process category	PROC9
Environmental release category	ERC8d
Uses advised against	Do not use for products which come into direct contact with the skin

1.3 Details of the supplier of the safety data sheet

Securit by Vermes B.V.  
Katernstraat 1  
1321 NC Almere  
Netherlands

Telephone: +31-365313554  
e-mail: info@vermes.nl  
Website: https://www.securit.nl/

e-mail (competent person) info@vermes.nl

1.4 Emergency telephone number

Emergency information service +31-365313554  
This number is only available during the following office hours: Mon-Fri 09:00 - 17:00

Poison centre		
Country	Name	Telephone
United Kingdom	National Poisons Information Service (NPIS)	0344-8920111 (medical professionals only)
United Kingdom	NHS (general public)	non-emergency: 111 or a doctor; emergency: 999

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (acc. to GB CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.2	skin corrosion/irritation	1	Skin Corr. 1	H314
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of H-phrases: see SECTION 16

## Securit cleaner spray

Version number: 1.0

Date of compilation: 2026-01-30

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

### 2.2 Label elements

Labelling (acc. to GB CLP)

- signal word Danger

- pictograms

GHS05



- hazard statements

H314 Causes severe skin burns and eye damage.

- precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P260 Do not breathe spray.

P280 Wear protective gloves/eye protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Child-resistant fastening yes

Tactile warning of danger yes

- hazardous ingredients for labelling

Contains: tetrasodium ethylenediaminetetraacetate.

### 2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0,1\%$ .

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture).

### 3.2 Mixtures




The product does not contain (other) ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the product and hence require reporting in this section.

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
tetrasodium ethylenediaminetetraacetate	CAS No 64-02-8  EC No 200-573-9  Index No 607-428-00-2	0.5 – 1.5	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Eye Dam. 1 / H318 STOT RE 2 / H373	  	

## Securit cleaner spray

Version number: 1.0

Date of compilation: 2026-01-30

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Isotridecanol, ethoxylated	CAS No 69011-36-5  EC No 500-241-6	0.1 – 0.5	Aquatic Acute 1 / H400 Aquatic Chronic 3 / H412		
Trisodium 2,2',2"-nitrilotriacetate	CAS No 5064-31-3  EC No 225-768-6  Index No 607-620-00-6	0.1 – 0.5	Acute Tox. 4 / H302 Eye Irrit. 2 / H319 Carc. 2 / H351	 	

Name of substance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
tetrasodium ethylenediaminetetraacetate	CAS No 64-02-8  EC No 200-573-9	-	-	>1,780 mg/kg 1.5 mg/l/4h	oral inhalation: dust/mist
Trisodium 2,2',2"-nitrilotriacetate	CAS No 5064-31-3  EC No 225-768-6	Carc. 2; H351: C ≥ 5 %	-	1,740 mg/kg	oral

## Remarks

All the percentages given are percentages by weight unless stated otherwise. For full text of H-phrases: see SECTION 16.

## SECTION 4: First aid measures

## 4.1 Description of first aid measures

## General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Do not take off clothes. In all cases of doubt, or when symptoms persist, seek medical advice.

## Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Immediately call a POISON CENTER/doctor. In case of respiratory tract irritation, consult a physician.

## Following skin contact

Rinse immediately contaminated clothing and skin with plenty of water before removing clothes, if possible. Immediately call a POISON CENTER/doctor.

## Following eye contact

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

## Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

## 4.3 Indication of any immediate medical attention and special treatment needed

For specialist advice physicians should contact the poison centre.

## Securit cleaner spray

Version number: 1.0

Date of compilation: 2026-01-30

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Suitable extinguishing media

Water spray; Dry extinguishing powder; Carbon dioxide (CO<sub>2</sub>);  
Co-ordinate firefighting measures to the fire surroundings.

Unsuitable extinguishing media

Water jet.

**5.2 Special hazards arising from the substance or mixture**

Hazardous combustion products

During fire hazardous fumes/smoke could be produced.

**5.3 Advice for firefighters**

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Self-contained breathing apparatus (SCBA). Standard protective clothing for firefighters.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

**6.2 Environmental precautions**

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

**6.3 Methods and material for containment and cleaning up**

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid binder, universal binder, sawdust).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

**6.4 Reference to other sections**

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

- handling of incompatible substances or mixtures

Do not mix with acids.

Securit cleaner spray

Version number: 1.0

Date of compilation: 2026-01-30

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- incompatible substances or mixtures

Keep away from alkalis, oxidising substances, acids.

Control of effects

Protect against external exposure, such as

High temperatures. UV-radiation/sunlight. Frost.

Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

- packaging compatibilities

Keep only in original container.

7.3 Specific end use(s)

See section 1.2.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

No information available.

Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
tetrasodium ethylenediaminetetraacetate	64-02-8	DNEL	1.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
tetrasodium ethylenediaminetetraacetate	64-02-8	DNEL	3 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
tetrasodium ethylenediaminetetraacetate	64-02-8	DNEL	1.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
tetrasodium ethylenediaminetetraacetate	64-02-8	DNEL	3 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
tetrasodium ethylenediaminetetraacetate	64-02-8	DNEL	0.6 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - local effects
tetrasodium ethylenediaminetetraacetate	64-02-8	DNEL	1.2 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	acute - local effects
tetrasodium ethylenediaminetetraacetate	64-02-8	DNEL	25 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
Isotridecanol, ethoxylated	69011-36-5	DNEL	37 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Isotridecanol, ethoxylated	69011-36-5	DNEL	263 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Isotridecanol, ethoxylated	69011-36-5	DNEL	6.53 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

As retained in UK law by (SI 2019/758 as amended)

## Securit cleaner spray

Version number: 1.0

Date of compilation: 2026-01-30

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Isotridecanol, ethoxylated	69011-36-5	DNEL	93.8 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
Isotridecanol, ethoxylated	69011-36-5	DNEL	2.5 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
Trisodium 2,2',2''-nitrotriacetate	5064-31-3	DNEL	3.2 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Trisodium 2,2',2''-nitrotriacetate	5064-31-3	DNEL	9.6 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
Trisodium 2,2',2''-nitrotriacetate	5064-31-3	DNEL	0.8 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
Trisodium 2,2',2''-nitrotriacetate	5064-31-3	DNEL	2.4 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	acute - systemic effects
Trisodium 2,2',2''-nitrotriacetate	5064-31-3	DNEL	0.3 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
Trisodium 2,2',2''-nitrotriacetate	5064-31-3	DNEL	0.9 mg/kg bw/day	human, oral	consumer (private households)	acute - systemic effects

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
tetrasodium ethylenediaminetetraacetate	64-02-8	PNEC	2.83 mg/l	aquatic organisms	freshwater	short-term (single instance)
tetrasodium ethylenediaminetetraacetate	64-02-8	PNEC	0.283 mg/l	aquatic organisms	marine water	short-term (single instance)
tetrasodium ethylenediaminetetraacetate	64-02-8	PNEC	50 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
tetrasodium ethylenediaminetetraacetate	64-02-8	PNEC	1.1 mg/kg	terrestrial organisms	soil	short-term (single instance)
Isotridecanol, ethoxylated	69011-36-5	PNEC	0.015 mg/l	aquatic organisms	water	intermittent release
Isotridecanol, ethoxylated	69011-36-5	PNEC	4.36 µg/l	aquatic organisms	freshwater	short-term (single instance)
Isotridecanol, ethoxylated	69011-36-5	PNEC	0.436 µg/l	aquatic organisms	marine water	short-term (single instance)
Isotridecanol, ethoxylated	69011-36-5	PNEC	4.35 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Isotridecanol, ethoxylated	69011-36-5	PNEC	0.119 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Isotridecanol, ethoxylated	69011-36-5	PNEC	0.012 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Isotridecanol, ethoxylated	69011-36-5	PNEC	0.021 mg/kg	terrestrial organisms	soil	short-term (single instance)
Trisodium 2,2',2''-nitrotriacetate	5064-31-3	PNEC	3.64 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Trisodium 2,2',2''-nitrotriacetate	5064-31-3	PNEC	0.364 mg/kg	aquatic organisms	marine sediment	short-term (single instance)

## Securit cleaner spray

Version number: 1.0

Date of compilation: 2026-01-30

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Trisodium 2,2',2''-nitrotriacetate	5064-31-3	PNEC	0.182 mg/kg	terrestrial organisms	soil	short-term (single instance)
Trisodium 2,2',2''-nitrotriacetate	5064-31-3	PNEC	0.93 mg/l	aquatic organisms	freshwater	short-term (single instance)
Trisodium 2,2',2''-nitrotriacetate	5064-31-3	PNEC	0.093 mg/l	aquatic organisms	marine water	short-term (single instance)
Trisodium 2,2',2''-nitrotriacetate	5064-31-3	PNEC	270 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)

### 8.2 Exposure controls

#### Appropriate engineering controls

General ventilation. Provide eyewash stations and safety showers at the workplace.

#### Individual protection measures (personal protective equipment)

##### Eye/face protection



Use safety goggle with side protection

##### Skin protection



Chemical protective clothing.

##### Hand protection



Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

##### - type of material

Nitrile rubber

##### - material thickness

Use gloves with a minimum material thickness:  $\geq 0.38$  mm.

##### - breakthrough time of the glove material

Use gloves with a minimum breakthrough time of the glove material: >480 minutes (permeation: level 6).

##### - other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Type: ABEK-P2 (combined filters against gases, vapours and particles, colour code: Brown/Grey/Yellow/Green/White).

#### Environmental exposure controls

Take appropriate precautions to avoid uncontrolled release into the environment. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

As retained in UK law by (SI 2019/758 as amended)

## Securit cleaner spray

Version number: 1.0

Date of compilation: 2026-01-30

Physical state	liquid
Colour	clear
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	100 °C calculated value, referring to a component of the mixture
Evaporation rate	not determined
Flammability	non-combustible
Lower and upper explosion limit	LEL: UEL: not determined
Flash point	not applicable
Auto-ignition temperature	not relevant
Decomposition temperature	no data available
pH (value)	>10.5 (base)
Kinematic viscosity	not determined
Solubility	not determined

Partition coefficient n-octanol/water (log value)	this information is not available
---------------------------------------------------	-----------------------------------

Vapour pressure	2.3 kPa at 20 °C calculated value, referring to a component of the mixture
-----------------	-------------------------------------------------------------------------------

### Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

## 9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	there is no additional information

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

## Securit cleaner spray

Version number: 1.0

Date of compilation: 2026-01-30

**10.2 Chemical stability**

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

**10.3 Possibility of hazardous reactions**

No known hazardous reactions.

**10.4 Conditions to avoid**

There are no specific conditions known which have to be avoided.

**10.5 Incompatible materials**

Acids. Oxidisers.

Release of flammable materials with:

Light metals (due to the release of hydrogen in an acid/alkaline medium)

**10.6 Hazardous decomposition products**

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

**SECTION 11: Toxicological information****11.1 Information on toxicological effects**

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

**Classification acc. to GHS**

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components			
Name of substance	CAS No	Exposure route	ATE
tetrasodium ethylenediaminetetraacetate	64-02-8	oral	>1,780 mg/kg
tetrasodium ethylenediaminetetraacetate	64-02-8	inhalation: dust/mist	1.5 mg/l/4h
Trisodium 2,2',2''-nitritotriacetate	5064-31-3	oral	1,740 mg/kg

Acute toxicity of components					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
tetrasodium ethylenediaminetetraacetate	64-02-8	oral	LD50	>1,780 – <2,000 mg/kg	rat
Isotridecanol, ethoxylated	69011-36-5	oral	LD50	>2,000 mg/kg	rat
Trisodium 2,2',2''-nitritotriacetate	5064-31-3	oral	LD50	1,740 mg/kg	rat

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Securit cleaner spray

Version number: 1.0

Date of compilation: 2026-01-30

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Other information

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

11.2 Information on other hazards

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
tetrasodium ethylenediaminetetraacetate	64-02-8	ErC50	$>60 \text{ mg/l}$	algae	72 h
tetrasodium ethylenediaminetetraacetate	64-02-8	LC50	$>100 \text{ mg/l}$	rainbow trout (Oncorhynchus mykiss)	96 h
tetrasodium ethylenediaminetetraacetate	64-02-8	EC50	$100.9 \text{ mg/l}$	daphnia magna	48 h
tetrasodium ethylenediaminetetraacetate	64-02-8	NOEC	$100 \text{ mg/l}$	rainbow trout (Oncorhynchus mykiss)	96 h
Isotridecanol, ethoxylated	69011-36-5	ErC50	$3.4 \text{ mg/l}$	algae	72 h
Isotridecanol, ethoxylated	69011-36-5	LL50	$>1.5 \text{ mg/l}$	zebra fish (Danio rerio)	96 h
Isotridecanol, ethoxylated	69011-36-5	EL50	$0.64 \text{ mg/l}$	daphnia magna	48 h
Isotridecanol, ethoxylated	69011-36-5	EC50	$3.4 \text{ mg/l}$	green algae (Desmodesmus subspicatus)	72 h
Isotridecanol, ethoxylated	69011-36-5	growth rate (ErCx) 10%	$1.328 \text{ mg/l}$	algae	72 h
Isotridecanol, ethoxylated	69011-36-5	growth (EbCx) 10%	$1.328 \text{ mg/l}$	green algae (Desmodesmus subspicatus)	72 h
Trisodium 2,2',2''-nitrilotriacetate	5064-31-3	LC50	$114 \text{ mg/l}$	fish	96 h
Trisodium 2,2',2''-nitrilotriacetate	5064-31-3	ErC50	$>91.5 \text{ mg/l}$	algae	72 h
Trisodium 2,2',2''-nitrilotriacetate	5064-31-3	EC50	$>91.5 \text{ mg/l}$	green algae (Desmodesmus subspicatus)	72 h
Trisodium 2,2',2''-nitrilotriacetate	5064-31-3	NOEC	$1.56 \text{ mg/l}$	green algae (Desmodesmus subspicatus)	72 h
Trisodium 2,2',2''-nitrilotriacetate	5064-31-3	LOEC	$2.86 \text{ mg/l}$	green algae (Desmod-	72 h

Securit cleaner spray

Version number: 1.0

Date of compilation: 2026-01-30

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
				esmus subspicatus)	
Trisodium 2,2',2''-nitrilotriacetate	5064-31-3	growth rate (Er-Cx) 10%	74.8 mg/l	algae	72 h
Trisodium 2,2',2''-nitrilotriacetate	5064-31-3	growth (EbCx) 10%	22.8 mg/l	green algae (Desmod-esmus subspicatus)	72 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
tetrasodium ethylenediaminetetraacetate	64-02-8	NOEC	≥35.1 mg/l	zebra fish (Danio rerio)	35 d
tetrasodium ethylenediaminetetraacetate	64-02-8	LOEC	50 mg/l	daphnia magna	21 d
tetrasodium ethylenediaminetetraacetate	64-02-8	growth (EbCx) 10%	>500 mg/l	microorganisms	30 min
Isotridecanol, ethoxylated	69011-36-5	NOEC	218 µg/l	daphnia magna	21 d
Isotridecanol, ethoxylated	69011-36-5	growth (EbCx) 10%	278 µg/l	daphnia magna	21 d
Trisodium 2,2',2''-nitrilotriacetate	5064-31-3	NOEC	>54 mg/l	fathead minnow (Pimephales promelas)	229 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0,1%.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

Securit cleaner spray

Version number: 1.0

Date of compilation: 2026-01-30

SECTION 14: Transport information

- 14.1 UN number not assigned
- 14.2 UN proper shipping name not relevant
- 14.3 Transport hazard class(es) none
- 14.4 Packing group not assigned
- 14.5 Environmental hazards not assigned
- 14.6 Special precautions for user  
There is no additional information.
- 14.7 Maritime transport in bulk according to IMO instruments  
No data available.

Additional information for each of the UN Model Regulations

**International Maritime Dangerous Goods Code (IMDG) - additional information**

Not subject to IMDG.

**International Civil Aviation Organization (ICAO-IATA/DGR) - additional information**

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture  
**Relevant provisions of the European Union (EU)**  
**Seveso Directive**

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

**Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)**

None of the ingredients are listed.

**Water Framework Directive (WFD)**

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
tetrasodium ethylenediaminetetraacetate	Metals and their compounds		a)	
Trisodium 2,2',2''-nitrilotriacetate	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	
Trisodium 2,2',2''-nitrilotriacetate	Metals and their compounds		a)	

Securit cleaner spray

Version number: 1.0

Date of compilation: 2026-01-30

Legend

a) Indicative list of the main pollutants

**Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors, amending Regulation (EC) No 1907/2006 and repealing Regulation (EU) No 98/2013**

None of the ingredients are listed.

**Regulation 648/2004/EC on detergents**

Labelling of contents	
Wt%	Constituents
< 5 %	amphoteric surfactants non-ionic surfactants EDTA and salts thereof NTA (nitrilotriacetic acid) and salts thereof
	perfumes

**Regulation on persistent organic pollutants (POP)**

None of the ingredients are listed.

**National regulations (GB)**

**List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list**

None of the ingredients are listed.

**Restrictions according to GB REACH, Annex 17**

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name	Name acc. to inventory	Conditions of restriction	No
Securit cleaner spray	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC	R3	3

Legend

- R3
- Shall not be used in:
    - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
    - tricks and jokes,
    - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
  - Articles not complying with paragraph 1 shall not be placed on the market.
  - Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
    - can be used as fuel in decorative oil lamps for supply to the general public, and,
    - present an aspiration hazard and are labelled with R65 or H304,
  - Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the British Standard Specification on Decorative oil lamps (BS EN 14059) adopted by the British Standards Institute.
  - Without prejudice to the implementation of other legislation relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
    - lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010 'Just a sip of lamp oil
      - or even sucking the wick of lamps
      - may lead to life-threatening lung damage';
    - grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life-threatening lung damage';
    - lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
  - Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the Agency.

**15.2 Chemical Safety Assessment**

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

As retained in UK law by (SI 2019/758 as amended)

## Securit cleaner spray

Version number: 1.0

Date of compilation: 2026-01-30

### SECTION 16: Other information

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

As retained in UK law by (SI 2019/758 as amended)

## Securit cleaner spray

Version number: 1.0

Date of compilation: 2026-01-30

Abbr.	Descriptions of used abbreviations
LOEC	Lowest Observed Effect Concentration
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STOT RE	Specific target organ toxicity - repeated exposure
UEL	Upper explosion limit (UEL)
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended). The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended). GB mandatory classification and labelling.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.